



Corrosion-resistant; Sea water-resistant; Smooth surfaces - no edges; Compact design; Wide, variable clamping ranges

- Stainless steel version with compact design
- For use in the splash zone in the food production



Product description

Application range

- Onshore and offshore applications
- Bottling plants and breweries
- Food industry (product-free zone, splash zone)

Benefits

- Corrosion-resistant
- Sea water-resistant
- Smooth surfaces - no edges
- Compact design
- Wide, variable clamping ranges

Product Make-up

- Metric connection thread acc. to EN 50262

Norm references / Approvals

- ECOLAB®
Industry standard for innovation and efficiency in the field of professional cleaning and disinfection
- DIN EN 1672-2
Guideline for the design of machinery
- DIN EN ISO 14 159
Security of machinery – Hygienic requirements for the design of machinery

Note

- EMC version is available upon request

Technical Data

Classification	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: cable screw gland
Material	Body: Stainless steel - V4A (1.4404 / 316L) Insert: Polyamide Sealing ring: Silicone O-Ring: Silicone
Protection rating	IP 68 - 10 bar (M12 - M20) IP 68 - 5 bar (M25 - M32) IP 69 K
Temperature range	-40°C to +100°C