



Reliable bending and anti-kink protection; Cable conservation; Functional reliability; To protect flexible cables



## Product description

### Application range

- Cables for electrical appliances and machinery that are moved under normal use must be protected against excessive bending as required in accordance with VDE 0700-1
- Handheld device
- Robotics industry
- Light and sound applications
- Moving machine parts

### Benefits

- Reliable bending and anti-kink protection
- Cable conservation
- Functional reliability
- To protect flexible cables

### Product Make-up

- Metric connection thread acc. to EN 50262

## Norm references / Approvals

- UL File Nr. E79903

## Note

- Refer to SKINTOP® metric accessories for suitable accessories
- Counter nut to be used: SKINTOP® GMP-GL-M
- Version with reducing insert to seal smaller cable cross-sections SKINTOP® BSR-M on request
- SKINTOP® BS M ISO versions with extra-long connection thread, see table, no DNV approval

## Technical Data

Caution	Refer to Appendix T21 for the installation dimensions and torques
On request	with reducing sealing ring
Classification	ETIM 5.0 Class-ID: EC000441
	ETIM 5.0 Class-Description: cable screw gland
Colour delivered	Silver grey (RAL 7001)
	Light grey (RAL 7035)
	Black (RAL 9005), UV-resistant
Material	Body: Polyamide
	Seal: CR
Protection rating	IP 68 - 5 bar
	IP 69 K pending
Temperature range	-20°C to +100°C