



**Description:** A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 200\_

**Lapp code:** Lapp 1591061

The **Test voltage** of the cable Lapp 1591061 is Core/core: 500 V Core/screen: 2000 V.

## Application range

- External cables for telecommunication and data processing systems
- Do not install cables that are meant to be placed in ducts or for direct burial in areas exposed to fire hazards

## Product Make-up

- Solid bare copper conductor
- Core insulation made of polyethylene (PE)
- 5 star-quads are twisted into each basic unit, which is then twisted together with the main unit to form the cable core
- Paper tape wrapping
- Laminated sheath with aluminium-coated plastic tape, PE outer sheath

In our Cable list on next page you can find all interesting information acc. article Lapp 1591061 and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Number of double cores	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
A-2Y(L)2Y...STIII BD copper conductor 0.6 mm					
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 2	Lapp 1591050	2	8.1	11.0	65
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 4	Lapp 1591051	4	10.0	23.0	90
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 6	Lapp 1591052	6	10.3	34.0	110
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 10	Lapp 1591053	10	11.5	57.0	140
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 20	Lapp 1591054	20	15.5	113.0	230
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 30	Lapp 1591055	30	16.6	170.0	320
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 40	Lapp 1591056	40	18.0	226.0	400
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 50	Lapp 1591057	50	19.5	283.0	470
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 70	Lapp 1591058	70	23.0	396.0	610
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 200	Lapp 1591061	200	36.5	1131.0	1600
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 300	Lapp 1591063	300	44.0	1696.0	2300
A-2Y(L)2Y...ST III BD copper conductor 0.8 mm					
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 2	Lapp 1591150	2	8.6	20.0	75
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 4	Lapp 1591151	4	10.9	40.0	120
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 6	Lapp 1591152	6	11.5	60.0	145
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 10	Lapp 1591153	10	13.5	101.0	200
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 14	Lapp 1591163	14	16.5	141.0	270
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 20	Lapp 1591154	20	17.3	201.0	340
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 30	Lapp 1591155	30	19.0	302.0	480

# A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 200\_

Lapp 1591061



Product Name	Lapp Nr.	Number of double cores	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 40	Lapp 1591156	40	20.7	402.0	610
A-2Y(L)2Y...ST III BD Telephone Outdoor Cable 50	Lapp 1591157	50	23.7	503.0	750