



Description: BUS M12 connectors that can be assembled_

Lapp code: Lapp 22260136

The **Test voltage** of the cable Lapp 22260136 is /.

Application range

- Automation technology
- Mechanical engineering
- Plant engineering
- Tool shop
- Automotive industry

/

In our Cable list on next page you can find all interesting information acc. article Lapp 22260136 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article de designation	Min. conductor cross-section/ flexible/ in mm ²	Max. conductor cross-section/ flexible/ in mm ²	Min. conductor cross-section AWG/kc mil	Max. conductor cross-section AWG/kc mil	Min. cable diameter (mm)	Max. cable diameter (mm)	PU	Number of pins	Rated voltage (V)	Rated current (A)
PROFIBUS, 5-pin straight connector, screw connection												
BUS M12 connectors that can be assembled	Lapp 22260653	AB-C5-M 12MSB-P G9-SH-AU	0.25	0.75	24	18	6	8.5	1			
PROFIBUS, 5-pin straight socket, screw connection												
BUS M12 connectors that can be assembled	Lapp 22260646	AB-C5-M 12FSB-P G9-SH-AU	0.25	0.75	24	18	6	8.5	1			
PROFINET/ETHERNET, 4-pin straight connector, fast-connection												
BUS M12 connectors that can be assembled	Lapp 22260820	AB-C4-M 12MSD-SH	0.14	0.34	26	22	4	8	1			
BUS M12 connectors that can be assembled	Lapp 22261016	AB-C4-M 12FSD-SH	0.14	0.34	26	22	4	8	1			
Straight connector, shielded, screw connection												
BUS M12 connectors that can be assembled	Lapp 22260135	AB-C5-M 12MS-PG9-SH	0.25	0.75			6	8	1	5	60	4
Straight socket, shielded, screw connection												
BUS M12 connectors that can be assembled	Lapp 22260136	AB-C5-M 12FS-PG9-SH	0.25	0.75			6	8	1	5	60	4