



Description: EPIC H-D 1.6 stamped contacts-on-reel_

Lapp code: Lapp 11240500

The **Test voltage** of the cable Lapp 11240500 is /.

/

/

In our Cable list on next page you can find all interesting information acc. article Lapp 11240500 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Article | Version | Conductor cross-section (mm ²) | Surface | Stripping length (mm) | Note | Pieces / PU |
|---------------------------------------|---------------|------------------------------|---------|--|---------|-----------------------|-----------------------------|-------------|
| Contacts | | | | | | | | |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11240700 | H-D SCBG AG 0.14-0.5 200 LI | male | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 200 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11230700 | H-D BCBG AG 0.14-0.5 200 LI | female | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 200 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11240400 | H-D SCBG AG 0.14-0.5 2000 LI | male | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11230400 | H-D BCBG AG 0.14-0.5 2000 LI | female | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11240000 | H-D SCBG AG 0.14-0.5 2000 RE | male | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11230000 | H-D BCBG AG 0.14-0.5 2000 RE | female | 0,14 - 0,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11240500 | H-D SCBG AU 0.14-0.5 2000 LI | male | 0,14 - 0,5 | Au | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11230500 | H-D BCBG AU 0.14-0.5 2000 LI | female | 0,14 - 0,5 | Au | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11220700 | H-D SCBG AG 0.5-1.5 200 LI | male | 0,5 - 1,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 200 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11235700 | H-D BCBG AG 0.14-0.5 200 LI | female | 0,5 - 1,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 200 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11226000 | H-D SCBG AG 0.5-1.5 2000 LI | male | 0,5 - 1,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11226500 | H-D BCBG AG 0.5-1.5 2000 LI | female | 0,5 - 1,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11220000 | H-D SCBG AG 0.5-1.5 2000 RE | male | 0,5 - 1,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11235000 | H-D BCBG AG 0.5-1.5 2000 RE | female | 0,5 - 1,5 | Ag | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |

EPIC H-D 1.6 stamped contacts-on-reel_

Lapp 11240500



| Product Name | Lapp Nr. | Article | Version | Conductor cross-section (mm ²) | Surface | Stripping length (mm) | Note | Pieces / PU |
|---------------------------------------|---------------|-----------------------------|---------|--|---------|-----------------------|-----------------------------|-------------|
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11220100 | H-D SCBG AU 0.5-1.5 2000 RE | male | 0,5 - 1,5 | Au | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11235200 | H-D BCBG AG 0.5-1.5 200 LI | female | 0,5 - 1,5 | Au | 2.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11223000 | H-D SCBG AG 1.5-2.5 100 LI | male | 1,5 - 2,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 100 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11228000 | H-D BCBG AG 1.5-2.5 100 LI | female | 1,5 - 2,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 100 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11222700 | H-D SCBG AG 1.5-2.5 2000 LI | male | 1,5 - 2,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |
| EPIC H-D 1.6 stamped contacts-on-reel | Lapp 11227700 | H-D BCBG AG 1.5-2.5 2000 LI | female | 1,5 - 2,5 | Ag | 3.5 + 0.5 | 1 reel (PU) = 2000 contacts | 1 |