



Description: ETHERLINE PN Cat.6A FLEX_

Lapp code: Lapp 2170931

The **Test voltage** of the cable Lapp 2170931 is /.

Application range

- for industrial secondary and tertiary cabling according to EN 50173-3 ISO/IEC 24702
- For flexible applications (7-wire stranded conductor)
- Plant engineering, machinery manufacturing
- suitable for EtherCAT and EtherNet/IP applications

Product Make-up

- Stranded 7-wire bare conductor
- Core insulation: PE
- S/FTP: copper braid as overall screening and pair screening with aluminium compound foil
- PVC or FRNC jacket material
- Colour: green (based on RAL 6018)

In our Cable list on next page you can find all interesting information acc. article Lapp 2170931 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Number of pairs and AWG per conductor	Max. outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
PVC outer sheath						
ETHERLINE PN Cat.6A FLEX	Lapp 2170930	ETHERLINE PN Cat.6A Y FLEX	4 x 2 x AWG23/7	9.0	48.0	92
FRNC outer sheath						
ETHERLINE PN Cat.6A FLEX	Lapp 2170931	ETHERLINE PN Cat.6A FRNC FLEX	4 x 2 x AWG23/7	9.0	48.0	87