



Description: ETHERLINE TORSION Cat.6A_

Lapp code: Lapp 2170483

The **Test voltage** of the cable Lapp 2170483 is /.

Application range

- Suitable for torsional applications which are typical for the loop in wind turbine generators (WTG)
- Can be used for Industrial Ethernet in harsh industrial environments
- suitable for EtherCAT and EtherNet/IP applications
- For PROFINET applications type C

Product Make-up

- 7-wire tinned stranded copper conductor
- Core insulation made of polyethylene (PE)
- S/FTP: copper braid as overall screening and pair screening with aluminium compound foil
- Outer sheath: PUR, halogen-free/PVC
- Colour: green (based on RAL 6018)

In our Cable list on next page you can find all interesting information acc. article Lapp 2170483 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Number of pairs and AWG per conductor	Max. outer diameter (mm)	Copper index (kg/km)
PVC sheath					
ETHERLINE TORSION Cat.6A	Lapp 2170482	ETHERLINE® TORSION Y CAT6A	4 x 2 x AWG24/7	9.0	44.0
Outer sheath: PUR, halogen-free					
ETHERLINE TORSION Cat.6A	Lapp 2170483	ETHERLINE® TORSION P CAT6A	4 x 2 x AWG24/7	9.0	44.0