



Description: H07Z-K 90°C 10_
Lapp code: Lapp 4726055

The **Test voltage** of the cable Lapp 4726055 is 2500 V.

Application range

- For wiring of lamps, devices, switchgear cabinets and distribution boxes
- For installation in tubes, on, in and under plaster as well as in closed installation ducts
- In building with a high density of people or valuable assets
- For use in dry rooms
- For expanded ambient temperatures and higher conductor cross-sections
see ÖLFLEX® HEAT 125 SC

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: Halogen-free

In our Cable list on next page you can find all interesting information acc. article Lapp 4726055 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 1.5 | Lapp 4726001 | 1.5 | 3.5 | green/yellow | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726001K | 1.5 | 3.5 | green/yellow | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726121 | 1.5 | 3.5 | green | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726121K | 1.5 | 3.5 | green | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726031 | 1.5 | 3.5 | brown | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726031K | 1.5 | 3.5 | brown | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726011 | 1.5 | 3.5 | black | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726011K | 1.5 | 3.5 | black | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726061 | 1.5 | 3.5 | grey | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726061K | 1.5 | 3.5 | grey | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726021 | 1.5 | 3.5 | blue | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726021K | 1.5 | 3.5 | blue | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726141 | 1.5 | 3.5 | Dark blue | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726141K | 1.5 | 3.5 | Dark blue | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726091 | 1.5 | 3.5 | orange | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726091K | 1.5 | 3.5 | orange | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726071 | 1.5 | 3.5 | violet | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726071K | 1.5 | 3.5 | violet | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726111 | 1.5 | 3.5 | yellow | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726111K | 1.5 | 3.5 | yellow | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726051 | 1.5 | 3.5 | white | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726051K | 1.5 | 3.5 | white | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726041 | 1.5 | 3.5 | red | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726041K | 1.5 | 3.5 | red | | 1500 | 14.4 | 20 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 1.5 | Lapp 4726081 | 1.5 | 3.5 | pink | 100 | | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726081K | 1.5 | 3.5 | pink | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 1.5 | Lapp 4726261K | 1.5 | 3.5 | blue/white | | 1500 | 14.4 | 20 |
| H07Z-K 90°C 2.5 | Lapp 4726002 | 2.5 | 4.3 | green/yellow | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726002K | 2.5 | 4.3 | green/yellow | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726122 | 2.5 | 4.3 | green | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726122K | 2.5 | 4.3 | green | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726032 | 2.5 | 4.3 | brown | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726032K | 2.5 | 4.3 | brown | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726012 | 2.5 | 4.3 | black | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726012K | 2.5 | 4.3 | black | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726062 | 2.5 | 4.3 | grey | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726062K | 2.5 | 4.3 | grey | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726022 | 2.5 | 4.3 | blue | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726022K | 2.5 | 4.3 | blue | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726142 | 2.5 | 4.3 | Dark blue | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726142K | 2.5 | 4.3 | Dark blue | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726092 | 2.5 | 4.3 | orange | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726092K | 2.5 | 4.3 | orange | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726072 | 2.5 | 4.3 | violet | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726072K | 2.5 | 4.3 | violet | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726112 | 2.5 | 4.3 | yellow | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726112K | 2.5 | 4.3 | yellow | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726052 | 2.5 | 4.3 | white | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726052K | 2.5 | 4.3 | white | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726042 | 2.5 | 4.3 | red | 100 | | 24.0 | 32 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 2.5 | Lapp 4726042K | 2.5 | 4.3 | red | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726082 | 2.5 | 4.3 | pink | 100 | | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726082K | 2.5 | 4.3 | pink | | 900 | 24.0 | 32 |
| H07Z-K 90°C 2.5 | Lapp 4726262K | 2.5 | 4.3 | blue/white | | 900 | 24.0 | 32 |
| H07Z-K 90°C 4 | Lapp 4726003 | 4 | 4.9 | green/yellow | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726003K | 4 | 4.9 | green/yellow | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726123 | 4 | 4.9 | green | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726123K | 4 | 4.9 | green | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726033 | 4 | 4.9 | brown | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726033K | 4 | 4.9 | brown | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726013 | 4 | 4.9 | black | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726013K | 4 | 4.9 | black | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726063 | 4 | 4.9 | grey | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726063K | 4 | 4.9 | grey | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726023 | 4 | 4.9 | blue | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726023K | 4 | 4.9 | blue | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726143 | 4 | 4.9 | Dark blue | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726143K | 4 | 4.9 | Dark blue | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726093 | 4 | 4.9 | orange | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726093K | 4 | 4.9 | orange | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726073 | 4 | 4.9 | violet | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726073K | 4 | 4.9 | violet | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726113 | 4 | 4.9 | yellow | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726113K | 4 | 4.9 | yellow | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726053 | 4 | 4.9 | white | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726053K | 4 | 4.9 | white | | 600 | 38.4 | 45 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|---------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 4 | Lapp 4726043 | 4 | 4.9 | red | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726043K | 4 | 4.9 | red | | 600 | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726083 | 4 | 4.9 | pink | 100 | | 38.4 | 45 |
| H07Z-K 90°C 4 | Lapp 4726083K | 4 | 4.9 | pink | | 600 | 38.4 | 45 |
| H07Z-K 90°C 6 | Lapp 4726004 | 6 | 5.5 | green/yellow | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726004K | 6 | 5.5 | green/yellow | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726124 | 6 | 5.5 | green | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726124K | 6 | 5.5 | green | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726034 | 6 | 5.5 | brown | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726034K | 6 | 5.5 | brown | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726014 | 6 | 5.5 | black | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726014K | 6 | 5.5 | black | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726064 | 6 | 5.5 | grey | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726064K | 6 | 5.5 | grey | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726024 | 6 | 5.5 | blue | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726024K | 6 | 5.5 | blue | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726144 | 6 | 5.5 | Dark blue | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726144K | 6 | 5.5 | Dark blue | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726094 | 6 | 5.5 | orange | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726094K | 6 | 5.5 | orange | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726074 | 6 | 5.5 | violet | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726074K | 6 | 5.5 | violet | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726114 | 6 | 5.5 | yellow | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726114K | 6 | 5.5 | yellow | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726054 | 6 | 5.5 | white | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726054K | 6 | 5.5 | white | | 400 | 57.6 | 65 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 6 | Lapp 4726044 | 6 | 5.5 | red | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726044K | 6 | 5.5 | red | | 400 | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726084 | 6 | 5.5 | pink | 100 | | 57.6 | 65 |
| H07Z-K 90°C 6 | Lapp 4726084K | 6 | 5.5 | pink | | 400 | 57.6 | 65 |
| H07Z-K 90°C 10 | Lapp 4726005 | 10 | 7.1 | green/yellow | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726125 | 10 | 7.1 | green | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726035 | 10 | 7.1 | brown | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726015 | 10 | 7.1 | black | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726065 | 10 | 7.1 | grey | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726025 | 10 | 7.1 | blue | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726145 | 10 | 7.1 | Dark blue | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726095 | 10 | 7.1 | orange | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726075 | 10 | 7.1 | violet | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726115 | 10 | 7.1 | yellow | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726055 | 10 | 7.1 | white | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726045 | 10 | 7.1 | red | 100 | | 96.0 | 110 |
| H07Z-K 90°C 10 | Lapp 4726085 | 10 | 7.1 | pink | 100 | | 96.0 | 110 |
| H07Z-K 90°C 16 | Lapp 4726006 | 16 | 8.4 | green/yellow | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726126 | 16 | 8.4 | green | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726036 | 16 | 8.4 | brown | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726016 | 16 | 8.4 | black | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726066 | 16 | 8.4 | grey | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726026 | 16 | 8.4 | blue | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726146 | 16 | 8.4 | Dark blue | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726096 | 16 | 8.4 | orange | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726076 | 16 | 8.4 | violet | 100 | | 153.6 | 170 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 16 | Lapp 4726116 | 16 | 8.4 | yellow | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726056 | 16 | 8.4 | white | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726046 | 16 | 8.4 | red | 100 | | 153.6 | 170 |
| H07Z-K 90°C 16 | Lapp 4726086 | 16 | 8.4 | pink | 100 | | 153.6 | 170 |
| H07Z-K 90°C 25 | Lapp 4726007 | 25 | 10.6 | green/yellow | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726127 | 25 | 10.6 | green | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726037 | 25 | 10.6 | brown | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726017 | 25 | 10.6 | black | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726067 | 25 | 10.6 | grey | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726027 | 25 | 10.6 | blue | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726147 | 25 | 10.6 | Dark blue | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726097 | 25 | 10.6 | orange | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726077 | 25 | 10.6 | violet | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726117 | 25 | 10.6 | yellow | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726057 | 25 | 10.6 | white | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726047 | 25 | 10.6 | red | 100 | | 240.0 | 290 |
| H07Z-K 90°C 25 | Lapp 4726087 | 25 | 10.6 | pink | 100 | | 240.0 | 290 |
| H07Z-K 90°C 35 | Lapp 4726008 | 35 | 12.1 | green/yellow | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726128 | 35 | 12.1 | green | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726038 | 35 | 12.1 | brown | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726018 | 35 | 12.1 | black | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726068 | 35 | 12.1 | grey | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726028 | 35 | 12.1 | blue | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726148 | 35 | 12.1 | Dark blue | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726098 | 35 | 12.1 | orange | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726078 | 35 | 12.1 | violet | | | 336.0 | 380 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 35 | Lapp 4726118 | 35 | 12.1 | yellow | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726058 | 35 | 12.1 | white | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726048 | 35 | 12.1 | red | | | 336.0 | 380 |
| H07Z-K 90°C 35 | Lapp 4726088 | 35 | 12.1 | pink | | | 336.0 | 380 |
| H07Z-K 90°C 50 | Lapp 4726009 | 50 | 14.4 | green/yellow | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726129 | 50 | 14.4 | green | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726039 | 50 | 14.4 | brown | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726019 | 50 | 14.4 | black | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726069 | 50 | 14.4 | grey | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726029 | 50 | 14.4 | blue | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726149 | 50 | 14.4 | Dark blue | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726099 | 50 | 14.4 | orange | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726079 | 50 | 14.4 | violet | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726119 | 50 | 14.4 | yellow | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726059 | 50 | 14.4 | white | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726049 | 50 | 14.4 | red | | | 480.0 | 530 |
| H07Z-K 90°C 50 | Lapp 4726089 | 50 | 14.4 | pink | | | 480.0 | 530 |
| H07Z-K 90°C 70 | Lapp 4727001 | 70 | 16.6 | green/yellow | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727121 | 70 | 16.6 | green | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727031 | 70 | 16.6 | brown | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727011 | 70 | 16.6 | black | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727061 | 70 | 16.6 | grey | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727021 | 70 | 16.6 | blue | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727141 | 70 | 16.6 | Dark blue | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727091 | 70 | 16.6 | orange | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727071 | 70 | 16.6 | violet | | | 672.0 | 750 |

H07Z-K 90°C 10_
Lapp 4726055



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 70 | Lapp 4727111 | 70 | 16.6 | yellow | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727051 | 70 | 16.6 | white | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727041 | 70 | 16.6 | red | | | 672.0 | 750 |
| H07Z-K 90°C 70 | Lapp 4727081 | 70 | 16.6 | pink | | | 672.0 | 750 |
| H07Z-K 90°C 95 | Lapp 4727002 | 95 | 18.8 | green/yellow | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727122 | 95 | 18.8 | green | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727032 | 95 | 18.8 | brown | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727012 | 95 | 18.8 | black | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727062 | 95 | 18.8 | grey | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727022 | 95 | 18.8 | blue | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727142 | 95 | 18.8 | Dark blue | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727092 | 95 | 18.8 | orange | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727072 | 95 | 18.8 | violet | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727112 | 95 | 18.8 | yellow | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727052 | 95 | 18.8 | white | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727042 | 95 | 18.8 | red | | | 912.0 | 1000 |
| H07Z-K 90°C 95 | Lapp 4727082 | 95 | 18.8 | pink | | | 912.0 | 1000 |