



**Description:** H07Z-K 90°C 25\_  
**Lapp code:** Lapp 4726067

The **Test voltage** of the cable Lapp 4726067 is 2500 V.

## Application range

- For wiring of lamps, devices, switchgear cabinets and distribution boxes
- For installation in tubes, on, in and under plaster as well as in closed installation ducts
- In building with a high density of people or valuable assets
- For use in dry rooms
- For expanded ambient temperatures and higher conductor cross-sections  
see ÖLFLEX® HEAT 125 SC

## Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: Halogen-free

In our Cable list on next page you can find all interesting information acc. article Lapp 4726067 and much more.

## CABLE LIST - all informations you need you can find here

| Product Name    | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 1.5 | Lapp 4726001  | 1.5  | 3.5                 | green/yellow | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726001K | 1.5  | 3.5                 | green/yellow |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726121  | 1.5  | 3.5                 | green        | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726121K | 1.5  | 3.5                 | green        |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726031  | 1.5  | 3.5                 | brown        | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726031K | 1.5  | 3.5                 | brown        |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726011  | 1.5  | 3.5                 | black        | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726011K | 1.5  | 3.5                 | black        |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726061  | 1.5  | 3.5                 | grey         | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726061K | 1.5  | 3.5                 | grey         |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726021  | 1.5  | 3.5                 | blue         | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726021K | 1.5  | 3.5                 | blue         |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726141  | 1.5  | 3.5                 | Dark blue    | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726141K | 1.5  | 3.5                 | Dark blue    |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726091  | 1.5  | 3.5                 | orange       | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726091K | 1.5  | 3.5                 | orange       |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726071  | 1.5  | 3.5                 | violet       | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726071K | 1.5  | 3.5                 | violet       |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726111  | 1.5  | 3.5                 | yellow       | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726111K | 1.5  | 3.5                 | yellow       |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726051  | 1.5  | 3.5                 | white        | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726051K | 1.5  | 3.5                 | white        |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726041  | 1.5  | 3.5                 | red          | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726041K | 1.5  | 3.5                 | red          |        | 1500  | 14.4                 | 20             |

| Product Name    | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 1.5 | Lapp 4726081  | 1.5  | 3.5                 | pink         | 100    |       | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726081K | 1.5  | 3.5                 | pink         |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 1.5 | Lapp 4726261K | 1.5  | 3.5                 | blue/white   |        | 1500  | 14.4                 | 20             |
| H07Z-K 90°C 2.5 | Lapp 4726002  | 2.5  | 4.3                 | green/yellow | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726002K | 2.5  | 4.3                 | green/yellow |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726122  | 2.5  | 4.3                 | green        | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726122K | 2.5  | 4.3                 | green        |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726032  | 2.5  | 4.3                 | brown        | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726032K | 2.5  | 4.3                 | brown        |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726012  | 2.5  | 4.3                 | black        | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726012K | 2.5  | 4.3                 | black        |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726062  | 2.5  | 4.3                 | grey         | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726062K | 2.5  | 4.3                 | grey         |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726022  | 2.5  | 4.3                 | blue         | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726022K | 2.5  | 4.3                 | blue         |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726142  | 2.5  | 4.3                 | Dark blue    | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726142K | 2.5  | 4.3                 | Dark blue    |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726092  | 2.5  | 4.3                 | orange       | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726092K | 2.5  | 4.3                 | orange       |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726072  | 2.5  | 4.3                 | violet       | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726072K | 2.5  | 4.3                 | violet       |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726112  | 2.5  | 4.3                 | yellow       | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726112K | 2.5  | 4.3                 | yellow       |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726052  | 2.5  | 4.3                 | white        | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726052K | 2.5  | 4.3                 | white        |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726042  | 2.5  | 4.3                 | red          | 100    |       | 24.0                 | 32             |

**H07Z-K 90°C 25\_**  
**Lapp 4726067**



| Product Name    | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 2.5 | Lapp 4726042K | 2.5  | 4.3                 | red          |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726082  | 2.5  | 4.3                 | pink         | 100    |       | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726082K | 2.5  | 4.3                 | pink         |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 2.5 | Lapp 4726262K | 2.5  | 4.3                 | blue/white   |        | 900   | 24.0                 | 32             |
| H07Z-K 90°C 4   | Lapp 4726003  | 4  | 4.9                 | green/yellow | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726003K | 4  | 4.9                 | green/yellow |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726123  | 4  | 4.9                 | green        | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726123K | 4  | 4.9                 | green        |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726033  | 4  | 4.9                 | brown        | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726033K | 4  | 4.9                 | brown        |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726013  | 4  | 4.9                 | black        | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726013K | 4  | 4.9                 | black        |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726063  | 4  | 4.9                 | grey         | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726063K | 4  | 4.9                 | grey         |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726023  | 4  | 4.9                 | blue         | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726023K | 4  | 4.9                 | blue         |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726143  | 4  | 4.9                 | Dark blue    | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726143K | 4  | 4.9                 | Dark blue    |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726093  | 4  | 4.9                 | orange       | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726093K | 4  | 4.9                 | orange       |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726073  | 4  | 4.9                 | violet       | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726073K | 4  | 4.9                 | violet       |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726113  | 4  | 4.9                 | yellow       | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726113K | 4  | 4.9                 | yellow       |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726053  | 4  | 4.9                 | white        | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4   | Lapp 4726053K | 4  | 4.9                 | white        |        | 600   | 38.4                 | 45             |

**H07Z-K 90°C 25\_**  
**Lapp 4726067**



| Product Name  | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|---------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 4 | Lapp 4726043  | 4  | 4.9                 | red          | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4 | Lapp 4726043K | 4  | 4.9                 | red          |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 4 | Lapp 4726083  | 4  | 4.9                 | pink         | 100    |       | 38.4                 | 45             |
| H07Z-K 90°C 4 | Lapp 4726083K | 4  | 4.9                 | pink         |        | 600   | 38.4                 | 45             |
| H07Z-K 90°C 6 | Lapp 4726004  | 6  | 5.5                 | green/yellow | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726004K | 6  | 5.5                 | green/yellow |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726124  | 6  | 5.5                 | green        | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726124K | 6  | 5.5                 | green        |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726034  | 6  | 5.5                 | brown        | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726034K | 6  | 5.5                 | brown        |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726014  | 6  | 5.5                 | black        | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726014K | 6  | 5.5                 | black        |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726064  | 6  | 5.5                 | grey         | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726064K | 6  | 5.5                 | grey         |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726024  | 6  | 5.5                 | blue         | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726024K | 6  | 5.5                 | blue         |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726144  | 6  | 5.5                 | Dark blue    | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726144K | 6  | 5.5                 | Dark blue    |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726094  | 6  | 5.5                 | orange       | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726094K | 6  | 5.5                 | orange       |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726074  | 6  | 5.5                 | violet       | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726074K | 6  | 5.5                 | violet       |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726114  | 6  | 5.5                 | yellow       | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726114K | 6  | 5.5                 | yellow       |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726054  | 6  | 5.5                 | white        | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6 | Lapp 4726054K | 6  | 5.5                 | white        |        | 400   | 57.6                 | 65             |

**H07Z-K 90°C 25\_**  
**Lapp 4726067**



| Product Name   | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 6  | Lapp 4726044  | 6  | 5.5                 | red          | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6  | Lapp 4726044K | 6  | 5.5                 | red          |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 6  | Lapp 4726084  | 6  | 5.5                 | pink         | 100    |       | 57.6                 | 65             |
| H07Z-K 90°C 6  | Lapp 4726084K | 6  | 5.5                 | pink         |        | 400   | 57.6                 | 65             |
| H07Z-K 90°C 10 | Lapp 4726005  | 10   | 7.1                 | green/yellow | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726125  | 10   | 7.1                 | green        | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726035  | 10   | 7.1                 | brown        | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726015  | 10   | 7.1                 | black        | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726065  | 10   | 7.1                 | grey         | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726025  | 10   | 7.1                 | blue         | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726145  | 10   | 7.1                 | Dark blue    | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726095  | 10   | 7.1                 | orange       | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726075  | 10   | 7.1                 | violet       | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726115  | 10   | 7.1                 | yellow       | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726055  | 10   | 7.1                 | white        | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726045  | 10   | 7.1                 | red          | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 10 | Lapp 4726085  | 10   | 7.1                 | pink         | 100    |       | 96.0                 | 110            |
| H07Z-K 90°C 16 | Lapp 4726006  | 16   | 8.4                 | green/yellow | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726126  | 16   | 8.4                 | green        | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726036  | 16   | 8.4                 | brown        | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726016  | 16   | 8.4                 | black        | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726066  | 16   | 8.4                 | grey         | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726026  | 16   | 8.4                 | blue         | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726146  | 16   | 8.4                 | Dark blue    | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726096  | 16   | 8.4                 | orange       | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726076  | 16   | 8.4                 | violet       | 100    |       | 153.6                | 170            |

**H07Z-K 90°C 25\_**  
**Lapp 4726067**



| Product Name   | Lapp Nr.     | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 16 | Lapp 4726116 | 16   | 8.4                 | yellow       | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726056 | 16   | 8.4                 | white        | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726046 | 16   | 8.4                 | red          | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 16 | Lapp 4726086 | 16   | 8.4                 | pink         | 100    |       | 153.6                | 170            |
| H07Z-K 90°C 25 | Lapp 4726007 | 25   | 10.6                | green/yellow | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726127 | 25   | 10.6                | green        | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726037 | 25   | 10.6                | brown        | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726017 | 25   | 10.6                | black        | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726067 | 25   | 10.6                | grey         | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726027 | 25   | 10.6                | blue         | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726147 | 25   | 10.6                | Dark blue    | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726097 | 25   | 10.6                | orange       | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726077 | 25   | 10.6                | violet       | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726117 | 25   | 10.6                | yellow       | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726057 | 25   | 10.6                | white        | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726047 | 25   | 10.6                | red          | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 25 | Lapp 4726087 | 25   | 10.6                | pink         | 100    |       | 240.0                | 290            |
| H07Z-K 90°C 35 | Lapp 4726008 | 35   | 12.1                | green/yellow |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726128 | 35   | 12.1                | green        |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726038 | 35   | 12.1                | brown        |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726018 | 35   | 12.1                | black        |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726068 | 35   | 12.1                | grey         |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726028 | 35   | 12.1                | blue         |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726148 | 35   | 12.1                | Dark blue    |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726098 | 35   | 12.1                | orange       |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726078 | 35   | 12.1                | violet       |        |       | 336.0                | 380            |

DATASHEET FOR H07Z-K 90°C 25\_ by

PERTRONIC CABLES SASA PERIC ROSENSTR.6 74239 HARDTHAUSEN TEL: 07139-507-8687 FAX: 07139-507-8680

www.pertronic-cables.com | sales@pertronic.eu | Skype PERTRONIC-CABLES | see you GOOGLE + PERTRONIC KABEL

**H07Z-K 90°C 25\_**  
**Lapp 4726067**



| Product Name   | Lapp Nr.     | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 35 | Lapp 4726118 | 35   | 12.1                | yellow       |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726058 | 35   | 12.1                | white        |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726048 | 35   | 12.1                | red          |        |       | 336.0                | 380            |
| H07Z-K 90°C 35 | Lapp 4726088 | 35   | 12.1                | pink         |        |       | 336.0                | 380            |
| H07Z-K 90°C 50 | Lapp 4726009 | 50   | 14.4                | green/yellow |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726129 | 50   | 14.4                | green        |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726039 | 50   | 14.4                | brown        |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726019 | 50   | 14.4                | black        |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726069 | 50   | 14.4                | grey         |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726029 | 50   | 14.4                | blue         |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726149 | 50   | 14.4                | Dark blue    |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726099 | 50   | 14.4                | orange       |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726079 | 50   | 14.4                | violet       |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726119 | 50   | 14.4                | yellow       |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726059 | 50   | 14.4                | white        |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726049 | 50   | 14.4                | red          |        |       | 480.0                | 530            |
| H07Z-K 90°C 50 | Lapp 4726089 | 50   | 14.4                | pink         |        |       | 480.0                | 530            |
| H07Z-K 90°C 70 | Lapp 4727001 | 70   | 16.6                | green/yellow |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727121 | 70   | 16.6                | green        |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727031 | 70   | 16.6                | brown        |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727011 | 70   | 16.6                | black        |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727061 | 70   | 16.6                | grey         |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727021 | 70   | 16.6                | blue         |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727141 | 70   | 16.6                | Dark blue    |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727091 | 70   | 16.6                | orange       |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727071 | 70   | 16.6                | violet       |        |       | 672.0                | 750            |



| Product Name   | Lapp Nr.     | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------|--------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| H07Z-K 90°C 70 | Lapp 4727111 | 70   | 16.6                | yellow       |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727051 | 70   | 16.6                | white        |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727041 | 70   | 16.6                | red          |        |       | 672.0                | 750            |
| H07Z-K 90°C 70 | Lapp 4727081 | 70   | 16.6                | pink         |        |       | 672.0                | 750            |
| H07Z-K 90°C 95 | Lapp 4727002 | 95   | 18.8                | green/yellow |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727122 | 95   | 18.8                | green        |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727032 | 95   | 18.8                | brown        |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727012 | 95   | 18.8                | black        |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727062 | 95   | 18.8                | grey         |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727022 | 95   | 18.8                | blue         |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727142 | 95   | 18.8                | Dark blue    |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727092 | 95   | 18.8                | orange       |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727072 | 95   | 18.8                | violet       |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727112 | 95   | 18.8                | yellow       |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727052 | 95   | 18.8                | white        |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727042 | 95   | 18.8                | red          |        |       | 912.0                | 1000           |
| H07Z-K 90°C 95 | Lapp 4727082 | 95   | 18.8                | pink         |        |       | 912.0                | 1000           |