



Description: HITRONIC HRH Breakout Cable_

Lapp code: Lapp 26000208

The **Test voltage** of the cable Lapp 26000208 is /.

Application range

- For indoor use
- Tertiary cabling
- Structured cabling - backbone
- Methods of Deployment: laying in trunking, ducts, trays, empty plastic pipes, building riser, raised floors and plenums

Product Make-up

- 2.1 mm tight-buffered sub-cable with LSZH sheath (identified by numbers)
- Central GRP strength element
- Aramid yarns as strain relief
- LSZH inner and outer sheaths
- Colour: aqua (RAL 6027) for OM3, orange (RAL 2003) for OM2 and OM1

In our Cable list on next page you can find all interesting information acc. article Lapp 26000208 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Multimode G 50 OM3						
HITRONIC HRH Breakout Cable	Lapp 26000302	HITRONIC® HRH400 2G 50/125 OM3	50/125 OM3	2	7.0	35
HITRONIC HRH Breakout Cable	Lapp 26000304	HITRONIC® HRH600 4G 50/125 OM3	50/125 OM3	4	7.0	44
HITRONIC HRH Breakout Cable	Lapp 26000308	HITRONIC® HRH1200 8G 50/125 OM3	50/125 OM3	8	9.7	77
HITRONIC HRH Breakout Cable	Lapp 26000312	HITRONIC® HRH1700 12G 50/125 OM3	50/125 OM3	12	10.3	100
Multimode G 50 OM2						
HITRONIC HRH Breakout Cable	Lapp 26000202	HITRONIC® HRH400 2G 50/125 OM2	50/125 OM2	2	7.0	35
HITRONIC HRH Breakout Cable	Lapp 26000204	HITRONIC® HRH600 4G 50/125 OM2	50/125 OM2	4	7.0	44
HITRONIC HRH Breakout Cable	Lapp 26000208	HITRONIC® HRH1200 8G 50/125 OM2	50/125 OM2	8	9.7	77
HITRONIC HRH Breakout Cable	Lapp 26000212	HITRONIC® HRH1700 12G 50/125 OM2	50/125 OM2	12	10.3	100
Multimode G 62.5 OM1						
HITRONIC HRH Breakout Cable	Lapp 26000102	HITRONIC® HRH400 2G 62.5/125 OM1	62.5/125 OM1	2	7.0	35
HITRONIC HRH Breakout Cable	Lapp 26000104	HITRONIC® HRH600 4G 62.5/125 OM1	62.5/125 OM1	4	7.0	44
HITRONIC HRH Breakout Cable	Lapp 26000108	HITRONIC® HRH1200 8G 62.5/125 OM1	62.5/125 OM1	8	9.7	77
HITRONIC HRH Breakout Cable	Lapp 26000112	HITRONIC® HRH1700 12G 62.5/125 OM1	62.5/125 OM1	12	10.3	100