



**Description:** HITRONIC HRM-FD Cable\_

**Lapp code:** Lapp 26300412

The **Test voltage** of the cable Lapp 26300412 is /.

## Application range

- For highly flexible industrial applications
- As a link between moving parts
- In vertical installations
- Industrial environments
- For indoor and outdoor use

## Product Make-up

- 2.0 mm tight-buffered sub-cable with LSZH sheath
- Aramid yarns as strain relief
- Central element
- PUR outer sheath
- Colour: black (RAL 9005)

In our Cable list on next page you can find all interesting information acc. article Lapp 26300412 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Multimode G 50 OM4						
HITRONIC HRM-FD Cable	Lapp 26300402	HITRONIC® HRM-FD800 2G 50/125 OM4	50/125 OM4	2	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300404	HITRONIC® HRM-FD1000 4G 50/125 OM4	50/125 OM4	4	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300408	HITRONIC® HRM-FD1400 8G 50/125 OM4	50/125 OM4	8	10.4	93
HITRONIC HRM-FD Cable	Lapp 26300412	HITRONIC® HRM-FD1800 12G 50/125 OM4	50/125 OM4	12	13.0	98
Multimode G 50 OM3						
HITRONIC HRM-FD Cable	Lapp 26300302	HITRONIC® HRM-FD800 2G 50/125 OM3	50/125 OM3	2	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300304	HITRONIC® HRM-FD1000 4G 50/125 OM3	50/125 OM3	4	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300308	HITRONIC® HRM-FD1400 8G 50/125 OM3	50/125 OM3	8	10.4	93
HITRONIC HRM-FD Cable	Lapp 26300312	HITRONIC® HRM-FD1800 12G 50/125 OM3	50/125 OM3	12	13.0	98
Multimode G 50 OM2						
HITRONIC HRM-FD Cable	Lapp 26300202	HITRONIC® HRM-FD800 2G 50/125 OM2	50/125 OM2	2	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300204	HITRONIC® HRM-FD1000 4G 50/125 OM2	50/125 OM2	4	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300208	HITRONIC® HRM-FD1400 8G 50/125 OM2	50/125 OM2	8	10.4	93
HITRONIC HRM-FD Cable	Lapp 26300212	HITRONIC® HRM-FD1800 12G 50/125 OM2	50/125 OM2	12	13.0	98
Multimode G 62.5 OM1						
HITRONIC HRM-FD Cable	Lapp 26300102	HITRONIC® HRM-FD800 2G 62.5/125 OM1	62.5/125 OM1	2	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300104	HITRONIC® HRM-FD1000 4G 62.5/125 OM1	62.5/125 OM1	4	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300108	HITRONIC® HRM-FD1400 8G 62.5/125 OM1	62.5/125 OM1	8	10.4	93
HITRONIC HRM-FD Cable	Lapp 26300112	HITRONIC® HRM-FD1800 12G 62.5/125 OM1	62.5/125 OM1	12	13.0	98

# HITRONIC HRM-FD Cable\_

Lapp 26300412



Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Single-mode E 9 OS2						
HITRONIC HRM-FD Cable	Lapp 26300902	HITRONIC® HRM-FD800 2E 9/125 OS2	9/125 OS2	2	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300904	HITRONIC® HRM-FD1000 4E 9/125 OS2	9/125 OS2	4	7.8	50
HITRONIC HRM-FD Cable	Lapp 26300908	HITRONIC® HRM-FD1400 8E 9/125 OS2	9/125 OS2	8	10.4	93
HITRONIC HRM-FD Cable	Lapp 26300912	HITRONIC® HRM-FD1800 12E 9/125 OS2	9/125 OS2	12	13.0	98