



Description: HITRONIC HRM-FD Cable_

Lapp code: Lapp 26300908

The **Test voltage** of the cable Lapp 26300908 is /.

Application range

- For highly flexible industrial applications
- As a link between moving parts
- In vertical installations
- Industrial environments
- For indoor and outdoor use

Product Make-up

- 2.0 mm tight-buffered sub-cable with LSZH sheath
- Aramid yarns as strain relief
- Central element
- PUR outer sheath
- Colour: black (RAL 9005)

In our Cable list on next page you can find all interesting information acc. article Lapp 26300908 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Article designation | Fibre type | Number of fibres | Outer diameter (mm) | Weight (kg/km) |
|-----------------------|---------------|---------------------------------------|--------------|------------------|---------------------|----------------|
| Multimode G 50 OM4 | | | | | | |
| HITRONIC HRM-FD Cable | Lapp 26300402 | HITRONIC® HRM-FD800 2G 50/125 OM4 | 50/125 OM4 | 2 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300404 | HITRONIC® HRM-FD1000 4G 50/125 OM4 | 50/125 OM4 | 4 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300408 | HITRONIC® HRM-FD1400 8G 50/125 OM4 | 50/125 OM4 | 8 | 10.4 | 93 |
| HITRONIC HRM-FD Cable | Lapp 26300412 | HITRONIC® HRM-FD1800 12G 50/125 OM4 | 50/125 OM4 | 12 | 13.0 | 98 |
| Multimode G 50 OM3 | | | | | | |
| HITRONIC HRM-FD Cable | Lapp 26300302 | HITRONIC® HRM-FD800 2G 50/125 OM3 | 50/125 OM3 | 2 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300304 | HITRONIC® HRM-FD1000 4G 50/125 OM3 | 50/125 OM3 | 4 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300308 | HITRONIC® HRM-FD1400 8G 50/125 OM3 | 50/125 OM3 | 8 | 10.4 | 93 |
| HITRONIC HRM-FD Cable | Lapp 26300312 | HITRONIC® HRM-FD1800 12G 50/125 OM3 | 50/125 OM3 | 12 | 13.0 | 98 |
| Multimode G 50 OM2 | | | | | | |
| HITRONIC HRM-FD Cable | Lapp 26300202 | HITRONIC® HRM-FD800 2G 50/125 OM2 | 50/125 OM2 | 2 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300204 | HITRONIC® HRM-FD1000 4G 50/125 OM2 | 50/125 OM2 | 4 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300208 | HITRONIC® HRM-FD1400 8G 50/125 OM2 | 50/125 OM2 | 8 | 10.4 | 93 |
| HITRONIC HRM-FD Cable | Lapp 26300212 | HITRONIC® HRM-FD1800 12G 50/125 OM2 | 50/125 OM2 | 12 | 13.0 | 98 |
| Multimode G 62.5 OM1 | | | | | | |
| HITRONIC HRM-FD Cable | Lapp 26300102 | HITRONIC® HRM-FD800 2G 62.5/125 OM1 | 62.5/125 OM1 | 2 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300104 | HITRONIC® HRM-FD1000 4G 62.5/125 OM1 | 62.5/125 OM1 | 4 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300108 | HITRONIC® HRM-FD1400 8G 62.5/125 OM1 | 62.5/125 OM1 | 8 | 10.4 | 93 |
| HITRONIC HRM-FD Cable | Lapp 26300112 | HITRONIC® HRM-FD1800 12G 62.5/125 OM1 | 62.5/125 OM1 | 12 | 13.0 | 98 |

HITRONIC HRM-FD Cable_

Lapp 26300908



| Product Name | Lapp Nr. | Article designation | Fibre type | Number of fibres | Outer diameter (mm) | Weight (kg/km) |
|-----------------------|---------------|------------------------------------|------------|------------------|---------------------|----------------|
| Single-mode E 9 OS2 | | | | | | |
| HITRONIC HRM-FD Cable | Lapp 26300902 | HITRONIC® HRM-FD800 2E 9/125 OS2 | 9/125 OS2 | 2 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300904 | HITRONIC® HRM-FD1000 4E 9/125 OS2 | 9/125 OS2 | 4 | 7.8 | 50 |
| HITRONIC HRM-FD Cable | Lapp 26300908 | HITRONIC® HRM-FD1400 8E 9/125 OS2 | 9/125 OS2 | 8 | 10.4 | 93 |
| HITRONIC HRM-FD Cable | Lapp 26300912 | HITRONIC® HRM-FD1800 12E 9/125 OS2 | 9/125 OS2 | 12 | 13.0 | 98 |