



**Description:** HITRONIC HUW Armoured Universal Cable\_

**Lapp code:** Lapp 27500404

The **Test voltage** of the cable Lapp 27500404 is /.

## Application range

- For indoor and outdoor use
- Campus backbone
- Industrial environments
- Methods of Deployment: empty plastic pipes, ducts and trays

## Product Make-up

- Gel-filled loose tube
- Water-blocking reinforced glass yarn strain relief
- Corrugated steel tape armour
- LSZH outer sheath
- Colour: green (based on RAL 6018)

In our Cable list on next page you can find all interesting information acc. article Lapp 27500404 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Multimode G 50 OM4						
HITRONIC HUW Armoured Universal Cable	Lapp 27500404	HITRONIC® HUW1500 4G 50/125 OM4	50/125 OM4	4	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500408	HITRONIC® HUW1500 8G 50/125 OM4	50/125 OM4	8	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500412	HITRONIC® HUW1500 12G 50/125 OM4	50/125 OM4	12	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500424	HITRONIC® HUW1500 24G 50/125 OM4	50/125 OM4	24	9.6	88
Multimode G 50 OM3						
HITRONIC HUW Armoured Universal Cable	Lapp 27500304	HITRONIC® HUW1500 4G 50/125 OM3	50/125 OM3	4	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500308	HITRONIC® HUW1500 8G 50/125 OM3	50/125 OM3	8	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500312	HITRONIC® HUW1500 12G 50/125 OM3	50/125 OM3	12	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500324	HITRONIC® HUW1500 24G 50/125 OM3	50/125 OM3	24	9.6	88
Multimode G 50 OM2						
HITRONIC HUW Armoured Universal Cable	Lapp 27500204	HITRONIC® HUW1500 4G 50/125 OM2	50/125 OM2	4	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500208	HITRONIC® HUW1500 8G 50/125 OM2	50/125 OM2	8	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500212	HITRONIC® HUW1500 12G 50/125 OM2	50/125 OM2	12	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500224	HITRONIC® HUW1500 24G 50/125 OM2	50/125 OM2	24	9.6	88
Multimode G 62.5 OM1						
HITRONIC HUW Armoured Universal Cable	Lapp 27500104	HITRONIC® HUW1500 4G 62.5/125 OM1	62.5/125 OM1	4	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500108	HITRONIC® HUW1500 8G 62.5/125 OM1	62.5/125 OM1	8	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500112	HITRONIC® HUW1500 12G 62.5/125 OM1	62.5/125 OM1	12	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500124	HITRONIC® HUW1500 24G 62.5/125 OM1	62.5/125 OM1	24	9.6	88

# HITRONIC HUW Armoured Universal Cable\_

Lapp 27500404



Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Single-mode E 9 OS2						
HITRONIC HUW Armoured Universal Cable	Lapp 27500904	HITRONIC® HUW1500 4E 9/125 OS2	9/125 OS2	4	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500908	HITRONIC® HUW1500 8E 9/125 OS2	9/125 OS2	8	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500912	HITRONIC® HUW1500 12E 9/125 OS2	9/125 OS2	12	9.6	88
HITRONIC HUW Armoured Universal Cable	Lapp 27500924	HITRONIC® HUW1500 24E 9/125 OS2	9/125 OS2	24	9.6	88