



Description: HITRONIC TORSION_

Lapp code: Lapp 26310208

The **Test voltage** of the cable Lapp 26310208 is /.

Application range

- For fixed and flexible installations, as well as for applications with torsional movements (e.g. machinery, wind turbines)
- Industrial environments
- In vertical installations
- As a link between moving parts
- For indoor and outdoor use

Product Make-up

- 2.5 mm tight-buffered sub-cable with LSZH sheath
- Aramid yarns as strain relief
- Central element
- PUR outer sheath
- Colour: black (RAL 9005)

In our Cable list on next page you can find all interesting information acc. article Lapp 26310208 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Fibre type	Number of fibres	Outer diameter (mm)	Weight (kg/km)
Multimode G 50 OM3						
HITRONIC TORSION	Lapp 26310302	HITRONIC® TORSION 2G 50/125 OM3	50/125 OM3	2	8.4	54
HITRONIC TORSION	Lapp 26310304	HITRONIC® TORSION 4G 50/125 OM3	50/125 OM3	4	8.4	54
HITRONIC TORSION	Lapp 26310308	HITRONIC® TORSION 8G 50/125 OM3	50/125 OM3	8	11.6	95
HITRONIC TORSION	Lapp 26310312	HITRONIC® TORSION 12G 50/125 OM3	50/125 OM3	12	14.7	122
Multimode G 50 OM2						
HITRONIC TORSION	Lapp 26310202	HITRONIC® TORSION 2G 50/125 OM2	50/125 OM2	2	8.4	54
HITRONIC TORSION	Lapp 26310204	HITRONIC® TORSION 4G 50/125 OM2	50/125 OM2	4	8.4	54
HITRONIC TORSION	Lapp 26310208	HITRONIC® TORSION 8G 50/125 OM2	50/125 OM2	8	11.6	95
HITRONIC TORSION	Lapp 26310212	HITRONIC® TORSION 12G 50/125 OM2	50/125 OM2	12	14.7	122
Multimode G 62.5 OM1						
HITRONIC TORSION	Lapp 26310102	HITRONIC® TORSION 2G 62.5/125 OM1	62.5/125 OM1	2	8.4	54
HITRONIC TORSION	Lapp 26310104	HITRONIC® TORSION 4G 62.5/125 OM1	62.5/125 OM1	4	8.4	54
HITRONIC TORSION	Lapp 26310108	HITRONIC® TORSION 8G 62.5/125 OM1	62.5/125 OM1	8	11.6	95
HITRONIC TORSION	Lapp 26310112	HITRONIC® TORSION 12G 62.5/125 OM1	62.5/125 OM1	12	14.7	122
Single-mode E 9 OS2						
HITRONIC TORSION	Lapp 26310902	HITRONIC® TORSION 2E 9/125 OS2	9/125 OS2	2	8.4	54
HITRONIC TORSION	Lapp 26310904	HITRONIC® TORSION 4E 9/125 OS2	9/125 OS2	4	8.4	54
HITRONIC TORSION	Lapp 26310908	HITRONIC® TORSION 8E 9/125 OS2	9/125 OS2	8	11.6	95
HITRONIC TORSION	Lapp 26310912	HITRONIC® TORSION 12E 9/125 OS2	9/125 OS2	12	14.7	122