



Description: MULTI-STANDARD SC 1 0,5_

Lapp code: Lapp 4180414

The **Test voltage** of the cable Lapp 4180414 is 2000 V.

Application range

- Factory wiring
- Internal wiring of devices
- Control cabinet wiring

Product Make-up

- Fine-wire strand made of tinned-copper wires
- Special PVC-based core insulation

In our Cable list on next page you can find all interesting information acc. article Lapp 4180414 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|--------------------------|---------------|--------------------------------------------|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 1 0,5 | Lapp 4180400 | 0,5 | 2.5 | green/yellow | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180401 | 0,5 | 2.5 | black | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180406 | 0,5 | 2.5 | grey | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180402 | 0,5 | 2.5 | blue | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180414 | 0,5 | 2.5 | Dark blue | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180414K | 0,5 | 2.5 | Dark blue | | 3000 | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180409 | 0,5 | 2.5 | orange | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180405 | 0,5 | 2.5 | white | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,5 | Lapp 4180404 | 0,5 | 2.5 | red | 100 | | 4.8 | 9 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180500 | 0,75 | 2.6 | green/yellow | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180503 | 0,75 | 2.6 | brown | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180501 | 0,75 | 2.6 | black | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180506 | 0,75 | 2.6 | grey | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180502 | 0,75 | 2.6 | blue | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180514 | 0,75 | 2.6 | Dark blue | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180514K | 0,75 | 2.6 | Dark blue | | 2500 | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180507 | 0,75 | 2.6 | violet | 100 | | 7.2 | 12 |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180504 | 0,75 | 2.6 | red | 100 | | 7.2 | 12 |

MULTI-STANDARD SC 1 0,5_

Lapp 4180414



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------------|---------------|--------------------------------------------|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 1 1 | Lapp 4180600 | 1 | 2.8 | green/yellow | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180600K | 1 | 2.8 | green/yellow | | 2000 | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180603 | 1 | 2.8 | brown | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180601 | 1 | 2.8 | black | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180606 | 1 | 2.8 | grey | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180602 | 1 | 2.8 | blue | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180614 | 1 | 2.8 | Dark blue | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180609 | 1 | 2.8 | orange | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180605 | 1 | 2.8 | white | 100 | | 9.6 | 15 |
| MULTI-STANDARD SC 1 1 | Lapp 4180604 | 1 | 2.8 | red | 100 | | 9.6 | 15 |