



**Description:** MULTI-STANDARD SC 1 1\_

**Lapp code:** Lapp 4180603

The **Test voltage** of the cable Lapp 4180603 is 2000 V.

## Application range

- Factory wiring
- Internal wiring of devices
- Control cabinet wiring

## Product Make-up

- Fine-wire strand made of tinned-copper wires
- Special PVC-based core insulation

In our Cable list on next page you can find all interesting information acc. article Lapp 4180603 and much more.

CABLE LIST - all informations you need you can find here

| Product Name             | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|--------------------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 1 0,5  | Lapp 4180400  | 0,5  | 2.5                 | green/yellow | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180401  | 0,5  | 2.5                 | black        | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180406  | 0,5  | 2.5                 | grey         | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180402  | 0,5  | 2.5                 | blue         | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180414  | 0,5  | 2.5                 | Dark blue    | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180414K | 0,5  | 2.5                 | Dark blue    |        | 3000  | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180409  | 0,5  | 2.5                 | orange       | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180405  | 0,5  | 2.5                 | white        | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,5  | Lapp 4180404  | 0,5  | 2.5                 | red          | 100    |       | 4.8                  | 9              |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180500  | 0,75                                       | 2.6                 | green/yellow | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180503  | 0,75                                       | 2.6                 | brown        | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180501  | 0,75                                       | 2.6                 | black        | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180506  | 0,75                                       | 2.6                 | grey         | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180502  | 0,75                                       | 2.6                 | blue         | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180514  | 0,75                                       | 2.6                 | Dark blue    | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180514K | 0,75                                       | 2.6                 | Dark blue    |        | 2500  | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180507  | 0,75                                       | 2.6                 | violet       | 100    |       | 7.2                  | 12             |
| MULTI-STANDARD SC 1 0,75 | Lapp 4180504  | 0,75                                       | 2.6                 | red          | 100    |       | 7.2                  | 12             |

**MULTI-STANDARD SC 1 1\_**

**Lapp 4180603**



| Product Name          | Lapp Nr.      | Conductor cross-section (mm <sup>2</sup> ) | Outer diameter (mm) | Core colour  | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|-----------------------|---------------|--|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 1 1 | Lapp 4180600  | 1  | 2.8                 | green/yellow | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180600K | 1  | 2.8                 | green/yellow |        | 2000  | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180603  | 1  | 2.8                 | brown        | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180601  | 1  | 2.8                 | black        | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180606  | 1  | 2.8                 | grey         | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180602  | 1  | 2.8                 | blue         | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180614  | 1  | 2.8                 | Dark blue    | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180609  | 1  | 2.8                 | orange       | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180605  | 1  | 2.8                 | white        | 100    |       | 9.6                  | 15             |
| MULTI-STANDARD SC 1 1 | Lapp 4180604  | 1  | 2.8                 | red          | 100    |       | 9.6                  | 15             |