



**Description:** MULTI-STANDARD SC 2.1 1\_

**Lapp code:** Lapp 4160326K

The **Test voltage** of the cable Lapp 4160326K is /.

## Application range

- Factory wiring
- Field wiring
- Internal wiring of devices
- Control cabinet wiring

## Product Make-up

- Fine-wire strand made of tinned-copper wires
- Special PVC-based core insulation

In our Cable list on next page you can find all interesting information acc. article Lapp 4160326K and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 0,5	Lapp 4160100	0,5	2.7	green/yellow	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160111	0,5	2.7	green	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160103	0,5	2.7	brown	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160101	0,5	2.7	black	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160101K	0,5	2.7	black		3000	4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160106	0,5	2.7	grey	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160106K	0,5	2.7	grey		3000	4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160102	0,5	2.7	blue	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160102K	0,5	2.7	blue		3000	4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160114	0,5	2.7	Dark blue	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160114K	0,5	2.7	Dark blue		3000	4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160109	0,5	2.7	orange	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160109K	0,5	2.7	orange		3000	4.8	10	32.2
MULTI-STANDARD SC 2.1 0,5	Lapp 4160107	0,5	2.7	violet	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160110	0,5	2.7	yellow	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160105	0,5	2.7	white	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160104	0,5	2.7	red	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160104K	0,5	2.7	red		3000	4.8	10	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 0,5	Lapp 4160126	0,5	2.7	blue/white	100		4.8	10	
MULTI-STANDARD SC 2.1 0,5	Lapp 4160144K	0,5	2.7	white-blue		3000	4.8	10	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160200	0,75	2.9	green/yellow	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160203	0,75	2.9	brown	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160203K	0,75	2.9	brown		2500	7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160201	0,75	2.9	black	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160206	0,75	2.9	grey	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160202	0,75	2.9	blue	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160202K	0,75	2.9	blue		2500	7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160214	0,75	2.9	Dark blue	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160214K	0,75	2.9	Dark blue		2500	7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160209	0,75	2.9	orange	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160209K	0,75	2.9	orange		2500	7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160207	0,75	2.9	violet	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160210	0,75	2.9	yellow	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160205	0,75	2.9	white	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160204	0,75	2.9	red	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160226	0,75	2.9	blue/white	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160226K	0,75	2.9	blue/white		2500	7.2	13	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 0,75	Lapp 4160244	0,75	2.9	white-blue	100		7.2	13	
MULTI-STANDARD SC 2.1 0,75	Lapp 4160244K	0,75	2.9	white-blue		2500	7.2	13	
MULTI-STANDARD SC 2.1 1	Lapp 4160300	1	3.1	green/yellow	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160300K	1	3.1	green/yellow		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160311	1	3.1	green	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160303	1	3.1	brown	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160303K	1	3.1	brown		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160301	1	3.1	black	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160301K	1	3.1	black		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160306	1	3.1	grey	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160302	1	3.1	blue	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160302K	1	3.1	blue		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160314	1	3.1	Dark blue	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160314K	1	3.1	Dark blue		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160309	1	3.1	orange	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160309K	1	3.1	orange		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160307	1	3.1	violet	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160310	1	3.1	yellow	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160305	1	3.1	white	100		9.6	16	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 1	Lapp 4160305K	1	3.1	white		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160304	1	3.1	red	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160304K	1	3.1	red		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160326	1	3.1	blue/white	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160326K	1	3.1	blue/white		2000	9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160344	1	3.1	white-blue	100		9.6	16	
MULTI-STANDARD SC 2.1 1	Lapp 4160344K	1	3.1	white-blue		2000	9.6	16	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160400	1,5	3.4	green/yellow	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160400K	1,5	3.4	green/yellow		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160411	1,5	3.4	green	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160403	1,5	3.4	brown	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160403K	1,5	3.4	brown		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160401	1,5	3.4	black	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160401K	1,5	3.4	black		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160406	1,5	3.4	grey	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160406K	1,5	3.4	grey		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160402	1,5	3.4	blue	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160402K	1,5	3.4	blue		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160414	1,5	3.4	Dark blue	100		14.4	22	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 1,5	Lapp 4160414K	1,5	3.4	Dark blue		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160409	1,5	3.4	orange	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160409K	1,5	3.4	orange		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160407	1,5	3.4	violet	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160410	1,5	3.4	yellow	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160405	1,5	3.4	white	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160405K	1,5	3.4	white		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160404	1,5	3.4	red	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160404K	1,5	3.4	red		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160408	1,5	3.4	pink	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160426	1,5	3.4	blue/white	100		14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160426K	1,5	3.4	blue/white		1500	14.4	22	
MULTI-STANDARD SC 2.1 1,5	Lapp 4160444	1,5	3.4	white-blue	100		14.4	22	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160500	2,5	4.0	green/yellow	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160500K	2,5	4.0	green/yellow		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160511	2,5	4.0	green	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160503	2,5	4.0	brown	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160501	2,5	4.0	black	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160501K	2,5	4.0	black		900	24.0	37	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 2,5	Lapp 4160506	2,5	4.0	grey	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160506K	2,5	4.0	grey		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160502	2,5	4.0	blue	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160502K	2,5	4.0	blue		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160514	2,5	4.0	Dark blue	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160514K	2,5	4.0	Dark blue		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160509	2,5	4.0	orange	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160509K	2,5	4.0	orange		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160507	2,5	4.0	violet	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160510	2,5	4.0	yellow	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160505	2,5	4.0	white	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160505K	2,5	4.0	white		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160504	2,5	4.0	red	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160504K	2,5	4.0	red		900	24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160526	2,5	4.0	blue/white	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160544	2,5	4.0	white-blue	100		24.0	37	
MULTI-STANDARD SC 2.1 2,5	Lapp 4160544K	2,5	4.0	white-blue		900	24.0	37	
MULTI-STANDARD SC 2.1 4	Lapp 4160600	4	4.6	green/yellow	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160600K	4	4.6	green/yellow		600	38.4	45	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 4	Lapp 4160611	4	4.6	green	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160603	4	4.6	brown	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160601	4	4.6	black	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160601K	4	4.6	black		600	38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160606	4	4.6	grey	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160602	4	4.6	blue	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160614	4	4.6	Dark blue	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160609	4	4.6	orange	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160609K	4	4.6	orange		600	38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160610	4	4.6	yellow	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160610K	4	4.6	yellow		600	38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160605	4	4.6	white	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160604	4	4.6	red	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160626	4	4.6	blue/white	100		38.4	45	
MULTI-STANDARD SC 2.1 4	Lapp 4160644	4	4.6	white-blue	100		38.4	45	
MULTI-STANDARD SC 2.1 6	Lapp 4160700	6	5.1	green/yellow	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160700K	6	5.1	green/yellow		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160711	6	5.1	green	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160703	6	5.1	brown	100		57.6	71	



**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 6	Lapp 4160701	6	5.1	black	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160701K	6	5.1	black		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160706	6	5.1	grey	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160702	6	5.1	blue	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160702K	6	5.1	blue		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160714	6	5.1	Dark blue	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160714K	6	5.1	Dark blue		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160709	6	5.1	orange	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160709K	6	5.1	orange		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160710	6	5.1	yellow	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160705	6	5.1	white	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160704	6	5.1	red	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160704K	6	5.1	red		400	57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160726	6	5.1	blue/white	100		57.6	71	
MULTI-STANDARD SC 2.1 6	Lapp 4160744	6	5.1	white-blue	100		57.6	71	
MULTI-STANDARD SC 2.1 10	Lapp 4160800	10	6.8	green/yellow	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160811	10	6.8	green	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160803	10	6.8	brown	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160801	10	6.8	black	100		96.0	120	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 10	Lapp 4160806	10	6.8	grey	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160802	10	6.8	blue	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160814	10	6.8	Dark blue	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160809	10	6.8	orange	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160810	10	6.8	yellow	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160805	10	6.8	white	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160804	10	6.8	red	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160826	10	6.8	blue/white	100		96.0	120	
MULTI-STANDARD SC 2.1 10	Lapp 4160844	10	6.8	white-blue	100		96.0	120	
MULTI-STANDARD SC 2.1 16	Lapp 4160900	16	9.0	green/yellow	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160911	16	9.0	green	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160903	16	9.0	brown	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160901	16	9.0	black	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160906	16	9.0	grey	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160902	16	9.0	blue	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160914	16	9.0	Dark blue	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160909	16	9.0	orange	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160910	16	9.0	yellow	100		153.6	187	
MULTI-STANDARD SC 2.1 16	Lapp 4160905	16	9.0	white	100		153.6	187	

**MULTI-STANDARD SC 2.1 1\_**

**Lapp 4160326K**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 16	Lapp 4160904	16	9.0	red	100		153.6	187	
MULTI-STANDARD SC 2.1 25	Lapp 4161000	25	10.2	green/yellow	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161011	25	10.2	green	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161003	25	10.2	brown	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161001	25	10.2	black	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161006	25	10.2	grey	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161002	25	10.2	blue	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161009	25	10.2	orange	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161010	25	10.2	yellow	100		240.0	290	
MULTI-STANDARD SC 2.1 25	Lapp 4161004	25	10.2	red	100		240.0	290	
MULTI-STANDARD SC 2.1 35	Lapp 4161100	35	11.7	green/yellow			336.0	399	
MULTI-STANDARD SC 2.1 35	Lapp 4161111	35	11.7	green			336.0	399	
MULTI-STANDARD SC 2.1 35	Lapp 4161101	35	11.7	black			336.0	399	
MULTI-STANDARD SC 2.1 35	Lapp 4161102	35	11.7	blue			336.0	399	
MULTI-STANDARD SC 2.1 35	Lapp 4161104	35	11.7	red			336.0	399	
MULTI-STANDARD SC 2.1 50	Lapp 4161200	50	13.9	green/yellow			480.0	559	
MULTI-STANDARD SC 2.1 50	Lapp 4161211	50	13.9	green			480.0	559	
MULTI-STANDARD SC 2.1 50	Lapp 4161201	50	13.9	black			480.0	559	
MULTI-STANDARD SC 2.1 50	Lapp 4161202	50	13.9	blue			480.0	559	

**MULTI-STANDARD SC 2.1 1\_**

Lapp 4160326K



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)	Overall weight / box (kg)
MULTI-STANDARD SC 2.1 70	Lapp 4161300	70	16.0	green/yellow			672.0	776	
MULTI-STANDARD SC 2.1 70	Lapp 4161301	70	16.0	black			672.0	776	
MULTI-STANDARD SC 2.1 95	Lapp 4161400	95	18.2	green/yellow			912.0	1031	
MULTI-STANDARD SC 2.1 95	Lapp 4161401	95	18.2	black			912.0	1031	
MULTI-STANDARD SC 2.1 95	Lapp 4161402	95	18.2	blue			912.0	1031	
MULTI-STANDARD SC 2.1 120	Lapp 4161500	120	19.8	green/yellow			1152.0	1285	
MULTI-STANDARD SC 2.1 120	Lapp 4161501	120	19.8	black			1152.0	1285	
MULTI-STANDARD SC 2.1 120	Lapp 4161502	120	19.8	blue			1152.0	1285	