



**Description:** MULTI-STANDARD SC 2.2 10\_

**Lapp code:** Lapp 4150801

The **Test voltage** of the cable Lapp 4150801 is /.

## Application range

- Factory wiring
- Field wiring
- Frequency converter power supply
- Internal wiring of devices
- Control cabinet wiring

## Product Make-up

- Fine-wire strand made of tinned-copper wires
- Special PVC-based core insulation

In our Cable list on next page you can find all interesting information acc. article Lapp 4150801 and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)
MULTI-STANDARD SC 2.2 0,5	Lapp 4150101	0,5	2.7	black	100		4.8	10
MULTI-STANDARD SC 2.2 0,5	Lapp 4150102	0,5	2.7	blue	100		4.8	10
MULTI-STANDARD SC 2.2 0,5	Lapp 4150114	0,5	2.7	Dark blue	100		4.8	10
MULTI-STANDARD SC 2.2 0,5	Lapp 4150105	0,5	2.7	white	100		4.8	10
MULTI-STANDARD SC 2.2 0,5	Lapp 4150104	0,5	2.7	red	100		4.8	10
MULTI-STANDARD SC 2.2 0,75	Lapp 4150201	0,75	2.9	black	100		7.2	13
MULTI-STANDARD SC 2.2 0,75	Lapp 4150202	0,75	2.9	blue	100		7.2	13
MULTI-STANDARD SC 2.2 0,75	Lapp 4150214	0,75	2.9	Dark blue	100		7.2	13
MULTI-STANDARD SC 2.2 0,75	Lapp 4150205	0,75	2.9	white	100		7.2	13
MULTI-STANDARD SC 2.2 0,75	Lapp 4150204	0,75	2.9	red	100		7.2	13
MULTI-STANDARD SC 2.2 1	Lapp 4150301	1	3.1	black	100		9.6	16
MULTI-STANDARD SC 2.2 1	Lapp 4150301K	1	3.1	black		2000	9.6	16
MULTI-STANDARD SC 2.2 1	Lapp 4150302	1	3.1	blue	100		9.6	16
MULTI-STANDARD SC 2.2 1	Lapp 4150309	1	3.1	orange	100		9.6	16
MULTI-STANDARD SC 2.2 1	Lapp 4150305	1	3.1	white	100		9.6	16
MULTI-STANDARD SC 2.2 1	Lapp 4150304	1	3.1	red	100		9.6	16
MULTI-STANDARD SC 2.2 1,5	Lapp 4150400	1,5	3.4	green/yellow	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150403	1,5	3.4	brown	100		14.4	22

**MULTI-STANDARD SC 2.2 10\_**

**Lapp 4150801**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)
MULTI-STANDARD SC 2.2 1,5	Lapp 4150401	1,5	3.4	black	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150406	1,5	3.4	grey	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150402	1,5	3.4	blue	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150414	1,5	3.4	Dark blue	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150409	1,5	3.4	orange	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150410	1,5	3.4	yellow	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150405	1,5	3.4	white	100		14.4	22
MULTI-STANDARD SC 2.2 1,5	Lapp 4150404	1,5	3.4	red	100		14.4	22
MULTI-STANDARD SC 2.2 2,5	Lapp 4150500	2,5	4.0	green/yellow	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150503	2,5	4.0	brown	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150501	2,5	4.0	black	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150501K	2,5	4.0	black		900	24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150506	2,5	4.0	grey	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150502	2,5	4.0	blue	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150509	2,5	4.0	orange	100		24.0	37
MULTI-STANDARD SC 2.2 2,5	Lapp 4150504	2,5	4.0	red	100		24.0	37
MULTI-STANDARD SC 2.2 4	Lapp 4150600	4	4.6	green/yellow	100		38.4	45
MULTI-STANDARD SC 2.2 4	Lapp 4150603	4	4.6	brown	100		38.4	45
MULTI-STANDARD SC 2.2 4	Lapp 4150601	4	4.6	black	100		38.4	45

**MULTI-STANDARD SC 2.2 10\_**

**Lapp 4150801**



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)
MULTI-STANDARD SC 2.2 4	Lapp 4150601K	4	4.6	black		600	38.4	45
MULTI-STANDARD SC 2.2 4	Lapp 4150602	4	4.6	blue	100		38.4	45
MULTI-STANDARD SC 2.2 4	Lapp 4150610	4	4.6	yellow	100		38.4	45
MULTI-STANDARD SC 2.2 4	Lapp 4150604	4	4.6	red	100		38.4	45
MULTI-STANDARD SC 2.2 6	Lapp 4150700	6	5.1	green/yellow	100		57.6	71
MULTI-STANDARD SC 2.2 6	Lapp 4150701	6	5.1	black	100		57.6	71
MULTI-STANDARD SC 2.2 6	Lapp 4150702	6	5.1	blue	100		57.6	71
MULTI-STANDARD SC 2.2 6	Lapp 4150704	6	5.1	red	100		57.6	71
MULTI-STANDARD SC 2.2 10	Lapp 4150800	10	6.8	green/yellow	100		96.0	120
MULTI-STANDARD SC 2.2 10	Lapp 4150801	10	6.8	black	100		96.0	120
MULTI-STANDARD SC 2.2 10	Lapp 4150809	10	6.8	orange	100		96.0	120
MULTI-STANDARD SC 2.2 16	Lapp 4150900	16	9.0	green/yellow	100		153.6	187
MULTI-STANDARD SC 2.2 16	Lapp 4150901	16	9.0	black	100		153.6	187
MULTI-STANDARD SC 2.2 25	Lapp 4151000	25	10.2	green/yellow	100		240.0	290
MULTI-STANDARD SC 2.2 25	Lapp 4151001	25	10.2	black	100		240.0	290
MULTI-STANDARD SC 2.2 35	Lapp 4151100	35	11.7	green/yellow			336.0	399
MULTI-STANDARD SC 2.2 35	Lapp 4151101	35	11.7	black			336.0	399
MULTI-STANDARD SC 2.2 50	Lapp 4151201	50	13.9	black			480.0	559
MULTI-STANDARD SC 2.2 70	Lapp 4151301	70	16.0	black			672.0	776

**MULTI-STANDARD SC 2.2 10\_**

Lapp 4150801



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/ring	m/box	Copper index (kg/km)	Weight (kg/km)
MULTI-STANDARD SC 2.2 95	Lapp 4151401	95	18.2	black			912.0	1031