



Description: MULTI-STANDARD SC 2.2 4_

Lapp code: Lapp 4150610

The **Test voltage** of the cable Lapp 4150610 is /.

Application range

- Factory wiring
- Field wiring
- Frequency converter power supply
- Internal wiring of devices
- Control cabinet wiring

Product Make-up

- Fine-wire strand made of tinned-copper wires
- Special PVC-based core insulation

In our Cable list on next page you can find all interesting information acc. article Lapp 4150610 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|----------------------------|---------------|--------------------------------------------|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 2.2 0,5 | Lapp 4150101 | 0,5 | 2.7 | black | 100 | | 4.8 | 10 |
| MULTI-STANDARD SC 2.2 0,5 | Lapp 4150102 | 0,5 | 2.7 | blue | 100 | | 4.8 | 10 |
| MULTI-STANDARD SC 2.2 0,5 | Lapp 4150114 | 0,5 | 2.7 | Dark blue | 100 | | 4.8 | 10 |
| MULTI-STANDARD SC 2.2 0,5 | Lapp 4150105 | 0,5 | 2.7 | white | 100 | | 4.8 | 10 |
| MULTI-STANDARD SC 2.2 0,5 | Lapp 4150104 | 0,5 | 2.7 | red | 100 | | 4.8 | 10 |
| MULTI-STANDARD SC 2.2 0,75 | Lapp 4150201 | 0,75 | 2.9 | black | 100 | | 7.2 | 13 |
| MULTI-STANDARD SC 2.2 0,75 | Lapp 4150202 | 0,75 | 2.9 | blue | 100 | | 7.2 | 13 |
| MULTI-STANDARD SC 2.2 0,75 | Lapp 4150214 | 0,75 | 2.9 | Dark blue | 100 | | 7.2 | 13 |
| MULTI-STANDARD SC 2.2 0,75 | Lapp 4150205 | 0,75 | 2.9 | white | 100 | | 7.2 | 13 |
| MULTI-STANDARD SC 2.2 0,75 | Lapp 4150204 | 0,75 | 2.9 | red | 100 | | 7.2 | 13 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150301 | 1 | 3.1 | black | 100 | | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150301K | 1 | 3.1 | black | | 2000 | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150302 | 1 | 3.1 | blue | 100 | | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150309 | 1 | 3.1 | orange | 100 | | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150305 | 1 | 3.1 | white | 100 | | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1 | Lapp 4150304 | 1 | 3.1 | red | 100 | | 9.6 | 16 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150400 | 1,5 | 3.4 | green/yellow | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150403 | 1,5 | 3.4 | brown | 100 | | 14.4 | 22 |

MULTI-STANDARD SC 2.2 4_

Lapp 4150610



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|---------------------------|---------------|--------------------------------------------|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150401 | 1,5 | 3.4 | black | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150406 | 1,5 | 3.4 | grey | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150402 | 1,5 | 3.4 | blue | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150414 | 1,5 | 3.4 | Dark blue | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150409 | 1,5 | 3.4 | orange | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150410 | 1,5 | 3.4 | yellow | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150405 | 1,5 | 3.4 | white | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 1,5 | Lapp 4150404 | 1,5 | 3.4 | red | 100 | | 14.4 | 22 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150500 | 2,5 | 4.0 | green/yellow | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150503 | 2,5 | 4.0 | brown | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150501 | 2,5 | 4.0 | black | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150501K | 2,5 | 4.0 | black | | 900 | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150506 | 2,5 | 4.0 | grey | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150502 | 2,5 | 4.0 | blue | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150509 | 2,5 | 4.0 | orange | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 2,5 | Lapp 4150504 | 2,5 | 4.0 | red | 100 | | 24.0 | 37 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150600 | 4 | 4.6 | green/yellow | 100 | | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150603 | 4 | 4.6 | brown | 100 | | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150601 | 4 | 4.6 | black | 100 | | 38.4 | 45 |

MULTI-STANDARD SC 2.2 4_

Lapp 4150610



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|--------------------------|---------------|--------------------------------------------|---------------------|--------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 2.2 4 | Lapp 4150601K | 4 | 4.6 | black | | 600 | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150602 | 4 | 4.6 | blue | 100 | | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150610 | 4 | 4.6 | yellow | 100 | | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 4 | Lapp 4150604 | 4 | 4.6 | red | 100 | | 38.4 | 45 |
| MULTI-STANDARD SC 2.2 6 | Lapp 4150700 | 6 | 5.1 | green/yellow | 100 | | 57.6 | 71 |
| MULTI-STANDARD SC 2.2 6 | Lapp 4150701 | 6 | 5.1 | black | 100 | | 57.6 | 71 |
| MULTI-STANDARD SC 2.2 6 | Lapp 4150702 | 6 | 5.1 | blue | 100 | | 57.6 | 71 |
| MULTI-STANDARD SC 2.2 6 | Lapp 4150704 | 6 | 5.1 | red | 100 | | 57.6 | 71 |
| MULTI-STANDARD SC 2.2 10 | Lapp 4150800 | 10 | 6.8 | green/yellow | 100 | | 96.0 | 120 |
| MULTI-STANDARD SC 2.2 10 | Lapp 4150801 | 10 | 6.8 | black | 100 | | 96.0 | 120 |
| MULTI-STANDARD SC 2.2 10 | Lapp 4150809 | 10 | 6.8 | orange | 100 | | 96.0 | 120 |
| MULTI-STANDARD SC 2.2 16 | Lapp 4150900 | 16 | 9.0 | green/yellow | 100 | | 153.6 | 187 |
| MULTI-STANDARD SC 2.2 16 | Lapp 4150901 | 16 | 9.0 | black | 100 | | 153.6 | 187 |
| MULTI-STANDARD SC 2.2 25 | Lapp 4151000 | 25 | 10.2 | green/yellow | 100 | | 240.0 | 290 |
| MULTI-STANDARD SC 2.2 25 | Lapp 4151001 | 25 | 10.2 | black | 100 | | 240.0 | 290 |
| MULTI-STANDARD SC 2.2 35 | Lapp 4151100 | 35 | 11.7 | green/yellow | | | 336.0 | 399 |
| MULTI-STANDARD SC 2.2 35 | Lapp 4151101 | 35 | 11.7 | black | | | 336.0 | 399 |
| MULTI-STANDARD SC 2.2 50 | Lapp 4151201 | 50 | 13.9 | black | | | 480.0 | 559 |
| MULTI-STANDARD SC 2.2 70 | Lapp 4151301 | 70 | 16.0 | black | | | 672.0 | 776 |

MULTI-STANDARD SC 2.2 4_

Lapp 4150610



| Product Name | Lapp Nr. | Conductor cross-section (mm ²) | Outer diameter (mm) | Core colour | m/ring | m/box | Copper index (kg/km) | Weight (kg/km) |
|--------------------------|--------------|--------------------------------------------|---------------------|-------------|--------|-------|----------------------|----------------|
| MULTI-STANDARD SC 2.2 95 | Lapp 4151401 | 95 | 18.2 | black | | | 912.0 | 1031 |