



Description: Panel connectors insulated_

Lapp code: Lapp 63101110

The **Test voltage** of the cable Lapp 63101110 is /.

Application range

- For breaking through the oxidation layer on the conductor when crimping

/

In our Cable list on next page you can find all interesting information acc. article Lapp 63101110 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Article designation | For mm ² | UL approval | Footnote | Colour | Blade connection | d mm | L | W mm | Pieces / PU |
|--------------------------------------------------------------|---------------|---------------------|---------------------|-------------|----------|--------|------------------|------|------|------|-------------|
| Blade receptacle according to DIN 46245 and similar (type H) | | | | | | | | | | | |
| Panel connectors insulated | Lapp 63101020 | L-RA 29 H | 0,5 - 1,5 | yes | | red | 2.8 x 0.5 | 3.3 | 18.5 | 3.5 | 100 |
| Panel connectors insulated | Lapp 63101010 | L-RA 28 H | 0,5 - 1,5 | yes | | red | 2.8 x 0.8 | 3.3 | 18.5 | 3.5 | 100 |
| Panel connectors insulated | Lapp 63101030 | L-RA 49 H | 0,5 - 1,5 | yes | 1.3 | red | 4.8 x 0.5 | 3.7 | 19.0 | 5.7 | 100 |
| Panel connectors insulated | Lapp 63101040 | L-RA 48 H | 0,5 - 1,5 | yes | 1.3 | red | 4.8 x 0.8 | 3.7 | 19.0 | 5.7 | 100 |
| Panel connectors insulated | Lapp 63101050 | L-RA 63 H | 0,5 - 1,5 | yes | | red | 6.3 x 0.8 | 4.0 | 20.0 | 7.6 | 100 |
| Panel connectors insulated | Lapp 63101060 | L-RB 48 H | 1,5 - 2,5 | yes | 1.3 | blue | 4.8 x 0.5 | 4.4 | 19.0 | 5.7 | 100 |
| Panel connectors insulated | Lapp 63101070 | L-RB 49 H | 1,5 - 2,5 | yes | 1.3 | blue | 4.8 x 0.8 | 4.4 | 19.0 | 5.7 | 100 |
| Panel connectors insulated | Lapp 63101080 | L-RB 63 H | 1,5 - 2,5 | yes | | blue | 6.3 x 0.8 | 4.5 | 20.0 | 7.6 | 100 |
| Panel connectors insulated | Lapp 63101110 | L-RC 63 H | 4 - 6 | yes | | yellow | 6.3 x 0.8 | 6.4 | 24.0 | 7.6 | 100 |
| Panel connectors insulated | Lapp 63101120 | L-RC 95 H | 4 - 6 | no | | yellow | 9.5 x 1.2 | 6.2 | 31.0 | 11.0 | 100 |
| Blade connector (type M) | | | | | | | | | | | |
| Panel connectors insulated | Lapp 63103010 | L-RA 63 M | 0,5 - 1,5 | yes | | red | 6.3 x 0.8 | 4.0 | 22.0 | | 100 |
| Panel connectors insulated | Lapp 63103020 | L-RB 63 M | 1,5 - 2,5 | yes | | blue | 6.3 x 0.8 | 4.5 | 22.0 | | 100 |
| Panel connectors insulated | Lapp 63103040 | L-RC 63 M | 4 - 6 | yes | 1.3 | yellow | 6.3 x 0.8 | 6.3 | 25.0 | | 100 |
| Blade receptacle branch (type T) | | | | | | | | | | | |
| Panel connectors insulated | Lapp 63102010 | L-RA 63 T | 0,5 - 1,5 | no | 1.3 | red | 6.3 x 0.8 | 3.7 | 22.0 | 7.4 | 100 |
| Panel connectors insulated | Lapp 63102020 | L-RB 63 T | 1,5 - 2,5 | no | 1.3 | blue | 6.3 x 0.8 | 4.3 | 22.0 | 7.5 | 50 |
| Fully insulated blade receptacle (type V) | | | | | | | | | | | |
| Panel connectors insulated | Lapp 61794951 | L-RA 29 V | 0,5 - 1,5 | yes | 2.3 | red | 2.8 x 0.5 | 3.8 | 19.3 | 5.0 | 100 |

Panel connectors insulated_

Lapp 63101110



| Product Name | Lapp Nr. | Article designation | For mm ² | UL approval | Footnote | Colour | Blade connection | d mm | L | W mm | Pieces / PU |
|----------------------------|---------------|---------------------|---------------------|-------------|----------|--------|------------------|------|------|------|-------------|
| Panel connectors insulated | Lapp 61794952 | L-RA 28 V | 0,5 - 1,5 | yes | 2.3 | red | 2.8 x 0.8 | 3.8 | 19.3 | 5.0 | 100 |
| Panel connectors insulated | Lapp 61794953 | L-RA 49 V | 0,5 - 1,5 | yes | 2.3 | red | 4.8 x 0.5 | 3.6 | 20.2 | 7.4 | 100 |
| Panel connectors insulated | Lapp 61794955 | L-RA 48 V | 0,5 - 1,5 | yes | 2.3 | red | 4.8 x 0.8 | 3.6 | 20.2 | 7.4 | 100 |
| Panel connectors insulated | Lapp 61794960 | L-RA 63 V | 0,5 - 1,5 | yes | | red | 6.3 x 0.8 | 4.4 | 21.0 | 8.8 | 100 |
| Panel connectors insulated | Lapp 61794968 | L-RB 49 V | 1,5 - 2,5 | yes | 2.3 | blue | 4.8 x 0.5 | 3.9 | 19.5 | 7.1 | 100 |
| Panel connectors insulated | Lapp 61794969 | L-RB 48 V | 1,5 - 2,5 | yes | 2.3 | blue | 4.8 x 0.8 | 4.3 | 20.0 | 7.4 | 100 |
| Panel connectors insulated | Lapp 61794970 | L-RB 63 V | 1,5 - 2,5 | yes | | blue | 6.3 x 0.8 | 4.5 | 21.0 | 8.8 | 100 |
| Panel connectors insulated | Lapp 61794971 | L-RC 63 V | 4 - 6 | yes | 2.3 | yellow | 6.3 x 0.8 | 5.3 | 26.0 | 9.0 | 100 |