



**Description:** Panel connectors insulated\_

**Lapp code:** Lapp 63103010

The **Test voltage** of the cable Lapp 63103010 is /.

## Application range

- For breaking through the oxidation layer on the conductor when crimping

/

In our Cable list on next page you can find all interesting information acc. article Lapp 63103010 and much more.

## CABLE LIST - all informations you need you can find here

| Product Name   | Lapp Nr.      | Article designation | For mm <sup>2</sup> | UL approval | Footnote | Colour | Blade connection | d mm | L    | W mm | Pieces / PU |
|--|---------------|---------------------|---------------------|-------------|----------|--------|------------------|------|------|------|-------------|
| Blade receptacle according to DIN 46245 and similar (type H) |               |                     |                     |             |          |        |                  |      |      |      |             |
| Panel connectors insulated                                   | Lapp 63101020 | L-RA 29 H           | 0,5 - 1,5           | yes         |          | red    | 2.8 x 0.5        | 3.3  | 18.5 | 3.5  | 100         |
| Panel connectors insulated                                   | Lapp 63101010 | L-RA 28 H           | 0,5 - 1,5           | yes         |          | red    | 2.8 x 0.8        | 3.3  | 18.5 | 3.5  | 100         |
| Panel connectors insulated                                   | Lapp 63101030 | L-RA 49 H           | 0,5 - 1,5           | yes         | 1.3      | red    | 4.8 x 0.5        | 3.7  | 19.0 | 5.7  | 100         |
| Panel connectors insulated                                   | Lapp 63101040 | L-RA 48 H           | 0,5 - 1,5           | yes         | 1.3      | red    | 4.8 x 0.8        | 3.7  | 19.0 | 5.7  | 100         |
| Panel connectors insulated                                   | Lapp 63101050 | L-RA 63 H           | 0,5 - 1,5           | yes         |          | red    | 6.3 x 0.8        | 4.0  | 20.0 | 7.6  | 100         |
| Panel connectors insulated                                   | Lapp 63101060 | L-RB 48 H           | 1,5 - 2,5           | yes         | 1.3      | blue   | 4.8 x 0.5        | 4.4  | 19.0 | 5.7  | 100         |
| Panel connectors insulated                                   | Lapp 63101070 | L-RB 49 H           | 1,5 - 2,5           | yes         | 1.3      | blue   | 4.8 x 0.8        | 4.4  | 19.0 | 5.7  | 100         |
| Panel connectors insulated                                   | Lapp 63101080 | L-RB 63 H           | 1,5 - 2,5           | yes         |          | blue   | 6.3 x 0.8        | 4.5  | 20.0 | 7.6  | 100         |
| Panel connectors insulated                                   | Lapp 63101110 | L-RC 63 H           | 4 - 6               | yes         |          | yellow | 6.3 x 0.8        | 6.4  | 24.0 | 7.6  | 100         |
| Panel connectors insulated                                   | Lapp 63101120 | L-RC 95 H           | 4 - 6               | no          |          | yellow | 9.5 x 1.2        | 6.2  | 31.0 | 11.0 | 100         |
| Blade connector (type M)                                     |               |                     |                     |             |          |        |                  |      |      |      |             |
| Panel connectors insulated                                   | Lapp 63103010 | L-RA 63 M           | 0,5 - 1,5           | yes         |          | red    | 6.3 x 0.8        | 4.0  | 22.0 |      | 100         |
| Panel connectors insulated                                   | Lapp 63103020 | L-RB 63 M           | 1,5 - 2,5           | yes         |          | blue   | 6.3 x 0.8        | 4.5  | 22.0 |      | 100         |
| Panel connectors insulated                                   | Lapp 63103040 | L-RC 63 M           | 4 - 6               | yes         | 1.3      | yellow | 6.3 x 0.8        | 6.3  | 25.0 |      | 100         |
| Blade receptacle branch (type T)                             |               |                     |                     |             |          |        |                  |      |      |      |             |
| Panel connectors insulated                                   | Lapp 63102010 | L-RA 63 T           | 0,5 - 1,5           | no          | 1.3      | red    | 6.3 x 0.8        | 3.7  | 22.0 | 7.4  | 100         |
| Panel connectors insulated                                   | Lapp 63102020 | L-RB 63 T           | 1,5 - 2,5           | no          | 1.3      | blue   | 6.3 x 0.8        | 4.3  | 22.0 | 7.5  | 50          |
| Fully insulated blade receptacle (type V)                    |               |                     |                     |             |          |        |                  |      |      |      |             |
| Panel connectors insulated                                   | Lapp 61794951 | L-RA 29 V           | 0,5 - 1,5           | yes         | 2.3      | red    | 2.8 x 0.5        | 3.8  | 19.3 | 5.0  | 100         |

**Panel connectors insulated\_**

Lapp 63103010



| Product Name               | Lapp Nr.      | Article designation | For mm <sup>2</sup> | UL approval | Footnote | Colour | Blade connection | d mm | L    | W mm | Pieces / PU |
|----------------------------|---------------|---------------------|---------------------|-------------|----------|--------|------------------|------|------|------|-------------|
| Panel connectors insulated | Lapp 61794952 | L-RA 28 V           | 0,5 - 1,5           | yes         | 2.3      | red    | 2.8 x 0.8        | 3.8  | 19.3 | 5.0  | 100         |
| Panel connectors insulated | Lapp 61794953 | L-RA 49 V           | 0,5 - 1,5           | yes         | 2.3      | red    | 4.8 x 0.5        | 3.6  | 20.2 | 7.4  | 100         |
| Panel connectors insulated | Lapp 61794955 | L-RA 48 V           | 0,5 - 1,5           | yes         | 2.3      | red    | 4.8 x 0.8        | 3.6  | 20.2 | 7.4  | 100         |
| Panel connectors insulated | Lapp 61794960 | L-RA 63 V           | 0,5 - 1,5           | yes         |          | red    | 6.3 x 0.8        | 4.4  | 21.0 | 8.8  | 100         |
| Panel connectors insulated | Lapp 61794968 | L-RB 49 V           | 1,5 - 2,5           | yes         | 2.3      | blue   | 4.8 x 0.5        | 3.9  | 19.5 | 7.1  | 100         |
| Panel connectors insulated | Lapp 61794969 | L-RB 48 V           | 1,5 - 2,5           | yes         | 2.3      | blue   | 4.8 x 0.8        | 4.3  | 20.0 | 7.4  | 100         |
| Panel connectors insulated | Lapp 61794970 | L-RB 63 V           | 1,5 - 2,5           | yes         |          | blue   | 6.3 x 0.8        | 4.5  | 21.0 | 8.8  | 100         |
| Panel connectors insulated | Lapp 61794971 | L-RC 63 V           | 4 - 6               | yes         | 2.3      | yellow | 6.3 x 0.8        | 5.3  | 26.0 | 9.0  | 100         |