



**Description:** S-A M12 flush-type connectors\_

**Lapp code:** Lapp 22260105

The **Test voltage** of the cable Lapp 22260105 is /.

## Application range

- Automation technology
- Mechanical engineering
- Plant engineering
- Tool shop
- Automotive industry

## Product Make-up

- TPE single litz wires, l = 0.5 m
- 0,34 mm<sup>2</sup>

In our Cable list on next page you can find all interesting information acc. article Lapp 22260105 and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Number of pins	Conductor cross-section (mm <sup>2</sup> )	Rated voltage (V)	Rated current (A)	PU
M12 flush-type connector pin for front-mounting, with M16 fastening thread							
S/A M12 flush-type connectors	Lapp 22260108	AB-C4-M12MS-M16-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260106	AB-C5-M12MS-M16-0,5	5	0.34	60	4	1
M12 flush type connector pin for front mounting, with PG9 fastening thread							
S/A M12 flush-type connectors	Lapp 22260113	AB-C4-M12MS-PG9-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260112	AB-C5-M12MS-PG9-0,5	5	0.34	60	4	1
M12 flush-type connector pin for front-mounting, can be positioned, with M16 fastening thread							
S/A M12 flush-type connectors	Lapp 22260083	AB-C4-M12MS-M16-PO-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260084	AB-C5-M12MS-M16-PO-0,5	5	0.34	60	4	1
M12 flush-type connector pin for front-mounting, can be positioned, with PG9 fastening thread							
S/A M12 flush-type connectors	Lapp 22260087	AB-C4-M12MS-PG9-PO-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260088	AB-C5-M12MS-PG9-PO-0,5	5	0.34	60	4	1
M12 flush-type connector socket for front-mounting, with M16 fastening thread							
S/A M12 flush-type connectors	Lapp 22260107	AB-C4-M12FS-M16-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260105	AB-C5-M12FS-M16-0,5	5	0.34	60	4	1
M12 flush-type connector socket for front-mounting, with PG9 fastening thread							
S/A M12 flush-type connectors	Lapp 22260114	AB-C4-M12FS-PG9-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260111	AB-C5-M12FS-PG9-0,5	5	0.34	60	4	1
M12 flush-type connector socket for front-mounting, can be positioned, with M16 fastening thread							
S/A M12 flush-type connectors	Lapp 22260085	AB-C4-M12FS-M16-PO-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260086	AB-C5-M12FS-M16-PO-0,5	5	0.34	60	4	1
M12 flush-type connector socket for front-mounting, can be positioned, with PG9 fastening thread							
S/A M12 flush-type connectors	Lapp 22260089	AB-C4-M12FS-PG9-PO-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260090	AB-C5-M12FS-PG9-PO-0,5	5	0.34	60	4	1
M12 flush-type connector pin for rear-mounting (fitting nut included), with PG9 fastening thread							
S/A M12 flush-type connectors	Lapp 22260117	AB-C4-DSI-M12MS-PG9-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260115	AB-C5-DSI-M12MS-PG9-0,5	5	0.34	60	4	1
M12 flush-type connector socket for rear-mounting (fitting nut included), with PG9 fastening thread							

## S-A M12 flush-type connectors\_

Lapp 22260105



Product Name	Lapp Nr.	Article designation	Number of pins	Conductor cross-section (mm <sup>2</sup> )	Rated voltage (V)	Rated current (A)	PU
S/A M12 flush-type connectors	Lapp 22260118	AB-C4-DSI-M12FS-PG9-0,5	4	0.34	250	4	1
S/A M12 flush-type connectors	Lapp 22260116	AB-C5-DSI-M12FS-PG9-0,5	5	0.34	60	4	1
M12 flush-type connector socket for rear-mounting, with M12 fastening thread							
S/A M12 flush-type connectors	Lapp 22260999	AB-C4-DSI-M12MS-M12-0,5	4	0.34	250	4	1