



Description: **SILVYN AS-P 9_**
Lapp code: Lapp 64400020

The **Test voltage** of the cable Lapp 64400020 is /.

Application range

- Mechanical engineering
- Plant engineering
- Automation technology
- Used in areas where liquids are present
- Applications with high mechanical stress

Product Make-up

- Spirally-wound metal protective conduit with roughened profile
- PVC sheath

In our Cable list on next page you can find all interesting information acc. article Lapp 64400020 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	PG size	Internal Ø x external Ø (mm)	Bending radius (mm)	Inner Ø (mm)	Suitable for SILVYN® MSK-M	Suitable for SILVYN® US-M	Suitable for SILVYN® US /US-EDU-AS/US MS-DR	PU ring (m)
SILVYN® AS-P									
SILVYN AS-P 7	Lapp 64400010	7	7 x 10	32	7	12 x 1,5	10 x 1,0	7	50.0
SILVYN AS-P 9	Lapp 64400020	9	10 x 14	40	10	16 x 1,5	12 x 1,5	9	50.0
SILVYN AS-P 11	Lapp 64400030	11	13 x 17	45	13	20 x 1,5	16 x 1,5	11	50.0
SILVYN AS-P 13.5	Lapp 64400040	13.5	15 x 19	52	15			13,5	50.0
SILVYN AS-P 16	Lapp 64400050	16	17 x 21	58	17	25 x 1,5	20 x 1,5	16	50.0
SILVYN AS-P 21	Lapp 64400060	21	22 x 27	72	22	32 x 1,5	25 x 1,5	21	50.0
SILVYN AS-P 29	Lapp 64400070	29	29 x 36	98	29	40 x 1,5	32 x 1,5	29	25.0
SILVYN AS-P 36	Lapp 64400080	36	38 x 45	118	38	50 x 1,5	40 x 1,5	36	25.0
SILVYN AS-P 48	Lapp 64400090	48	49 x 56	140	49	63 x 1,5	50 x 1,5	48	25.0
SILVYN® AS-P 10M									
SILVYN AS-P 7	Lapp 64400100	7	7 x 10	32	7	12 x 1,5	10 x 1,0	7	10.0
SILVYN AS-P 9	Lapp 64400110	9	10 x 14	40	10	16 x 1,5	12 x 1,5	9	10.0
SILVYN AS-P 11	Lapp 64400120	11	13 x 17	45	13	20 x 1,5	16 x 1,5	11	10.0
SILVYN AS-P 13.5	Lapp 64400130	13.5	15 x 19	52	15			13,5	10.0
SILVYN AS-P 16	Lapp 64400140	16	17 x 21	58	17	25 x 1,5	20 x 1,5	16	10.0
SILVYN AS-P 21	Lapp 64400150	21	22 x 27	72	22	32 x 1,5	25 x 1,5	21	10.0
SILVYN AS-P 29	Lapp 64400160	29	29 x 36	98	29	40 x 1,5	32 x 1,5	29	10.0
SILVYN AS-P 36	Lapp 64400170	36	38 x 45	118	38	50 x 1,5	40 x 1,5	36	10.0
SILVYN AS-P 48	Lapp 64400180	48	49 x 56	140	49	63 x 1,5	50 x 1,5	48	10.0