



Description: SILVYN SPLIT_
Lapp code: Lapp 61806645

The **Test voltage** of the cable Lapp 61806645 is /.

Application range

- Vehicle construction
- Shipbuilding
- Mechanical engineering
- Electrical industry
- Used in areas where cables and wires need to be protected after assembly

Product Make-up

- Divisible corrugated conduit

In our Cable list on next page you can find all interesting information acc. article Lapp 61806645 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Article designation	Internal Ø x external Ø (mm)	Bending radius (mm)	Inner Ø (mm)	Suitable for SILVYN® COV	PU (m)
SILVYN® SPLIT PA6							
SILVYN SPLIT	Lapp 61806621	6	6,3 x 10	15	6.3		50.0
SILVYN SPLIT	Lapp 61806620	10	8,4 x 13,4	15	8.4	M16/PG9	50.0
SILVYN SPLIT	Lapp 61806631	11	11 x 16,1	15	11		50.0
SILVYN SPLIT	Lapp 61806630	14	12,5 x 18,5	15	12.5	M20/PG13,5	50.0
SILVYN SPLIT	Lapp 61806641	16	16 x 21,5	20	16		50.0
SILVYN SPLIT	Lapp 61806640	20	19,2 x 25,3	25	19.2	M25/PG21	50.0
SILVYN SPLIT	Lapp 61806650	23	23,4 x 30,8	35	23.4	M32/PG29	50.0
SILVYN SPLIT	Lapp 61806651	29	27,3 x 35,5	35	27.3		50.0
SILVYN SPLIT	Lapp 61806660	37	31 x 41,4	40	31	M40/PG29	25.0
SILVYN SPLIT	Lapp 61806670	45	42,7 x 54	70	42.7	M50	25.0
SILVYN SPLIT	Lapp 61806671	70	67,5 x 79,8	95	67.5		10.0
SILVYN SPLIT	Lapp 61806672	100	87,5 x 102,5	100	87.5		10.0
SILVYN® SPLIT PP							
SILVYN SPLIT	Lapp 61806615	6	6,3 x 10	15	6.3		50.0
SILVYN SPLIT	Lapp 61806625	10	8,4 x 13,4	15	8.4	M16/PG9	50.0
SILVYN SPLIT	Lapp 61806616	11	11 x 16,1	15	11		50.0
SILVYN SPLIT	Lapp 61806635	14	12,5 x 18,5	15	12.5	M20/PG13,5	50.0
SILVYN SPLIT	Lapp 61806617	16	16 x 21,5	20	16		50.0
SILVYN SPLIT	Lapp 61806645	20	19,2 x 25,3	20	19.2	M25/PG21	50.0
SILVYN SPLIT	Lapp 61806655	23	23,4 x 30,8	45	23.4	M32/PG29	50.0
SILVYN SPLIT	Lapp 61806618	29	27,3 x 35,5	50	27.3		50.0
SILVYN SPLIT	Lapp 61806665	37	31 x 41,4	60	31	M40/PG29	25.0
SILVYN SPLIT	Lapp 61806675	45	42,7 x 54	75	42.7	M50	25.0
SILVYN SPLIT	Lapp 61806619	70	67,5 x 79,8	95	67.5		10.0
SILVYN SPLIT	Lapp 61806622	100	87,5 x 102,5	100	87.5		10.0
SILVYN® SPLIT PP UV							
SILVYN SPLIT	Lapp 61806100	6	6,3 x 10	15	6.3		50.0
SILVYN SPLIT	Lapp 61806110	10	8,4 x 13,4	15	8.4	M16/PG9	50.0
SILVYN SPLIT	Lapp 61806120	11	11 x 16,1	15	11		50.0
SILVYN SPLIT	Lapp 61806130	14	12,5 x 18,5	15	12.5	M20/PG13,5	50.0
SILVYN SPLIT	Lapp 61806140	16	16 x 21,5	20	16		50.0
SILVYN SPLIT	Lapp 61806150	20	19,2 x 25,3	20	19.2	M25/PG21	50.0
SILVYN SPLIT	Lapp 61806160	23	23,4 x 30,8	45	23.4	M32/PG29	50.0
SILVYN SPLIT	Lapp 61806170	29	27,3 x 35,5	50	27.3		50.0
SILVYN SPLIT	Lapp 61806180	37	31 x 41,4	60	31	M40/PG29	25.0
SILVYN SPLIT	Lapp 61806190	45	42,7 x 54	75	42.7	M50	25.0
SILVYN SPLIT	Lapp 61806200	70	67,5 x 79,8	95	67.5		10.0

SILVYN SPLIT_

Lapp 61806645



Product Name	Lapp Nr.	Article designation	Internal Ø x external Ø (mm)	Bending radius (mm)	Inner Ø (mm)	Suitable for SILVYN® COV	PU (m)
SILVYN SPLIT	Lapp 61806210	100	87,5 x 102,5	100	87.5		10.0