



Description: SKINDICHT SR_
Lapp code: Lapp 52001090

The **Test voltage** of the cable Lapp 52001090 is /.

Application range

- Cables for electrical appliances and machinery that are moved under normal use must be protected against excessive bending as required in accordance with VDE 0700-1
- Handheld device
- Portable equipment
- Building sites
- Moving machine parts

Product Make-up

- PG connection thread

In our Cable list on next page you can find all interesting information acc. article Lapp 52001090 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Article designation / size | Clamping range ØF (mm) | Max. fitting size for installation (mm) | SW1/SW2 mm | Overall length/ C (mm) | Thread length/ D (mm) | Pieces / PU |
|---------------|---------------|----------------------------|------------------------|---|------------|------------------------|-----------------------|-------------|
| SKINDICHT® SR | | | | | | | | |
| SKINDICHT SR | Lapp 52000990 | SR 07/05 | 3,5 - 5 | 23 | 14 / 15 | 50.0 | 5.0 | 50 |
| SKINDICHT SR | Lapp 52001000 | SR 09/07 | 5,5 - 7 | 25 | 17 / 17 | 52.0 | 6.0 | 50 |
| SKINDICHT SR | Lapp 52001010 | SR 11/07 | 5,5 - 7 | 28 | 20 / 20 | 56.0 | 6.0 | 25 |
| SKINDICHT SR | Lapp 52001020 | SR 11/09 | 7,5 - 9 | 28 | 20 / 20 | 56.0 | 6.0 | 25 |
| SKINDICHT SR | Lapp 52001030 | SR 13/09 | 7,5 - 9 | 32 | 22 / 22 | 62.0 | 6.5 | 25 |
| SKINDICHT SR | Lapp 52001040 | SR 13/11 | 9 - 11 | 32 | 22 / 22 | 62.0 | 6.5 | 25 |
| SKINDICHT SR | Lapp 52001050 | SR 13/13 | 11 - 13 | 32 | 22 / 22 | 62.0 | 6.5 | 25 |
| SKINDICHT SR | Lapp 52001060 | SR 16/13 | 11,5 - 13 | 35 | 24 / 24 | 67.0 | 6.5 | 25 |
| SKINDICHT SR | Lapp 52001070 | SR 16/15 | 13 - 15 | 35 | 24 / 24 | 67.0 | 6.5 | 25 |
| SKINDICHT SR | Lapp 52001080 | SR 21/15 | 13,5 - 15 | 46 | 30 / 30 | 79.0 | 7.0 | 25 |
| SKINDICHT SR | Lapp 52001090 | SR 21/17 | 15 - 17 | 46 | 30 / 30 | 79.0 | 7.0 | 25 |
| SKINDICHT SR | Lapp 52001100 | SR 21/19 | 17 - 19 | 46 | 30 / 30 | 79.0 | 7.0 | 25 |
| SKINDICHT SR | Lapp 52001110 | SR 21/20 | 18 - 20 | 46 | 30 / 30 | 79.0 | 7.0 | 25 |
| SKINDICHT SR | Lapp 52001120 | SR 29/20 | 18 - 20 | 59 | 40 / 41 | 91.0 | 8.0 | 10 |
| SKINDICHT SR | Lapp 52001130 | SR 29/23 | 21 - 23 | 59 | 40 / 41 | 91.0 | 8.0 | 10 |
| SKINDICHT SR | Lapp 52001140 | SR 29/25 | 23 - 25 | 59 | 40 / 41 | 91.0 | 8.0 | 10 |
| SKINDICHT SR | Lapp 52001150 | SR 36/26 | 23 - 26 | 70 | 50 / 50 | 110.0 | 9.0 | 5 |
| SKINDICHT SR | Lapp 52001160 | SR 36/30 | 27 - 30 | 70 | 50 / 50 | 110.0 | 9.0 | 5 |
| SKINDICHT SR | Lapp 52001170 | SR 36/33 | 30 - 33 | 70 | 50 / 50 | 110.0 | 9.0 | 5 |
| SKINDICHT SR | Lapp 52001180 | SR 36/35 | 32 - 35 | 70 | 50 / 50 | 110.0 | 9.0 | 5 |
| SKINDICHT SR | Lapp 52001190 | SR 42/35 | 32 - 35 | 75 | 57 / 57 | 114.0 | 10.0 | 5 |
| SKINDICHT SR | Lapp 52001200 | SR 42/38 | 35 - 38 | 75 | 57 / 57 | 114.0 | 10.0 | 5 |
| SKINDICHT SR | Lapp 52001210 | SR 42/40 | 36 - 40 | 75 | 57 / 57 | 114.0 | 10.0 | 5 |

SKINDICHT SR_

Lapp 52001090



| Product Name | Lapp Nr. | Article designation / size | Clamping range ØF (mm) | Max. fitting size for installation (mm) | SW1/SW2 mm | Overall length/ C (mm) | Thread length/ D (mm) | Pieces / PU |
|--------------|---------------|----------------------------|------------------------|---|------------|------------------------|-----------------------|-------------|
| SKINDICHT SR | Lapp 52001220 | SR 48/40 | 36 - 40 | 83 | 64 / 64 | 119.0 | 10.0 | 1 |
| SKINDICHT SR | Lapp 52001230 | SR 48/44 | 40 - 44 | 83 | 64 / 64 | 119.0 | 10.0 | 1 |