



**Description:** SKINDICHT SR\_  
**Lapp code:** Lapp 52001170

The **Test voltage** of the cable Lapp 52001170 is /.

## Application range

- Cables for electrical appliances and machinery that are moved under normal use must be protected against excessive bending as required in accordance with VDE 0700-1
- Handheld device
- Portable equipment
- Building sites
- Moving machine parts

## Product Make-up

- PG connection thread

In our Cable list on next page you can find all interesting information acc. article Lapp 52001170 and much more.

**CABLE LIST - all informations you need you can find here**

Product Name	Lapp Nr.	Article designation / size	Clamping range ØF (mm)	Max. fitting size for installation (mm)	SW1/SW2 mm	Overall length/ C (mm)	Thread length/ D (mm)	Pieces / PU
SKINDICHT® SR								
SKINDICHT SR	Lapp 52000990	SR 07/05	3,5 - 5	23	14 / 15	50.0	5.0	50
SKINDICHT SR	Lapp 52001000	SR 09/07	5,5 - 7	25	17 / 17	52.0	6.0	50
SKINDICHT SR	Lapp 52001010	SR 11/07	5,5 - 7	28	20 / 20	56.0	6.0	25
SKINDICHT SR	Lapp 52001020	SR 11/09	7,5 - 9	28	20 / 20	56.0	6.0	25
SKINDICHT SR	Lapp 52001030	SR 13/09	7,5 - 9	32	22 / 22	62.0	6.5	25
SKINDICHT SR	Lapp 52001040	SR 13/11	9 - 11	32	22 / 22	62.0	6.5	25
SKINDICHT SR	Lapp 52001050	SR 13/13	11 - 13	32	22 / 22	62.0	6.5	25
SKINDICHT SR	Lapp 52001060	SR 16/13	11,5 - 13	35	24 / 24	67.0	6.5	25
SKINDICHT SR	Lapp 52001070	SR 16/15	13 - 15	35	24 / 24	67.0	6.5	25
SKINDICHT SR	Lapp 52001080	SR 21/15	13,5 - 15	46	30 / 30	79.0	7.0	25
SKINDICHT SR	Lapp 52001090	SR 21/17	15 - 17	46	30 / 30	79.0	7.0	25
SKINDICHT SR	Lapp 52001100	SR 21/19	17 - 19	46	30 / 30	79.0	7.0	25
SKINDICHT SR	Lapp 52001110	SR 21/20	18 - 20	46	30 / 30	79.0	7.0	25
SKINDICHT SR	Lapp 52001120	SR 29/20	18 - 20	59	40 / 41	91.0	8.0	10
SKINDICHT SR	Lapp 52001130	SR 29/23	21 - 23	59	40 / 41	91.0	8.0	10
SKINDICHT SR	Lapp 52001140	SR 29/25	23 - 25	59	40 / 41	91.0	8.0	10
SKINDICHT SR	Lapp 52001150	SR 36/26	23 - 26	70	50 / 50	110.0	9.0	5
SKINDICHT SR	Lapp 52001160	SR 36/30	27 - 30	70	50 / 50	110.0	9.0	5
SKINDICHT SR	Lapp 52001170	SR 36/33	30 - 33	70	50 / 50	110.0	9.0	5
SKINDICHT SR	Lapp 52001180	SR 36/35	32 - 35	70	50 / 50	110.0	9.0	5
SKINDICHT SR	Lapp 52001190	SR 42/35	32 - 35	75	57 / 57	114.0	10.0	5
SKINDICHT SR	Lapp 52001200	SR 42/38	35 - 38	75	57 / 57	114.0	10.0	5
SKINDICHT SR	Lapp 52001210	SR 42/40	36 - 40	75	57 / 57	114.0	10.0	5

**SKINDICHT SR\_**  
Lapp 52001170



Product Name	Lapp Nr.	Article designation / size	Clamping range ØF (mm)	Max. fitting size for installation (mm)	SW1/SW2 mm	Overall length/ C (mm)	Thread length/ D (mm)	Pieces / PU
SKINDICHT SR	Lapp 52001220	SR 48/40	36 - 40	83	64 / 64	119.0	10.0	1
SKINDICHT SR	Lapp 52001230	SR 48/44	40 - 44	83	64 / 64	119.0	10.0	1