



Description: SKINDICHT SR-M_
Lapp code: Lapp 52106440

The **Test voltage** of the cable Lapp 52106440 is /.

Application range

- Cables for electrical appliances and machinery that are moved under normal use must be protected against excessive bending as required in accordance with VDE 0700-1
- Handheld device
- Portable equipment
- Building sites
- Moving machine parts

Product Make-up

- Metric connection thread acc. to EN 50262

In our Cable list on next page you can find all interesting information acc. article Lapp 52106440 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Article designation / size | Clamping range ØF (mm) | Max. fitting size for installation (mm) | Function thread PG | SW1/SW2 mm | Overall length/ C (mm) | Thread length/ D (mm) | Clear opening F (mm) | Pieces / PU |
|-----------------|---------------|----------------------------|------------------------|---|--------------------|------------|------------------------|-----------------------|----------------------|-------------|
| SKINDICHT® SR-M | | | | | | | | | | |
| SKINDICHT SR-M | Lapp 52106410 | 12 x 1,5 | 4 - 5 | 23 | 7 | 14 / 15 | 49.0 | 5.0 | 5 | 50 |
| SKINDICHT SR-M | Lapp 52106420 | 16 x 1,5 | 5,5 - 7 | 25 | 9 | 18 / 17 | 50.0 | 5.0 | 7 | 50 |
| SKINDICHT SR-M | Lapp 52106430 | 20 x 1,5 | 5,5 - 7 | 28 | 11 | 22 / 20 | 55.0 | 6.0 | 7 | 25 |
| SKINDICHT SR-M | Lapp 52106440 | 20 x 1,5 | 7,5 - 9 | 28 | 11 | 22 / 20 | 55.0 | 6.0 | 9 | 25 |
| SKINDICHT SR-M | Lapp 52106450 | 20 x 1,5 | 7,5 - 9 | 32 | 13.5 | 22 / 22 | 60.0 | 6.0 | 9 | 25 |
| SKINDICHT SR-M | Lapp 52106460 | 20 x 1,5 | 9 - 11 | 32 | 13.5 | 22 / 22 | 60.0 | 6.0 | 11 | 25 |
| SKINDICHT SR-M | Lapp 52106470 | 20 x 1,5 | 11 - 13 | 32 | 13.5 | 22 / 22 | 60.0 | 6.0 | 13 | 25 |
| SKINDICHT SR-M | Lapp 52106480 | 20 x 1,5 | 12 - 13 | 35 | 16 | 24 / 24 | 65.0 | 6.0 | 13 | 25 |
| SKINDICHT SR-M | Lapp 52106481 | 20 x 1,5 | 13 - 15 | 35 | 16 | 24 / 24 | 66.0 | 6.0 | 15 | 25 |
| SKINDICHT SR-M | Lapp 52106490 | 25 x 1,5 | 12,5 - 15 | 46 | 21 | 30 / 30 | 78,5 | 7.0 | 15 | 25 |
| SKINDICHT SR-M | Lapp 52106500 | 25 x 1,5 | 14 - 17 | 46 | 21 | 30 / 30 | 78,5 | 7.0 | 17 | 25 |
| SKINDICHT SR-M | Lapp 52106510 | 25 x 1,5 | 17 - 19 | 46 | 21 | 30 / 30 | 78,5 | 7.0 | 19 | 25 |
| SKINDICHT SR-M | Lapp 52106520 | 25 x 1,5 | 17 - 20 | 46 | 21 | 30 / 30 | 78,5 | 7.0 | 20 | 25 |
| SKINDICHT SR-M | Lapp 52106530 | 32 x 1,5 | 19 - 20 | 59 | 29 | 40 / 41 | 90,5 | 8.0 | 20 | 10 |
| SKINDICHT SR-M | Lapp 52106540 | 32 x 1,5 | 22 - 23 | 59 | 29 | 40 / 41 | 90,5 | 8.0 | 23 | 10 |
| SKINDICHT SR-M | Lapp 52106550 | 32 x 1,5 | 23 - 25 | 59 | 29 | 40 / 41 | 90,5 | 8.0 | 25 | 10 |
| SKINDICHT SR-M | Lapp 52106560 | 40 x 1,5 | 24 - 26 | 70 | 36 | 50 / 50 | 108.0 | 8.0 | 26 | 5 |
| SKINDICHT SR-M | Lapp 52106570 | 40 x 1,5 | 28 - 30 | 70 | 36 | 50 / 50 | 108.0 | 8.0 | 30 | 5 |
| SKINDICHT SR-M | Lapp 52106580 | 40 x 1,5 | 31 - 33 | 70 | 36 | 50 / 50 | 108.0 | 8.0 | 33 | 5 |
| SKINDICHT SR-M | Lapp 52106590 | 40 x 1,5 | 33 - 34,5 | 70 | 36 | 50 / 50 | 108.0 | 8.0 | 35 | 5 |
| SKINDICHT SR-M | Lapp 52106600 | 50 x 1,5 | 31 - 34,5 | 75 | 42 | 57 / 57 | 111.0 | 9.0 | 35 | 5 |
| SKINDICHT SR-M | Lapp 52106610 | 50 x 1,5 | 32 - 38 | 75 | 42 | 57 / 57 | 111.0 | 9.0 | 38 | 5 |
| SKINDICHT SR-M | Lapp 52106620 | 50 x 1,5 | 37 - 40 | 75 | 42 | 57 / 57 | 111.0 | 9.0 | 40 | 5 |

SKINDICHT SR-M_

Lapp 52106440



| Product Name | Lapp Nr. | Article designation / size | Clamping range ØF (mm) | Max. fitting size for installation (mm) | Function thread PG | SW1/SW2 mm | Overall length/ C (mm) | Thread length/ D (mm) | Clear opening F (mm) | Pieces / PU |
|----------------|---------------|----------------------------|------------------------|---|--------------------|------------|------------------------|-----------------------|----------------------|-------------|
| SKINDICHT SR-M | Lapp 52106630 | 63 x 1,5 | 32 - 40 | 83 | 48 | 66 / 64 | 118.0 | 10.0 | 40 | 1 |
| SKINDICHT SR-M | Lapp 52106640 | 63 x 1,5 | 36 - 44 | 83 | 48 | 66 / 64 | 118.0 | 10.0 | 44 | 1 |