



**Description:** UNITRONIC 100 10 x 0,25\_

**Lapp code:** Lapp 0028032

The **Test voltage** of the cable Lapp 0028032 is Core/core: 1500 V rms Core/screen: 1500 V.

## Application range

- These control and signal cables are used in the milliamperere range for computer systems, electronic control equipment, office machines, balances etc. and wherever the thinnest possible control cables are required.

## Product Make-up

- Fine-wire/multi-wire (0.34 mm<sup>2</sup>) strand made of bare copper wires
- Core insulation made of PVC
- Outer sheath made of PVC  
Outer sheath colour: grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 0028032 and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Number of cores and mm <sup>2</sup> per conductor	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
UNITRONIC® 100					
UNITRONIC 100 2 x 0,14	Lapp 0028009	2 x 0,14	3.0	2.8	12
UNITRONIC 100 3 x 0,14	Lapp 0028010	3 x 0,14	3.2	4.2	17
UNITRONIC 100 4 x 0,14	Lapp 0028011	4 x 0,14	3.4	5.4	19
UNITRONIC 100 5 x 0,14	Lapp 0028012	5 x 0,14	3.7	7.0	22
UNITRONIC 100 7 x 0,14	Lapp 0028014	7 x 0,14	4.0	9.8	27
UNITRONIC 100 10 x 0,14	Lapp 0028015	10 x 0,14	5.0	14.0	41
UNITRONIC 100 24 x 0,14	Lapp 0028019	24 x 0,14	7.2	33.6	94
UNITRONIC 100 27 x 0,14	Lapp 0028020	27 x 0,14	7.4	36.5	107
UNITRONIC 100 40 x 0,14	Lapp 0028023	40 x 0,14	8.9	54.0	152
UNITRONIC 100 52 x 0,14	Lapp 0028025	52 x 0,14	10.0	72.8	198
UNITRONIC 100 3 x 0,25	Lapp 0028030	3 x 0,25	3.8	7.5	21
UNITRONIC 100 7 x 0,25	Lapp 0028031	7 x 0,25	4.9	17.5	48
UNITRONIC 100 10 x 0,25	Lapp 0028032	10 x 0,25	6.4	25.0	77
UNITRONIC 100 14 x 0,25	Lapp 0028033	14 x 0,25	6.9	35.0	95
UNITRONIC 100 16 x 0,25	Lapp 0028034	16 x 0,25	7.3	40.0	112
UNITRONIC 100 21 x 0,25	Lapp 0028035	21 x 0,25	8.5	52.5	139
UNITRONIC 100 24 x 0,25	Lapp 0028036	24 x 0,25	9.0	60.0	163
UNITRONIC 100 27 x 0,25	Lapp 0028037	27 x 0,25	9.2	67.5	171
UNITRONIC 100 30 x 0,25	Lapp 0028038	30 x 0,25	9.9	75.0	187
UNITRONIC 100 36 x 0,25	Lapp 0028039	36 x 0,25	10.7	90.0	235
UNITRONIC 100 40 x 0,25	Lapp 0028040	40 x 0,25	11.6	100.0	266
UNITRONIC 100 44 x 0,25	Lapp 0028041	44 x 0,25	12.0	110.0	290
UNITRONIC 100 52 x 0,25	Lapp 0028042	52 x 0,25	12.5	130.0	343
UNITRONIC 100 61 x 0,25	Lapp 0028044	61 x 0,25	13.3	152.5	398

**UNITRONIC 100 10 x 0,25\_**

Lapp 0028032



Product Name	Lapp Nr.	Number of cores and mm <sup>2</sup> per conductor	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
UNITRONIC 100 3 x 0,34	Lapp 0028047	3 x 0,34	4.2	10.5	33
UNITRONIC 100 7 x 0,34	Lapp 0028048	7 x 0,34	5.5	22.8	62
UNITRONIC 100 14 x 0,34	Lapp 0028050	14 x 0,34	7.8	47.6	118
UNITRONIC 100 16 x 0,34	Lapp 0028051	16 x 0,34	8.3	54.4	131
UNITRONIC 100 27 x 0,34	Lapp 0028054	27 x 0,34	10.8	88.0	208
UNITRONIC 100 36 x 0,34	Lapp 0028056	36 x 0,34	12.1	118.0	292
UNITRONIC 100 40 x 0,34	Lapp 0028057	40 x 0,34	13.1	131.0	330
UNITRONIC 100 52 x 0,34	Lapp 0028059	52 x 0,34	14.6	170.0	424