



Description: UNITRONIC 100 16 x 0,34_

Lapp code: Lapp 0028051

The **Test voltage** of the cable Lapp 0028051 is Core/core: 1500 V rms Core/screen: 1500 V.

Application range

- These control and signal cables are used in the milliampere range for computer systems, electronic control equipment, office machines, balances etc. and wherever the thinnest possible control cables are required.

Product Make-up

- Fine-wire/multi-wire (0.34 mm²) strand made of bare copper wires
- Core insulation made of PVC
- Outer sheath made of PVC
Outer sheath colour: grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 0028051 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Number of cores and mm ² per conductor	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
UNITRONIC® 100					
UNITRONIC 100 2 x 0,14	Lapp 0028009	2 x 0,14	3.0	2.8	12
UNITRONIC 100 3 x 0,14	Lapp 0028010	3 x 0,14	3.2	4.2	17
UNITRONIC 100 4 x 0,14	Lapp 0028011	4 x 0,14	3.4	5.4	19
UNITRONIC 100 5 x 0,14	Lapp 0028012	5 x 0,14	3.7	7.0	22
UNITRONIC 100 7 x 0,14	Lapp 0028014	7 x 0,14	4.0	9.8	27
UNITRONIC 100 10 x 0,14	Lapp 0028015	10 x 0,14	5.0	14.0	41
UNITRONIC 100 24 x 0,14	Lapp 0028019	24 x 0,14	7.2	33.6	94
UNITRONIC 100 27 x 0,14	Lapp 0028020	27 x 0,14	7.4	36.5	107
UNITRONIC 100 40 x 0,14	Lapp 0028023	40 x 0,14	8.9	54.0	152
UNITRONIC 100 52 x 0,14	Lapp 0028025	52 x 0,14	10.0	72.8	198
UNITRONIC 100 3 x 0,25	Lapp 0028030	3 x 0,25	3.8	7.5	21
UNITRONIC 100 7 x 0,25	Lapp 0028031	7 x 0,25	4.9	17.5	48
UNITRONIC 100 10 x 0,25	Lapp 0028032	10 x 0,25	6.4	25.0	77
UNITRONIC 100 14 x 0,25	Lapp 0028033	14 x 0,25	6.9	35.0	95
UNITRONIC 100 16 x 0,25	Lapp 0028034	16 x 0,25	7.3	40.0	112
UNITRONIC 100 21 x 0,25	Lapp 0028035	21 x 0,25	8.5	52.5	139
UNITRONIC 100 24 x 0,25	Lapp 0028036	24 x 0,25	9.0	60.0	163
UNITRONIC 100 27 x 0,25	Lapp 0028037	27 x 0,25	9.2	67.5	171
UNITRONIC 100 30 x 0,25	Lapp 0028038	30 x 0,25	9.9	75.0	187
UNITRONIC 100 36 x 0,25	Lapp 0028039	36 x 0,25	10.7	90.0	235
UNITRONIC 100 40 x 0,25	Lapp 0028040	40 x 0,25	11.6	100.0	266
UNITRONIC 100 44 x 0,25	Lapp 0028041	44 x 0,25	12.0	110.0	290
UNITRONIC 100 52 x 0,25	Lapp 0028042	52 x 0,25	12.5	130.0	343
UNITRONIC 100 61 x 0,25	Lapp 0028044	61 x 0,25	13.3	152.5	398

UNITRONIC 100 16 x 0,34_

Lapp 0028051



Product Name	Lapp Nr.	Number of cores and mm ² per conductor	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
UNITRONIC 100 3 x 0,34	Lapp 0028047	3 x 0,34	4.2	10.5	33
UNITRONIC 100 7 x 0,34	Lapp 0028048	7 x 0,34	5.5	22.8	62
UNITRONIC 100 14 x 0,34	Lapp 0028050	14 x 0,34	7.8	47.6	118
UNITRONIC 100 16 x 0,34	Lapp 0028051	16 x 0,34	8.3	54.4	131
UNITRONIC 100 27 x 0,34	Lapp 0028054	27 x 0,34	10.8	88.0	208
UNITRONIC 100 36 x 0,34	Lapp 0028056	36 x 0,34	12.1	118.0	292
UNITRONIC 100 40 x 0,34	Lapp 0028057	40 x 0,34	13.1	131.0	330
UNITRONIC 100 52 x 0,34	Lapp 0028059	52 x 0,34	14.6	170.0	424