



**Description:** UNITRONIC EB CY (TP) 10 x 2 x 0,75\_

**Lapp code:** Lapp 0012626

The **Test voltage** of the cable Lapp 0012626 is 2500 V.

## Application range

- Reliable data transmission in intrinsically safe circuits
- In EMC-sensitive environments (electromagnetic compatibility)

## Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation made of PVC
- TP structure
- Tinned-copper braiding
- Outer sheath made of PVC  
Outer sheath colour: sky blue (RAL 5015)

In our Cable list on next page you can find all interesting information acc. article Lapp 0012626 and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Number of pairs and conductor cross section (mm <sup>2</sup> )	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
UNITRONIC® EB CY (TP)					
UNITRONIC EB CY (TP) 2 x 2 x 0,75	Lapp 0012620	2 x 2 x 0,75	8.7	58.0	106
UNITRONIC EB CY (TP) 3 x 2 x 0,75	Lapp 0012621	3 x 2 x 0,75	9.6	84.0	140
UNITRONIC EB CY (TP) 4 x 2 x 0,75	Lapp 0012622	4 x 2 x 0,75	10.9	108.0	179
UNITRONIC EB CY (TP) 6 x 2 x 0,75	Lapp 0012624	6 x 2 x 0,75	12.3	146.0	246
UNITRONIC EB CY (TP) 10 x 2 x 0,75	Lapp 0012626	10 x 2 x 0,75	16.1	220.0	392