



Description: UNITRONIC FD P plus 4 x 0,14_

Lapp code: Lapp 0028651

The **Test voltage** of the cable Lapp 0028651 is 1500 V.

Application range

- Highly flexible data cable with PUR outer sheath, meets the highest service life requirements, even under harsh climatic conditions.
- Multifunctional-use, e.g. for packaging industry and storage and retrieval units
- Suitable for use in measuring, control and regulating circuits

Product Make-up

- Extra-fine wire strand made of bare copper wires
- Core insulation: Based on Polyolefin
- Non-woven wrapping
- Outer sheath made of special PUR compound
Outer sheath colour: grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 0028651 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC® FD P plus | | | | | |
| UNITRONIC FD P plus 3 x 0,14 | Lapp 0028650 | 3 x 0,14 | 3.9 | 4.1 | 25 |
| UNITRONIC FD P plus 4 x 0,14 | Lapp 0028651 | 4 x 0,14 | 4.2 | 5.6 | 30 |
| UNITRONIC FD P plus 5 x 0,14 | Lapp 0028652 | 5 x 0,14 | 4.5 | 7.0 | 34 |
| UNITRONIC FD P plus 7 x 0,14 | Lapp 0028653 | 7 x 0,14 | 5.1 | 9.8 | 48 |
| UNITRONIC FD P plus 10 x 0,14 | Lapp 0028654 | 10 x 0,14 | 6.1 | 14.0 | 60 |
| UNITRONIC FD P plus 14 x 0,14 | Lapp 0028655 | 14 x 0,14 | 6.2 | 19.6 | 74 |
| UNITRONIC FD P plus 18 x 0,14 | Lapp 0028656 | 18 x 0,14 | 6.8 | 25.2 | 87 |
| UNITRONIC FD P plus 25 x 0,14 | Lapp 0028657 | 25 x 0,14 | 8.3 | 35.0 | 120 |
| UNITRONIC FD P plus 2 x 0,25 | Lapp 0028658 | 2 x 0,25 | 4.3 | 5.0 | 27 |
| UNITRONIC FD P plus 3 x 0,25 | Lapp 0028659 | 3 x 0,25 | 4.5 | 7.5 | 32 |
| UNITRONIC FD P plus 4 x 0,25 | Lapp 0028660 | 4 x 0,25 | 4.9 | 10.0 | 39 |
| UNITRONIC FD P plus 5 x 0,25 | Lapp 0028661 | 5 x 0,25 | 5.3 | 12.5 | 49 |
| UNITRONIC FD P plus 7 x 0,25 | Lapp 0028662 | 7 x 0,25 | 6.3 | 17.5 | 61 |
| UNITRONIC FD P plus 10 x 0,25 | Lapp 0028663 | 10 x 0,25 | 7.4 | 25.0 | 80 |
| UNITRONIC FD P plus 14 x 0,25 | Lapp 0028664 | 14 x 0,25 | 7.5 | 35.0 | 103 |
| UNITRONIC FD P plus 18 x 0,25 | Lapp 0028665 | 18 x 0,25 | 8.5 | 45.0 | 125 |
| UNITRONIC FD P plus 25 x 0,25 | Lapp 0028666 | 25 x 0,25 | 10.4 | 62.5 | 171 |
| UNITRONIC FD P plus 2 x 0,34 | Lapp 0028667 | 2 x 0,34 | 4.7 | 6.8 | 33 |
| UNITRONIC FD P plus 3 x 0,34 | Lapp 0028668 | 3 x 0,34 | 5.0 | 10.2 | 41 |
| UNITRONIC FD P plus 4 x 0,34 | Lapp 0028669 | 4 x 0,34 | 5.4 | 13.6 | 55 |
| UNITRONIC FD P plus 5 x 0,34 | Lapp 0028670 | 5 x 0,34 | 5.9 | 17.0 | 62 |
| UNITRONIC FD P plus 7 x 0,34 | Lapp 0028671 | 7 x 0,34 | 6.8 | 23.8 | 80 |
| UNITRONIC FD P plus 10 x 0,34 | Lapp 0028672 | 10 x 0,34 | 8.5 | 34.0 | 110 |
| UNITRONIC FD P plus 14 x 0,34 | Lapp 0028673 | 14 x 0,34 | 8.6 | 47.6 | 144 |

UNITRONIC FD P plus 4 x 0,14_

Lapp 0028651



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC FD P plus 18 x 0,34 | Lapp 0028674 | 18 x 0,34 | 9.7 | 61.2 | 175 |
| UNITRONIC FD P plus 25 x 0,34 | Lapp 0028675 | 25 x 0,34 | 11.9 | 85.0 | 239 |