



Description: UNITRONIC LiFYCY (TP) 4 x 2 x 0,08_

Lapp code: Lapp 0034231

The **Test voltage** of the cable Lapp 0034231 is 800 V.

Application range

- For protection against high-frequency interference, screened, fine-wire cables are used in many devices.
- Wherever screened cables with smallest dimensions are required
- Examples: microelectronics, hearing aids etc.

Product Make-up

- Extra-fine wire strand made of bare copper wires
- Core insulation made of PVC
- TP structure
- Tinned-copper braiding
- Outer sheath made of PVC
Outer sheath colour: pebble grey (RAL 7032)

In our Cable list on next page you can find all interesting information acc. article Lapp 0034231 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of pairs and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|------------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC® LiFYCY (TP) | | | | | |
| UNITRONIC LiFYCY (TP) 4 x 2 x 0,08 | Lapp 0034231 | 4 x 2 x 0,08 | 5.1 | 19.4 | 37 |
| UNITRONIC LiFYCY (TP) 8 x 2 x 0,08 | Lapp 0034233 | 8 x 2 x 0,08 | 6.7 | 23.7 | 76 |