



Description: UNITRONIC LiHCH (TP) 25 x 2 x 0,14_

Lapp code: Lapp 0038325

The **Test voltage** of the cable Lapp 0038325 is 1200 V.

Application range

- Suitable for areas with a high density of people as well as high-value property that must be protected in the event of a fire
- For use within public buildings, transport systems and industrial plants
- For data processing, measurement and control engineering, safety related systems and as electronics cable
- For use in computer systems, instrumentation systems, office equipment, balances - wherever screened, halogen-free, small-diameter cables are needed.

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation made of special halogen-free compound
- TP structure
- Tinned-copper braiding
- Outer sheath made of special halogen-free compound
Outer sheath colour: pebble grey (RAL 7032)

In our Cable list on next page you can find all interesting information acc. article Lapp 0038325 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|---------------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC® LIHCH (TP) | | | | | |
| UNITRONIC LIHCH (TP) 2 x 2 x 0,14 | Lapp 0038302 | 2 x 2 x 0,14 | 5.9 | 18.5 | 39 |
| UNITRONIC LIHCH (TP) 3 x 2 x 0,14 | Lapp 0038303 | 3 x 2 x 0,14 | 6.0 | 23.0 | 48 |
| UNITRONIC LIHCH (TP) 4 x 2 x 0,14 | Lapp 0038304 | 4 x 2 x 0,14 | 6.4 | 26.6 | 54 |
| UNITRONIC LIHCH (TP) 6 x 2 x 0,14 | Lapp 0038306 | 6 x 2 x 0,14 | 7.3 | 48.5 | 85 |
| UNITRONIC LIHCH (TP) 8 x 2 x 0,14 | Lapp 0038308 | 8 x 2 x 0,14 | 8.4 | 53.7 | 97 |
| UNITRONIC LIHCH (TP) 10 x 2 x 0,14 | Lapp 0038310 | 10 x 2 x 0,14 | 8.9 | 59.0 | 110 |
| UNITRONIC LIHCH (TP) 12 x 2 x 0,14 | Lapp 0038312 | 12 x 2 x 0,14 | 9.1 | 66.0 | 142 |
| UNITRONIC LIHCH (TP) 16 x 2 x 0,14 | Lapp 0038316 | 16 x 2 x 0,14 | 10.4 | 79.0 | 154 |
| UNITRONIC LIHCH (TP) 20 x 2 x 0,14 | Lapp 0038320 | 20 x 2 x 0,14 | 11.5 | 97.0 | 184 |
| UNITRONIC LIHCH (TP) 25 x 2 x 0,14 | Lapp 0038325 | 25 x 2 x 0,14 | 12.7 | 113.0 | 238 |
| UNITRONIC LIHCH (TP) 2 x 2 x 0,25 | Lapp 0038402 | 2 x 2 x 0,25 | 6.5 | 28.0 | 54 |
| UNITRONIC LIHCH (TP) 3 x 2 x 0,25 | Lapp 0038403 | 3 x 2 x 0,25 | 7.3 | 39.6 | 66 |
| UNITRONIC LIHCH (TP) 4 x 2 x 0,25 | Lapp 0038404 | 4 x 2 x 0,25 | 7.8 | 44.9 | 81 |
| UNITRONIC LIHCH (TP) 6 x 2 x 0,25 | Lapp 0038406 | 6 x 2 x 0,25 | 8.7 | 69.5 | 115 |
| UNITRONIC LIHCH (TP) 8 x 2 x 0,25 | Lapp 0038408 | 8 x 2 x 0,25 | 10.5 | 76.9 | 130 |
| UNITRONIC LIHCH (TP) 12 x 2 x 0,25 | Lapp 0038412 | 12 x 2 x 0,25 | 11.5 | 120.0 | 190 |
| UNITRONIC LIHCH (TP) 16 x 2 x 0,25 | Lapp 0038416 | 16 x 2 x 0,25 | 12.7 | 146.5 | 238 |
| UNITRONIC LIHCH (TP) 2 x 2 x 0,5 | Lapp 0038602 | 2 x 2 x 0,5 | 8.8 | 48.1 | 93 |
| UNITRONIC LIHCH (TP) 3 x 2 x 0,5 | Lapp 0038603 | 3 x 2 x 0,5 | 8.9 | 73.7 | 129 |
| UNITRONIC LIHCH (TP) 4 x 2 x 0,5 | Lapp 0038604 | 4 x 2 x 0,5 | 9.6 | 82.0 | 146 |
| UNITRONIC LIHCH (TP) 6 x 2 x 0,5 | Lapp 0038606 | 6 x 2 x 0,5 | 11.3 | 110.0 | 198 |
| UNITRONIC LIHCH (TP) 8 x 2 x 0,5 | Lapp 0038608 | 8 x 2 x 0,5 | 13.3 | 139.0 | 259 |
| UNITRONIC LIHCH (TP) 12 x 2 x 0,5 | Lapp 0038612 | 12 x 2 x 0,5 | 15.1 | 198.3 | 354 |
| UNITRONIC LIHCH (TP) 16 x 2 x 0,5 | Lapp 0038616 | 16 x 2 x 0,5 | 16.7 | 240.0 | 459 |

UNITRONIC LiHCH (TP) 25 x 2 x 0,14_

Lapp 0038325



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|--------------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC LiHCH (TP) 2 x 2 x 0,75 | Lapp 0038702 | 2 x 2 x 0,75 | 9.5 | 58.0 | 106 |
| UNITRONIC LiHCH (TP) 3 x 2 x 0,75 | Lapp 0038703 | 3 x 2 x 0,75 | 9.6 | 84.0 | 140 |
| UNITRONIC LiHCH (TP) 4 x 2 x 0,75 | Lapp 0038704 | 4 x 2 x 0,75 | 10.9 | 108.0 | 179 |
| UNITRONIC LiHCH (TP) 8 x 2 x 0,75 | Lapp 0038708 | 8 x 2 x 0,75 | 14.9 | 180.0 | 305 |
| UNITRONIC LiHCH (TP) 2 x 2 x 1 | Lapp 0038802 | 2 x 2 x 1 | 10.5 | 84.0 | 142 |
| UNITRONIC LiHCH (TP) 3 x 2 x 1 | Lapp 0038803 | 3 x 2 x 1 | 10.6 | 96.0 | 173 |
| UNITRONIC LiHCH (TP) 4 x 2 x 1 | Lapp 0038804 | 4 x 2 x 1 | 11.5 | 121.0 | 212 |
| UNITRONIC LiHCH (TP) 5 x 2 x 1 | Lapp 0038805 | 5 x 2 x 1 | 12.0 | 161.0 | 266 |