



Description: UNITRONIC LiYCY (TP) 10 x 2 x 0,25_

Lapp code: Lapp 0035805

The **Test voltage** of the cable Lapp 0035805 is At 0.14 mm²: 1200 V ? 0.25 mm²: 1500 V.

Application range

- Can be used multifunctional in electronics of computer systems, electronic control equipment, office machines, balances, etc.
- Dry or damp rooms

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation made of PVC
- TP structure
- Tinned-copper braiding
- Outer sheath made of PVC
Outer sheath colour: pebble grey (RAL 7032)

In our Cable list on next page you can find all interesting information acc. article Lapp 0035805 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of pairs and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|---------------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC® LiYCY (TP) | | | | | |
| UNITRONIC LiYCY (TP) 2 x 2 x 0,14 | Lapp 0035131 | 2 x 2 x 0,14 | 5.3 | 18.5 | 39 |
| UNITRONIC LiYCY (TP) 3 x 2 x 0,14 | Lapp 0035141 | 3 x 2 x 0,14 | 5.8 | 23.0 | 48 |
| UNITRONIC LiYCY (TP) 4 x 2 x 0,14 | Lapp 0035132 | 4 x 2 x 0,14 | 6.2 | 26.6 | 54 |
| UNITRONIC LiYCY (TP) 6 x 2 x 0,14 | Lapp 0035133 | 6 x 2 x 0,14 | 7.1 | 48.5 | 85 |
| UNITRONIC LiYCY (TP) 8 x 2 x 0,14 | Lapp 0035150 | 8 x 2 x 0,14 | 8.2 | 53.7 | 97 |
| UNITRONIC LiYCY (TP) 10 x 2 x 0,14 | Lapp 0035134 | 10 x 2 x 0,14 | 8.7 | 59.0 | 110 |
| UNITRONIC LiYCY (TP) 12 x 2 x 0,14 | Lapp 0035135 | 12 x 2 x 0,14 | 8.9 | 66.0 | 142 |
| UNITRONIC LiYCY (TP) 16 x 2 x 0,14 | Lapp 0035136 | 16 x 2 x 0,14 | 10.2 | 79.0 | 154 |
| UNITRONIC LiYCY (TP) 20 x 2 x 0,14 | Lapp 0035142 | 20 x 2 x 0,14 | 11.3 | 97.0 | 184 |
| UNITRONIC LiYCY (TP) 25 x 2 x 0,14 | Lapp 0035137 | 25 x 2 x 0,14 | 12.5 | 113.0 | 238 |
| UNITRONIC LiYCY (TP) 2 x 2 x 0,25 | Lapp 0035800 | 2 x 2 x 0,25 | 6.3 | 28.0 | 54 |
| UNITRONIC LiYCY (TP) 3 x 2 x 0,25 | Lapp 0035801 | 3 x 2 x 0,25 | 7.1 | 39.6 | 68.5 |
| UNITRONIC LiYCY (TP) 4 x 2 x 0,25 | Lapp 0035802 | 4 x 2 x 0,25 | 7.6 | 44.9 | 81 |
| UNITRONIC LiYCY (TP) 6 x 2 x 0,25 | Lapp 0035803 | 6 x 2 x 0,25 | 8.5 | 69.5 | 115 |
| UNITRONIC LiYCY (TP) 8 x 2 x 0,25 | Lapp 0035804 | 8 x 2 x 0,25 | 10.3 | 76.9 | 130 |
| UNITRONIC LiYCY (TP) 10 x 2 x 0,25 | Lapp 0035805 | 10 x 2 x 0,25 | 11.0 | 102.0 | 158 |
| UNITRONIC LiYCY (TP) 12 x 2 x 0,25 | Lapp 0035806 | 12 x 2 x 0,25 | 11.3 | 120.0 | 190 |
| UNITRONIC LiYCY (TP) 16 x 2 x 0,25 | Lapp 0035807 | 16 x 2 x 0,25 | 12.5 | 146.5 | 238 |
| UNITRONIC LiYCY (TP) 25 x 2 x 0,25 | Lapp 0035808 | 25 x 2 x 0,25 | 16.1 | 205.0 | 344 |
| UNITRONIC LiYCY (TP) 2 x 2 x 0,5 | Lapp 0035810 | 2 x 2 x 0,5 | 7.9 | 48.1 | 93 |
| UNITRONIC LiYCY (TP) 3 x 2 x 0,5 | Lapp 0035811 | 3 x 2 x 0,5 | 8.7 | 73.7 | 129 |
| UNITRONIC LiYCY (TP) 4 x 2 x 0,5 | Lapp 0035812 | 4 x 2 x 0,5 | 9.4 | 82.0 | 146 |
| UNITRONIC LiYCY (TP) 6 x 2 x 0,5 | Lapp 0035813 | 6 x 2 x 0,5 | 11.1 | 110.0 | 198 |
| UNITRONIC LiYCY (TP) 8 x 2 x 0,5 | Lapp 0035814 | 8 x 2 x 0,5 | 13.1 | 139.0 | 259 |

UNITRONIC LiYCY (TP) 10 x 2 x 0,25_

Lapp 0035805



| Product Name | Lapp Nr. | Number of pairs and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|---------------------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC LiYCY (TP) 12 x 2 x 0,5 | Lapp 0035816 | 12 x 2 x 0,5 | 14.9 | 198.3 | 354 |
| UNITRONIC LiYCY (TP) 16 x 2 x 0,5 | Lapp 0035817 | 16 x 2 x 0,5 | 16.5 | 240.0 | 459 |
| UNITRONIC LiYCY (TP) 2 x 2 x 0,75 | Lapp 0035820 | 2 x 2 x 0,75 | 8.5 | 58.0 | 106 |
| UNITRONIC LiYCY (TP) 3 x 2 x 0,75 | Lapp 0035821 | 3 x 2 x 0,75 | 9.4 | 84.0 | 140 |
| UNITRONIC LiYCY (TP) 4 x 2 x 0,75 | Lapp 0035822 | 4 x 2 x 0,75 | 10.7 | 108.0 | 179 |
| UNITRONIC LiYCY (TP) 5 x 2 x 0,75 | Lapp 0035827 | 5 x 2 x 0,75 | 11.1 | 126.0 | 215 |
| UNITRONIC LiYCY (TP) 6 x 2 x 0,75 | Lapp 0035823 | 6 x 2 x 0,75 | 12.1 | 146.0 | 246 |
| UNITRONIC LiYCY (TP) 8 x 2 x 0,75 | Lapp 0035824 | 8 x 2 x 0,75 | 14.7 | 180.0 | 305 |
| UNITRONIC LiYCY (TP) 12 x 2 x 0,75 | Lapp 0035825 | 12 x 2 x 0,75 | 16.2 | 261.0 | 456 |
| UNITRONIC LiYCY (TP) 2 x 2 x 1 | Lapp 0035830 | 2 x 2 x 1 | 9.0 | 84.0 | 142 |
| UNITRONIC LiYCY (TP) 3 x 2 x 1 | Lapp 0035831 | 3 x 2 x 1 | 10.4 | 96.0 | 173 |
| UNITRONIC LiYCY (TP) 4 x 2 x 1 | Lapp 0035832 | 4 x 2 x 1 | 11.3 | 121.0 | 212 |
| UNITRONIC LiYCY (TP) 5 x 2 x 1 | Lapp 0035836 | 5 x 2 x 1 | 11.8 | 161.0 | 266 |