



**Description:** UNITRONIC ROBUST 3 x 0,25\_

**Lapp code:** Lapp 1032013

The **Test voltage** of the cable Lapp 1032013 is At 0.14 mm<sup>2</sup>: 1200 V ? 0.25 mm<sup>2</sup>: 1500 V.

## Application range

- Machine tool building, medical technology, laundries, car washing equipment, chemical industry, composting plants, sewage works
- Food and beverage industry, especially for production and processing equipment of milk and meat products
- For data processing, measurement and control engineering, safety related systems and as electronics cable
- For indoor and outdoor use

## Product Make-up

- Fine-wire/multi-wire (0.34 mm<sup>2</sup>) strand made of bare copper wires
- Core insulation made of special halogen-free compound
- Outer sheath made of special TPE
- Outer sheath colour: black

In our Cable list on next page you can find all interesting information acc. article Lapp 1032013 and much more.

## CABLE LIST - all informations you need you can find here

| Product Name               | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|----------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC® ROBUST          |              |   |                     |                      |                |
| UNITRONIC ROBUST 2 x 0,14  | Lapp 1032000 | 2 x 0,14  | 3.2                 | 2.8                  | 15             |
| UNITRONIC ROBUST 3 x 0,14  | Lapp 1032001 | 3 x 0,14  | 3.4                 | 4.2                  | 17             |
| UNITRONIC ROBUST 4 x 0,14  | Lapp 1032002 | 4 x 0,14  | 3.6                 | 5.6                  | 21             |
| UNITRONIC ROBUST 5 x 0,14  | Lapp 1032003 | 5 x 0,14  | 3.9                 | 7.0                  | 25             |
| UNITRONIC ROBUST 7 x 0,14  | Lapp 1032004 | 7 x 0,14  | 4.2                 | 9.8                  | 30             |
| UNITRONIC ROBUST 8 x 0,14  | Lapp 1032005 | 8 x 0,14  | 4.9                 | 11.2                 | 40             |
| UNITRONIC ROBUST 10 x 0,14 | Lapp 1032006 | 10 x 0,14   | 5.2                 | 14.0                 | 41             |
| UNITRONIC ROBUST 12 x 0,14 | Lapp 1032007 | 12 x 0,14   | 5.6                 | 16.8                 | 50             |
| UNITRONIC ROBUST 16 x 0,14 | Lapp 1032009 | 16 x 0,14   | 6.1                 | 22.4                 | 63             |
| UNITRONIC ROBUST 25 x 0,14 | Lapp 1032011 | 25 x 0,14   | 7.7                 | 35.0                 | 95             |
| UNITRONIC ROBUST 2 x 0,25  | Lapp 1032012 | 2 x 0,25  | 3.8                 | 4.8                  | 21             |
| UNITRONIC ROBUST 3 x 0,25  | Lapp 1032013 | 3 x 0,25  | 4.0                 | 7.2                  | 25             |
| UNITRONIC ROBUST 4 x 0,25  | Lapp 1032014 | 4 x 0,25  | 4.3                 | 9.6                  | 31             |
| UNITRONIC ROBUST 5 x 0,25  | Lapp 1032015 | 5 x 0,25  | 4.7                 | 12.0                 | 38             |
| UNITRONIC ROBUST 7 x 0,25  | Lapp 1032016 | 7 x 0,25  | 5.1                 | 16.8                 | 47             |
| UNITRONIC ROBUST 8 x 0,25  | Lapp 1032017 | 8 x 0,25  | 6.2                 | 19.2                 | 66             |
| UNITRONIC ROBUST 10 x 0,25 | Lapp 1032018 | 10 x 0,25   | 6.8                 | 24.0                 | 71             |
| UNITRONIC ROBUST 12 x 0,25 | Lapp 1032019 | 12 x 0,25   | 7.0                 | 28.8                 | 81             |
| UNITRONIC ROBUST 16 x 0,25 | Lapp 1032021 | 16 x 0,25   | 7.7                 | 38.4                 | 104            |
| UNITRONIC ROBUST 25 x 0,25 | Lapp 1032024 | 25 x 0,25   | 9.5                 | 60.0                 | 151            |
| UNITRONIC ROBUST 2 x 0,34  | Lapp 1032025 | 2 x 0,34  | 4.2                 | 6.5                  | 29             |
| UNITRONIC ROBUST 3 x 0,34  | Lapp 1032026 | 3 x 0,34  | 4.4                 | 9.8                  | 32             |
| UNITRONIC ROBUST 4 x 0,34  | Lapp 1032027 | 4 x 0,34  | 4.8                 | 13.1                 | 41             |
| UNITRONIC ROBUST 5 x 0,34  | Lapp 1032028 | 5 x 0,34  | 5.5                 | 16.3                 | 52             |

**UNITRONIC ROBUST 3 x 0,25\_**

Lapp 1032013



| Product Name               | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|----------------------------|--------------|---|---------------------|----------------------|----------------|
| UNITRONIC ROBUST 7 x 0,34  | Lapp 1032030 | 7 x 0,34  | 5.9                 | 22.9                 | 65             |
| UNITRONIC ROBUST 8 x 0,34  | Lapp 1032031 | 8 x 0,34  | 7.1                 | 26.1                 | 90             |
| UNITRONIC ROBUST 10 x 0,34 | Lapp 1032032 | 10 x 0,34   | 7.6                 | 32.6                 | 93             |
| UNITRONIC ROBUST 12 x 0,34 | Lapp 1032033 | 12 x 0,34   | 7.8                 | 39.2                 | 107            |
| UNITRONIC ROBUST 16 x 0,34 | Lapp 1032035 | 16 x 0,34   | 8.7                 | 52.2                 | 138            |
| UNITRONIC ROBUST 15 x 0,34 | Lapp 1032038 | 15 x 0,34   | 11.2                | 81.6                 | 213            |