



**Description:** X07V-K with twin colour helix insulation 1,5\_

**Lapp code:** Lapp 4522381S

The **Test voltage** of the cable Lapp 4522381S is 2500 V.

## Application range

- Laying in tubes, exposed or buried in plaster, and in closed installation ducts
- For direct laying on racks, troughs and tubes only as potential equalisation conductor

## Product Make-up

- Fine-wired copper conductor of bare copper strands in line with conductor class 5 acc. IEC 60228
- Core insulation: Based on PVC
- Labelled with coloured stripes

In our Cable list on next page you can find all interesting information acc. article Lapp 4522381S and much more.

## CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/spool	Copper index (kg/km)	Weight (kg/km)
X07V-K with twin colour helix insulation 1,5	Lapp 4522261S	1,5	3.4	blue/white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522921S	1,5	3.4	Dark blue/white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522211S	1,5	3.4	black/red	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522231S	1,5	3.4	blue/black	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522251S	1,5	3.4	blue / red	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522291S	1,5	3.4	brown/white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522371S	1,5	3.4	violet-white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522381S	1,5	3.4	orange-black	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522391S	1,5	3.4	orange-white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522401S	1,5	3.4	red-black	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522421S	1,5	3.4	red-white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522441S	1,5	3.4	white-blue	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522221S	1,5	3.4	black/white	150	14.4	22
X07V-K with twin colour helix insulation 1,5	Lapp 4522321S	1,5	3.4	yellow-white	150	14.4	22
X07V-K with twin colour helix insulation 2,5	Lapp 4522262S	2,5	4.1	blue/white	100	24.0	37
X07V-K with twin colour helix insulation 2,5	Lapp 4522922S	2,5	4.1	Dark blue/white	100	24.0	37
X07V-K with twin colour helix insulation 2,5	Lapp 4522252S	2,5	4.1	blue / red	100	24.0	37
X07V-K with twin colour helix insulation 2,5	Lapp 4522292S	2,5	4.1	brown/white	100	24.0	37

# X07V-K with twin colour helix insulation 1,5\_

Lapp 4522381S



Product Name	Lapp Nr.	Conductor cross-section (mm <sup>2</sup> )	Outer diameter (mm)	Core colour	m/spool	Copper index (kg/km)	Weight (kg/km)
X07V-K with twin colour helix insulation 2,5	Lapp 4522392S	2,5	4.1	orange-white	100	24.0	37
X07V-K with twin colour helix insulation 2,5	Lapp 4522422S	2,5	4.1	red-white	100	24.0	37