



**Description:** ÖLFLEX CHAIN 808 P 4 G 0,5\_

**Lapp code:** Lapp 1027702

The **Test voltage** of the cable Lapp 1027702 is Core/core: 4000 V.

## Application range

- Assembly lines, production lines, in all kinds of machines
- In dry, damp or wet interiors
- In power chains or moving machine parts
- Particularly in wet areas of machine tools and transfer lines
- Suitable for use in measuring, control and regulating circuits

## Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: PVC
- Cores twisted in layers
- Non-woven wrapping
- PUR outer sheath, grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 1027702 and much more.

CABLE LIST - all informations you need you can find here

| Product Name                 | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX® CHAIN 808 P          |              |   |                     |                      |                |
| ÖLFLEX CHAIN 808 P 2 X 0,5   | Lapp 1027700 | 2 X 0,5   | 5.2                 | 10.0                 | 40             |
| ÖLFLEX CHAIN 808 P 3 G 0,5   | Lapp 1027701 | 3 G 0,5   | 5.5                 | 15.0                 | 48             |
| ÖLFLEX CHAIN 808 P 4 G 0,5   | Lapp 1027702 | 4 G 0,5   | 6.0                 | 20.0                 | 58             |
| ÖLFLEX CHAIN 808 P 5 G 0,5   | Lapp 1027703 | 5 G 0,5   | 6.5                 | 24.0                 | 67             |
| ÖLFLEX CHAIN 808 P 7 G 0,5   | Lapp 1027704 | 7 G 0,5   | 7.7                 | 34.0                 | 88             |
| ÖLFLEX CHAIN 808 P 12 G 0,5  | Lapp 1027705 | 12 G 0,5  | 9.2                 | 58.0                 | 136            |
| ÖLFLEX CHAIN 808 P 18 G 0,5  | Lapp 1027706 | 18 G 0,5  | 11.0                | 87.0                 | 195            |
| ÖLFLEX CHAIN 808 P 25 G 0,5  | Lapp 1027707 | 25 G 0,5  | 13.3                | 120.0                | 274            |
| ÖLFLEX CHAIN 808 P 2 X 0,75  | Lapp 1027708 | 2 X 0,75  | 5.6                 | 15.0                 | 49             |
| ÖLFLEX CHAIN 808 P 3 G 0,75  | Lapp 1027709 | 3 G 0,75  | 6.0                 | 22.0                 | 60             |
| ÖLFLEX CHAIN 808 P 4 G 0,75  | Lapp 1027710 | 4 G 0,75  | 6.5                 | 29.0                 | 73             |
| ÖLFLEX CHAIN 808 P 5 G 0,75  | Lapp 1027711 | 5 G 0,75  | 7.1                 | 37.0                 | 86             |
| ÖLFLEX CHAIN 808 P 7 G 0,75  | Lapp 1027712 | 7 G 0,75  | 8.5                 | 51.0                 | 117            |
| ÖLFLEX CHAIN 808 P 12 G 0,75 | Lapp 1027713 | 12 G 0,75   | 10.3                | 87.0                 | 181            |
| ÖLFLEX CHAIN 808 P 18 G 0,75 | Lapp 1027714 | 18 G 0,75   | 12.2                | 130.0                | 259            |
| ÖLFLEX CHAIN 808 P 25 G 0,75 | Lapp 1027715 | 25 G 0,75   | 14.8                | 181.0                | 363            |
| ÖLFLEX CHAIN 808 P 2 X 1,0   | Lapp 1027716 | 2 X 1,0   | 5.9                 | 19.0                 | 58             |
| ÖLFLEX CHAIN 808 P 3 G 1,0   | Lapp 1027717 | 3 G 1,0   | 6.3                 | 29.0                 | 72             |
| ÖLFLEX CHAIN 808 P 4 G 1,0   | Lapp 1027718 | 4 G 1,0   | 6.9                 | 39.0                 | 88             |
| ÖLFLEX CHAIN 808 P 5 G 1,0   | Lapp 1027719 | 5 G 1,0   | 7.5                 | 48.0                 | 104            |
| ÖLFLEX CHAIN 808 P 7 G 1,0   | Lapp 1027720 | 7 G 1,0   | 9.0                 | 67.0                 | 142            |
| ÖLFLEX CHAIN 808 P 12 G 1,0  | Lapp 1027721 | 12 G 1,0  | 10.9                | 115.0                | 221            |
| ÖLFLEX CHAIN 808 P 18 G 1,0  | Lapp 1027722 | 18 G 1,0  | 13.2                | 173.0                | 324            |
| ÖLFLEX CHAIN 808 P 25 G 1,0  | Lapp 1027723 | 25 G 1,0  | 15.7                | 240.0                | 445            |

**ÖLFLEX CHAIN 808 P 4 G 0,5\_**

Lapp 1027702



| Product Name                | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-----------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CHAIN 808 P 2 X 1,5  | Lapp 1027724 | 2 X 1,5   | 6.5                 | 29.0                 | 74             |
| ÖLFLEX CHAIN 808 P 3 G 1,5  | Lapp 1027725 | 3 G 1,5   | 6.9                 | 43.2                 | 93             |
| ÖLFLEX CHAIN 808 P 4 G 1,5  | Lapp 1027726 | 4 G 1,5   | 7.6                 | 58.0                 | 114            |
| ÖLFLEX CHAIN 808 P 5 G 1,5  | Lapp 1027727 | 5 G 1,5   | 8.5                 | 72.0                 | 139            |
| ÖLFLEX CHAIN 808 P 7 G 1,5  | Lapp 1027728 | 7 G 1,5   | 10.3                | 101.0                | 189            |
| ÖLFLEX CHAIN 808 P 12 G 1,5 | Lapp 1027729 | 12 G 1,5  | 12.3                | 173.0                | 295            |
| ÖLFLEX CHAIN 808 P 18 G 1,5 | Lapp 1027730 | 18 G 1,5  | 14.9                | 259.0                | 429            |
| ÖLFLEX CHAIN 808 P 25 G 1,5 | Lapp 1027731 | 25 G 1,5  | 17.9                | 360.0                | 597            |
| ÖLFLEX CHAIN 808 P 3 G 2,5  | Lapp 1027732 | 3 G 2,5   | 8.4                 | 72.0                 | 145            |
| ÖLFLEX CHAIN 808 P 4 G 2,5  | Lapp 1027733 | 4 G 2,5   | 9.3                 | 96.0                 | 179            |
| ÖLFLEX CHAIN 808 P 7 G 2,5  | Lapp 1027734 | 7 G 2,5   | 12.7                | 168.0                | 218            |
| ÖLFLEX CHAIN 808 P 4 G 4    | Lapp 1027737 | 4 G 4   | 11.1                | 160.0                | 266            |