



Description: ÖLFLEX CHAIN 808 P 5 G 0,75_

Lapp code: Lapp 1027711

The **Test voltage** of the cable Lapp 1027711 is Core/core: 4000 V.

Application range

- Assembly lines, production lines, in all kinds of machines
- In dry, damp or wet interiors
- In power chains or moving machine parts
- Particularly in wet areas of machine tools and transfer lines
- Suitable for use in measuring, control and regulating circuits

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: PVC
- Cores twisted in layers
- Non-woven wrapping
- PUR outer sheath, grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 1027711 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|------------------------------|--------------|---------------------------------------------------|---------------------|----------------------|----------------|
| ÖLFLEX® CHAIN 808 P | | | | | |
| ÖLFLEX CHAIN 808 P 2 X 0,5 | Lapp 1027700 | 2 X 0,5 | 5.2 | 10.0 | 40 |
| ÖLFLEX CHAIN 808 P 3 G 0,5 | Lapp 1027701 | 3 G 0,5 | 5.5 | 15.0 | 48 |
| ÖLFLEX CHAIN 808 P 4 G 0,5 | Lapp 1027702 | 4 G 0,5 | 6.0 | 20.0 | 58 |
| ÖLFLEX CHAIN 808 P 5 G 0,5 | Lapp 1027703 | 5 G 0,5 | 6.5 | 24.0 | 67 |
| ÖLFLEX CHAIN 808 P 7 G 0,5 | Lapp 1027704 | 7 G 0,5 | 7.7 | 34.0 | 88 |
| ÖLFLEX CHAIN 808 P 12 G 0,5 | Lapp 1027705 | 12 G 0,5 | 9.2 | 58.0 | 136 |
| ÖLFLEX CHAIN 808 P 18 G 0,5 | Lapp 1027706 | 18 G 0,5 | 11.0 | 87.0 | 195 |
| ÖLFLEX CHAIN 808 P 25 G 0,5 | Lapp 1027707 | 25 G 0,5 | 13.3 | 120.0 | 274 |
| ÖLFLEX CHAIN 808 P 2 X 0,75 | Lapp 1027708 | 2 X 0,75 | 5.6 | 15.0 | 49 |
| ÖLFLEX CHAIN 808 P 3 G 0,75 | Lapp 1027709 | 3 G 0,75 | 6.0 | 22.0 | 60 |
| ÖLFLEX CHAIN 808 P 4 G 0,75 | Lapp 1027710 | 4 G 0,75 | 6.5 | 29.0 | 73 |
| ÖLFLEX CHAIN 808 P 5 G 0,75 | Lapp 1027711 | 5 G 0,75 | 7.1 | 37.0 | 86 |
| ÖLFLEX CHAIN 808 P 7 G 0,75 | Lapp 1027712 | 7 G 0,75 | 8.5 | 51.0 | 117 |
| ÖLFLEX CHAIN 808 P 12 G 0,75 | Lapp 1027713 | 12 G 0,75 | 10.3 | 87.0 | 181 |
| ÖLFLEX CHAIN 808 P 18 G 0,75 | Lapp 1027714 | 18 G 0,75 | 12.2 | 130.0 | 259 |
| ÖLFLEX CHAIN 808 P 25 G 0,75 | Lapp 1027715 | 25 G 0,75 | 14.8 | 181.0 | 363 |
| ÖLFLEX CHAIN 808 P 2 X 1,0 | Lapp 1027716 | 2 X 1,0 | 5.9 | 19.0 | 58 |
| ÖLFLEX CHAIN 808 P 3 G 1,0 | Lapp 1027717 | 3 G 1,0 | 6.3 | 29.0 | 72 |
| ÖLFLEX CHAIN 808 P 4 G 1,0 | Lapp 1027718 | 4 G 1,0 | 6.9 | 39.0 | 88 |
| ÖLFLEX CHAIN 808 P 5 G 1,0 | Lapp 1027719 | 5 G 1,0 | 7.5 | 48.0 | 104 |
| ÖLFLEX CHAIN 808 P 7 G 1,0 | Lapp 1027720 | 7 G 1,0 | 9.0 | 67.0 | 142 |
| ÖLFLEX CHAIN 808 P 12 G 1,0 | Lapp 1027721 | 12 G 1,0 | 10.9 | 115.0 | 221 |
| ÖLFLEX CHAIN 808 P 18 G 1,0 | Lapp 1027722 | 18 G 1,0 | 13.2 | 173.0 | 324 |
| ÖLFLEX CHAIN 808 P 25 G 1,0 | Lapp 1027723 | 25 G 1,0 | 15.7 | 240.0 | 445 |

ÖLFLEX CHAIN 808 P 5 G 0,75_

Lapp 1027711



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-----------------------------|--------------|---------------------------------------------------|---------------------|----------------------|----------------|
| ÖLFLEX CHAIN 808 P 2 X 1,5 | Lapp 1027724 | 2 X 1,5 | 6.5 | 29.0 | 74 |
| ÖLFLEX CHAIN 808 P 3 G 1,5 | Lapp 1027725 | 3 G 1,5 | 6.9 | 43.2 | 93 |
| ÖLFLEX CHAIN 808 P 4 G 1,5 | Lapp 1027726 | 4 G 1,5 | 7.6 | 58.0 | 114 |
| ÖLFLEX CHAIN 808 P 5 G 1,5 | Lapp 1027727 | 5 G 1,5 | 8.5 | 72.0 | 139 |
| ÖLFLEX CHAIN 808 P 7 G 1,5 | Lapp 1027728 | 7 G 1,5 | 10.3 | 101.0 | 189 |
| ÖLFLEX CHAIN 808 P 12 G 1,5 | Lapp 1027729 | 12 G 1,5 | 12.3 | 173.0 | 295 |
| ÖLFLEX CHAIN 808 P 18 G 1,5 | Lapp 1027730 | 18 G 1,5 | 14.9 | 259.0 | 429 |
| ÖLFLEX CHAIN 808 P 25 G 1,5 | Lapp 1027731 | 25 G 1,5 | 17.9 | 360.0 | 597 |
| ÖLFLEX CHAIN 808 P 3 G 2,5 | Lapp 1027732 | 3 G 2,5 | 8.4 | 72.0 | 145 |
| ÖLFLEX CHAIN 808 P 4 G 2,5 | Lapp 1027733 | 4 G 2,5 | 9.3 | 96.0 | 179 |
| ÖLFLEX CHAIN 808 P 7 G 2,5 | Lapp 1027734 | 7 G 2,5 | 12.7 | 168.0 | 218 |
| ÖLFLEX CHAIN 808 P 4 G 4 | Lapp 1027737 | 4 G 4 | 11.1 | 160.0 | 266 |