



Description: ÖLFLEX CLASSIC 110 COLD 5 G4_

Lapp code: Lapp 1119711

The **Test voltage** of the cable Lapp 1119711 is 4000 V.

Application range

- Plant engineering
Industrial machinery
Heating and air-conditioning systems
- Freezing plants, cold storage
- Suitable for outdoor applications
- Suitable for torsional applications which are typical for the loop in wind turbine generators (WTG)

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: PVC, cold-resistant
- PVC outer sheath, cold-resistant, grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 1119711 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|----------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX® CLASSIC 110 COLD | | | | | |
| ÖLFLEX CLASSIC 110 COLD 2 X0,75 | Lapp 1119660 | 2 X0,75 | 5,4 | 14.4 | 45 |
| ÖLFLEX CLASSIC 110 COLD 3 X0,75 | Lapp 1119661 | 3 X0,75 | 5,7 | 21.6 | 55 |
| ÖLFLEX CLASSIC 110 COLD 3 G0,75 | Lapp 1119662 | 3 G0,75 | 5,7 | 21.6 | 55 |
| ÖLFLEX CLASSIC 110 COLD 4 X0,75 | Lapp 1119663 | 4 X0,75 | 6,2 | 28.8 | 66 |
| ÖLFLEX CLASSIC 110 COLD 4 G0,75 | Lapp 1119664 | 4 G0,75 | 6,2 | 28.8 | 66 |
| ÖLFLEX CLASSIC 110 COLD 5 G0,75 | Lapp 1119666 | 5 G0,75 | 6,7 | 36.0 | 79 |
| ÖLFLEX CLASSIC 110 COLD 7 G0,75 | Lapp 1119668 | 7 G0,75 | 7,3 | 50.0 | 101 |
| ÖLFLEX CLASSIC 110 COLD 12 G0,75 | Lapp 1119669 | 12 G0,75 | 9,9 | 86.0 | 171 |
| ÖLFLEX CLASSIC 110 COLD 18 G0,75 | Lapp 1119670 | 18 G0,75 | 11,7 | 130.0 | 244 |
| ÖLFLEX CLASSIC 110 COLD 25 G0,75 | Lapp 1119671 | 25 G0,75 | 13,8 | 180.0 | 337 |
| ÖLFLEX CLASSIC 110 COLD 2 X1,0 | Lapp 1119672 | 2 X1,0 | 5,7 | 19.2 | 53 |
| ÖLFLEX CLASSIC 110 COLD 3 X1,0 | Lapp 1119673 | 3 X1,0 | 6.0 | 28.8 | 65 |
| ÖLFLEX CLASSIC 110 COLD 3 G1,0 | Lapp 1119674 | 3 G1,0 | 6.0 | 28.8 | 65 |
| ÖLFLEX CLASSIC 110 COLD 4 X1,0 | Lapp 1119675 | 4 X1,0 | 6,5 | 38.4 | 79 |
| ÖLFLEX CLASSIC 110 COLD 4 G1,0 | Lapp 1119676 | 4 G1,0 | 6,5 | 38.4 | 79 |
| ÖLFLEX CLASSIC 110 COLD 5 G1,0 | Lapp 1119678 | 5 G1,0 | 7,1 | 48.0 | 94 |
| ÖLFLEX CLASSIC 110 COLD 7 G1,0 | Lapp 1119680 | 7 G1,0 | 8.0 | 67.0 | 126 |
| ÖLFLEX CLASSIC 110 COLD 12 G1,0 | Lapp 1119681 | 12 G1,0 | 10,5 | 115.0 | 205 |
| ÖLFLEX CLASSIC 110 COLD 18 G1,0 | Lapp 1119682 | 18 G1,0 | 12,7 | 173.0 | 300 |
| ÖLFLEX CLASSIC 110 COLD 25 G1,0 | Lapp 1119683 | 25 G1,0 | 14,7 | 240.0 | 408 |
| ÖLFLEX CLASSIC 110 COLD 2 X1,5 | Lapp 1119684 | 2 X1,5 | 6,3 | 29.0 | 68 |
| ÖLFLEX CLASSIC 110 COLD 3 X1,5 | Lapp 1119685 | 3 X1,5 | 6,7 | 43.0 | 84 |
| ÖLFLEX CLASSIC 110 COLD 3 G1,5 | Lapp 1119686 | 3 G1,5 | 6,7 | 43.0 | 84 |
| ÖLFLEX CLASSIC 110 COLD 4 X1,5 | Lapp 1119687 | 4 X1,5 | 7,2 | 58.0 | 104 |

ÖLFLEX CLASSIC 110 COLD 5 G4_

Lapp 1119711



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|---------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 110 COLD 4 G1,5 | Lapp 1119688 | 4 G1,5 | 7,2 | 58.0 | 104 |
| ÖLFLEX CLASSIC 110 COLD 5 G1,5 | Lapp 1119690 | 5 G1,5 | 8,1 | 72.0 | 128 |
| ÖLFLEX CLASSIC 110 COLD 7 X1,5 | Lapp 1119691 | 7 X1,5 | 8,9 | 101.0 | 166 |
| ÖLFLEX CLASSIC 110 COLD 7 G1,5 | Lapp 1119692 | 7 G1,5 | 8,9 | 101.0 | 166 |
| ÖLFLEX CLASSIC 110 COLD 12 G1,5 | Lapp 1119693 | 12 G1,5 | 12.0 | 173.0 | 279 |
| ÖLFLEX CLASSIC 110 COLD 18 G1,5 | Lapp 1119694 | 18 G1,5 | 14,4 | 259.0 | 407 |
| ÖLFLEX CLASSIC 110 COLD 25 G1,5 | Lapp 1119695 | 25 G1,5 | 16,9 | 360.0 | 560 |
| ÖLFLEX CLASSIC 110 COLD 2 X2,5 | Lapp 1119696 | 2 X2,5 | 7,5 | 48.0 | 101 |
| ÖLFLEX CLASSIC 110 COLD 3 G2,5 | Lapp 1119698 | 3 G2,5 | 8,1 | 72.0 | 132 |
| ÖLFLEX CLASSIC 110 COLD 4 G2,5 | Lapp 1119700 | 4 G2,5 | 8,9 | 96.0 | 163 |
| ÖLFLEX CLASSIC 110 COLD 5 G2,5 | Lapp 1119702 | 5 G2,5 | 10.0 | 120.0 | 200 |
| ÖLFLEX CLASSIC 110 COLD 7 G2,5 | Lapp 1119704 | 7 G2,5 | 11,1 | 168.0 | 267 |
| ÖLFLEX CLASSIC 110 COLD 4 G4 | Lapp 1119710 | 4 G4 | 10,8 | 154.0 | 249 |
| ÖLFLEX CLASSIC 110 COLD 5 G4 | Lapp 1119711 | 5 G4 | 12,1 | 192.0 | 305 |
| ÖLFLEX CLASSIC 110 COLD 4 G6 | Lapp 1119715 | 4 G6 | 13.0 | 230.0 | 365 |
| ÖLFLEX CLASSIC 110 COLD 5 G6 | Lapp 1119716 | 5 G6 | 14,5 | 288.0 | 447 |