



Description: ÖLFLEX CLASSIC 110 LT 2 X1,0_

Lapp code: Lapp 1120740

The **Test voltage** of the cable Lapp 1120740 is 4000 V.

Application range

- Plant engineering
Industrial machinery
Heating and air-conditioning systems
- Freezing plants, cold storage
- Suitable for outdoor applications
- Suitable for torsional applications which are typical for the loop in wind turbine generators (WTG)

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: PVC, cold-resistant
- Outer sheath: PVC, cold-resistant, black

In our Cable list on next page you can find all interesting information acc. article Lapp 1120740 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|--------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 110 LT 2 X0,75 | Lapp 1120730 | 2 X0,75 | 5,4 | 14.4 | 45 |
| ÖLFLEX CLASSIC 110 LT 3 X0,75 | Lapp 1120731 | 3 X0,75 | 5,7 | 21.6 | 55 |
| ÖLFLEX CLASSIC 110 LT 3 G0,75 | Lapp 1120732 | 3 G0,75 | 5,7 | 21.6 | 55 |
| ÖLFLEX CLASSIC 110 LT 4 X0,75 | Lapp 1120733 | 4 X0,75 | 6,2 | 28.8 | 66 |
| ÖLFLEX CLASSIC 110 LT 4 G0,75 | Lapp 1120734 | 4 G0,75 | 6,2 | 28.8 | 66 |
| ÖLFLEX CLASSIC 110 LT 5 G0,75 | Lapp 1120735 | 5 G0,75 | 6,7 | 36.0 | 79 |
| ÖLFLEX CLASSIC 110 LT 7 G0,75 | Lapp 1120736 | 7 G0,75 | 7,3 | 50.4 | 101 |
| ÖLFLEX CLASSIC 110 LT 12 G0,75 | Lapp 1120737 | 12 G0,75 | 9,9 | 86.4 | 171 |
| ÖLFLEX CLASSIC 110 LT 18 G0,75 | Lapp 1120738 | 18 G0,75 | 11,7 | 130.0 | 244 |
| ÖLFLEX CLASSIC 110 LT 25 G0,75 | Lapp 1120739 | 25 G0,75 | 13,8 | 180.0 | 337 |
| ÖLFLEX CLASSIC 110 LT 2 X1,0 | Lapp 1120740 | 2 X1,0 | 5,7 | 19.2 | 53 |
| ÖLFLEX CLASSIC 110 LT 3 X1,0 | Lapp 1120741 | 3 X1,0 | 6.0 | 28.8 | 65 |
| ÖLFLEX CLASSIC 110 LT 3 G1,0 | Lapp 1120742 | 3 G1,0 | 6.0 | 28.8 | 65 |
| ÖLFLEX CLASSIC 110 LT 4 X1,0 | Lapp 1120743 | 4 X1,0 | 6,5 | 38.4 | 79 |
| ÖLFLEX CLASSIC 110 LT 4 G1,0 | Lapp 1120744 | 4 G1,0 | 6,5 | 38.4 | 79 |
| ÖLFLEX CLASSIC 110 LT 5 G1,0 | Lapp 1120745 | 5 G1,0 | 7,1 | 48.0 | 94 |
| ÖLFLEX CLASSIC 110 LT 7 G1,0 | Lapp 1120746 | 7 G1,0 | 8.0 | 67.2 | 126 |
| ÖLFLEX CLASSIC 110 LT 12 G1,0 | Lapp 1120747 | 12 G1,0 | 10,5 | 115.0 | 205 |
| ÖLFLEX CLASSIC 110 LT 18 G1,0 | Lapp 1120748 | 18 G1,0 | 12,7 | 173.0 | 300 |
| ÖLFLEX CLASSIC 110 LT 25 G1,0 | Lapp 1120749 | 25 G1,0 | 14,7 | 240.0 | 408 |
| ÖLFLEX CLASSIC 110 LT 2 X1,5 | Lapp 1120750 | 2 X1,5 | 6,3 | 29.0 | 68 |
| ÖLFLEX CLASSIC 110 LT 3 X1,5 | Lapp 1120751 | 3 X1,5 | 6,7 | 43.0 | 84 |
| ÖLFLEX CLASSIC 110 LT 3 G1,5 | Lapp 1120752 | 3 G1,5 | 6,7 | 43.0 | 84 |
| ÖLFLEX CLASSIC 110 LT 4 X1,5 | Lapp 1120753 | 4 X1,5 | 7,2 | 58.0 | 104 |
| ÖLFLEX CLASSIC 110 LT 4 G1,5 | Lapp 1120754 | 4 G1,5 | 7,2 | 58.0 | 104 |

ÖLFLEX CLASSIC 110 LT 2 X1,0_

Lapp 1120740



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 110 LT 5 X1,5 | Lapp 1120755 | 5 X1,5 | 8,1 | 72.0 | 128 |
| ÖLFLEX CLASSIC 110 LT 5 G1,5 | Lapp 1120756 | 5 G1,5 | 8,1 | 72.0 | 128 |
| ÖLFLEX CLASSIC 110 LT 7 X1,5 | Lapp 1120757 | 7 X1,5 | 8,9 | 101.0 | 166 |
| ÖLFLEX CLASSIC 110 LT 7 G1,5 | Lapp 1120758 | 7 G1,5 | 8,9 | 101.0 | 166 |
| ÖLFLEX CLASSIC 110 LT 12 G1,5 | Lapp 1120759 | 12 G1,5 | 12.0 | 173.0 | 279 |
| ÖLFLEX CLASSIC 110 LT 18 G1,5 | Lapp 1120760 | 18 G1,5 | 14,4 | 259.0 | 407 |
| ÖLFLEX CLASSIC 110 LT 25 G1,5 | Lapp 1120761 | 25 G1,5 | 16,9 | 360.0 | 560 |
| ÖLFLEX CLASSIC 110 LT 2 X2,5 | Lapp 1120762 | 2 X2,5 | 7,5 | 48.0 | 101 |
| ÖLFLEX CLASSIC 110 LT 3 G2,5 | Lapp 1120763 | 3 G2,5 | 8,1 | 72.0 | 132 |
| ÖLFLEX CLASSIC 110 LT 4 G2,5 | Lapp 1120764 | 4 G2,5 | 8,9 | 96.0 | 163 |
| ÖLFLEX CLASSIC 110 LT 5 G2,5 | Lapp 1120765 | 5 G2,5 | 10.0 | 120.0 | 200 |
| ÖLFLEX CLASSIC 110 LT 7 G2,5 | Lapp 1120766 | 7 G2,5 | 11,1 | 168.0 | 267 |
| ÖLFLEX CLASSIC 110 LT 12 G2,5 | Lapp 1120767 | 12 G2,5 | 14,8 | 288.0 | 445 |
| ÖLFLEX CLASSIC 110 LT 18 G2,5 | Lapp 1120768 | 18 G2,5 | 17,8 | 432.0 | 648 |
| ÖLFLEX CLASSIC 110 LT 25 G2,5 | Lapp 1120769 | 25 G2,5 | 20,8 | 600.0 | 890 |
| ÖLFLEX CLASSIC 110 LT 4 G4 | Lapp 1120770 | 4 G4 | 10,8 | 154.0 | 249 |
| ÖLFLEX CLASSIC 110 LT 5 G4 | Lapp 1120771 | 5 G4 | 12,1 | 192.0 | 305 |
| ÖLFLEX CLASSIC 110 LT 4 G6 | Lapp 1120772 | 4 G6 | 13.0 | 230.0 | 365 |
| ÖLFLEX CLASSIC 110 LT 5 G6 | Lapp 1120773 | 5 G6 | 14,5 | 288.0 | 447 |