



Description: ÖLFLEX CLASSIC 130 H 3 G 1,0_

Lapp code: Lapp 1123067

The **Test voltage** of the cable Lapp 1123067 is 4000 V.

Application range

- Public buildings like airports or railway stations
- Plant engineering
Industrial machinery
Heating and air-conditioning systems
Stage applications
- Particularly where human and animal life as well as valuable property are exposed to high risk of fire hazards
- Note: for the use of AWM (Appliance Wiring Material) cables in industrial machinery (USA) according to NFPA 79 Ed. 2012: please see the catalogue appendix table T29

Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation: Halogen-free
- Outer sheath made of special halogen-free compound, grey (RAL 7001)

In our Cable list on next page you can find all interesting information acc. article Lapp 1123067 and much more.

CABLE LIST - all informations you need you can find here

| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX® CLASSIC 130 H | | | | | |
| ÖLFLEX CLASSIC 130 H 2 X 0,5 | Lapp 1123000 | 2 X 0,5 | 5,1 | 9.6 | 36 |
| ÖLFLEX CLASSIC 130 H 3 G 0,5 | Lapp 1123001 | 3 G 0,5 | 5,4 | 14.4 | 42 |
| ÖLFLEX CLASSIC 130 H 3 X 0,5 | Lapp 1123002 | 3 X 0,5 | 5,4 | 14.4 | 42 |
| ÖLFLEX CLASSIC 130 H 4 G 0,5 | Lapp 1123003 | 4 G 0,5 | 5,8 | 19.2 | 55 |
| ÖLFLEX CLASSIC 130 H 4 X 0,5 | Lapp 1123004 | 4 X 0,5 | 5,8 | 19.2 | 55 |
| ÖLFLEX CLASSIC 130 H 5 G 0,5 | Lapp 1123005 | 5 G 0,5 | 6,3 | 24.0 | 65 |
| ÖLFLEX CLASSIC 130 H 5 X 0,5 | Lapp 1123006 | 5 X 0,5 | 6,3 | 24.0 | 65 |
| ÖLFLEX CLASSIC 130 H 7 G 0,5 | Lapp 1123008 | 7 G 0,5 | 6,9 | 33.6 | 80 |
| ÖLFLEX CLASSIC 130 H 7 X 0,5 | Lapp 1123009 | 7 X 0,5 | 6,9 | 33.6 | 80 |
| ÖLFLEX CLASSIC 130 H 8 G 0,5 | Lapp 1123010 | 8 G 0,5 | 8,2 | 38.4 | 103 |
| ÖLFLEX CLASSIC 130 H 10 G 0,5 | Lapp 1123012 | 10 G 0,5 | 8,8 | 48.0 | 112 |
| ÖLFLEX CLASSIC 130 H 12 G 0,5 | Lapp 1123013 | 12 G 0,5 | 9,1 | 57.6 | 128 |
| ÖLFLEX CLASSIC 130 H 18 G 0,5 | Lapp 1123017 | 18 G 0,5 | 10,8 | 86.4 | 189 |
| ÖLFLEX CLASSIC 130 H 25 G 0,5 | Lapp 1123020 | 25 G 0,5 | 12,7 | 120.0 | 260 |
| ÖLFLEX CLASSIC 130 H 30 G 0,5 | Lapp 1123021 | 30 G 0,5 | 13,6 | 144.0 | 294 |
| ÖLFLEX CLASSIC 130 H 2 X 0,75 | Lapp 1123032 | 2 X 0,75 | 5,5 | 14.4 | 47 |
| ÖLFLEX CLASSIC 130 H 3 G 0,75 | Lapp 1123033 | 3 G 0,75 | 5,8 | 21.6 | 56 |
| ÖLFLEX CLASSIC 130 H 3 X 0,75 | Lapp 1123034 | 3 X 0,75 | 5,8 | 21.6 | 56 |
| ÖLFLEX CLASSIC 130 H 4 G 0,75 | Lapp 1123035 | 4 G 0,75 | 6,3 | 28.8 | 69 |
| ÖLFLEX CLASSIC 130 H 4 X 0,75 | Lapp 1123036 | 4 X 0,75 | 6,3 | 28.8 | 69 |
| ÖLFLEX CLASSIC 130 H 5 G 0,75 | Lapp 1123037 | 5 G 0,75 | 6,9 | 36.0 | 83 |
| ÖLFLEX CLASSIC 130 H 5 X 0,75 | Lapp 1123038 | 5 X 0,75 | 6,9 | 36.0 | 83 |
| ÖLFLEX CLASSIC 130 H 7 G 0,75 | Lapp 1123041 | 7 G 0,75 | 7,5 | 50.4 | 104 |
| ÖLFLEX CLASSIC 130 H 7 X 0,75 | Lapp 1123042 | 7 X 0,75 | 7,5 | 50.4 | 104 |

ÖLFLEX CLASSIC 130 H 3 G 1,0_

Lapp 1123067



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|--------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 130 H 10 G 0,75 | Lapp 1123046 | 10 G 0,75 | 9,8 | 72.0 | 149 |
| ÖLFLEX CLASSIC 130 H 12 G 0,75 | Lapp 1123047 | 12 G 0,75 | 10,1 | 86.4 | 172 |
| ÖLFLEX CLASSIC 130 H 12 X 0,75 | Lapp 1123048 | 12 X 0,75 | 10,1 | 86.4 | 172 |
| ÖLFLEX CLASSIC 130 H 18 G 0,75 | Lapp 1123051 | 18 G 0,75 | 12.0 | 129.6 | 252 |
| ÖLFLEX CLASSIC 130 H 25 G 0,75 | Lapp 1123054 | 25 G 0,75 | 14,1 | 180.0 | 352 |
| ÖLFLEX CLASSIC 130 H 34 G 0,75 | Lapp 1123056 | 34 G 0,75 | 16,3 | 244.8 | 466 |
| ÖLFLEX CLASSIC 130 H 2 X 1,0 | Lapp 1123066 | 2 X 1,0 | 5,8 | 19.2 | 55 |
| ÖLFLEX CLASSIC 130 H 3 G 1,0 | Lapp 1123067 | 3 G 1,0 | 6,1 | 28.8 | 67 |
| ÖLFLEX CLASSIC 130 H 3 X 1,0 | Lapp 1123068 | 3 X 1,0 | 6,1 | 28.8 | 67 |
| ÖLFLEX CLASSIC 130 H 4 G 1,0 | Lapp 1123069 | 4 G 1,0 | 6,6 | 38.4 | 83 |
| ÖLFLEX CLASSIC 130 H 4 X 1,0 | Lapp 1123070 | 4 X 1,0 | 6,6 | 38.4 | 83 |
| ÖLFLEX CLASSIC 130 H 5 G 1,0 | Lapp 1123071 | 5 G 1,0 | 7,3 | 48.0 | 100 |
| ÖLFLEX CLASSIC 130 H 5 X 1,0 | Lapp 1123072 | 5 X 1,0 | 7,3 | 48.0 | 100 |
| ÖLFLEX CLASSIC 130 H 7 G 1,0 | Lapp 1123074 | 7 G 1,0 | 8,1 | 67.2 | 130 |
| ÖLFLEX CLASSIC 130 H 7 X 1,0 | Lapp 1123075 | 7 X 1,0 | 8,1 | 67.2 | 130 |
| ÖLFLEX CLASSIC 130 H 8 G 1,0 | Lapp 1123076 | 8 G 1,0 | 9,7 | 76.8 | 164 |
| ÖLFLEX CLASSIC 130 H 10 G 1,0 | Lapp 1123078 | 10 G 1,0 | 10,4 | 96.0 | 183 |
| ÖLFLEX CLASSIC 130 H 12 G 1,0 | Lapp 1123080 | 12 G 1,0 | 10,7 | 115.2 | 212 |
| ÖLFLEX CLASSIC 130 H 12 X 1,0 | Lapp 1123081 | 12 X 1,0 | 10,7 | 115.2 | 212 |
| ÖLFLEX CLASSIC 130 H 16 G 1,0 | Lapp 1123083 | 16 G 1,0 | 12,1 | 153.6 | 275 |
| ÖLFLEX CLASSIC 130 H 18 G 1,0 | Lapp 1123084 | 18 G 1,0 | 12,9 | 172.8 | 314 |
| ÖLFLEX CLASSIC 130 H 25 G 1,0 | Lapp 1123090 | 25 G 1,0 | 15.0 | 240.0 | 429 |
| ÖLFLEX CLASSIC 130 H 34 G 1,0 | Lapp 1123094 | 34 G 1,0 | 17,5 | 326.4 | 570 |
| ÖLFLEX CLASSIC 130 H 2 X 1,5 | Lapp 1123106 | 2 X 1,5 | 6,4 | 28.8 | 72 |
| ÖLFLEX CLASSIC 130 H 3 G 1,5 | Lapp 1123107 | 3 G 1,5 | 6,8 | 43.2 | 88 |
| ÖLFLEX CLASSIC 130 H 3 X 1,5 | Lapp 1123108 | 3 X 1,5 | 6,8 | 43.2 | 88 |

ÖLFLEX CLASSIC 130 H 3 G 1,0_

Lapp 1123067



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 130 H 4 G 1,5 | Lapp 1123109 | 4 G 1,5 | 7,4 | 57.6 | 110 |
| ÖLFLEX CLASSIC 130 H 4 X 1,5 | Lapp 1123110 | 4 X 1,5 | 7,4 | 57.6 | 110 |
| ÖLFLEX CLASSIC 130 H 5 G 1,5 | Lapp 1123111 | 5 G 1,5 | 8,3 | 72.0 | 135 |
| ÖLFLEX CLASSIC 130 H 5 X 1,5 | Lapp 1123112 | 5 X 1,5 | 8,3 | 72.0 | 135 |
| ÖLFLEX CLASSIC 130 H 7 G 1,5 | Lapp 1123114 | 7 G 1,5 | 9.0 | 100.8 | 174 |
| ÖLFLEX CLASSIC 130 H 7 X 1,5 | Lapp 1123115 | 7 X 1,5 | 9.0 | 100.8 | 174 |
| ÖLFLEX CLASSIC 130 H 8 G 1,5 | Lapp 1123116 | 8 G 1,5 | 10,8 | 115.2 | 223 |
| ÖLFLEX CLASSIC 130 H 10 G 1,5 | Lapp 1123118 | 10 G 1,5 | 11,8 | 144.0 | 250 |
| ÖLFLEX CLASSIC 130 H 12 G 1,5 | Lapp 1123120 | 12 G 1,5 | 12,2 | 172.8 | 289 |
| ÖLFLEX CLASSIC 130 H 18 G 1,5 | Lapp 1123124 | 18 G 1,5 | 14,6 | 259.2 | 433 |
| ÖLFLEX CLASSIC 130 H 25 G 1,5 | Lapp 1123128 | 25 G 1,5 | 17,2 | 360.0 | 596 |
| ÖLFLEX CLASSIC 130 H 34 G 1,5 | Lapp 1123130 | 34 G 1,5 | 19,8 | 489.6 | 786 |
| ÖLFLEX CLASSIC 130 H 2 X 2,5 | Lapp 1123139 | 2 X 2,5 | 7,6 | 48.0 | 110 |
| ÖLFLEX CLASSIC 130 H 3 G 2,5 | Lapp 1123140 | 3 G 2,5 | 8,3 | 72.0 | 137 |
| ÖLFLEX CLASSIC 130 H 4 G 2,5 | Lapp 1123142 | 4 G 2,5 | 9.0 | 96.0 | 174 |
| ÖLFLEX CLASSIC 130 H 5 G 2,5 | Lapp 1123144 | 5 G 2,5 | 10,1 | 120.0 | 217 |
| ÖLFLEX CLASSIC 130 H 7 G 2,5 | Lapp 1123146 | 7 G 2,5 | 11,2 | 168.0 | 283 |
| ÖLFLEX CLASSIC 130 H 12 G 2,5 | Lapp 1123149 | 12 G 2,5 | 15,1 | 288.0 | 467 |
| ÖLFLEX CLASSIC 130 H 18 G 2,5 | Lapp 1123151 | 18 G 2,5 | 18.0 | 432.0 | 696 |
| ÖLFLEX CLASSIC 130 H 25 G 2,5 | Lapp 1123153 | 25 G 2,5 | 21,1 | 600.0 | 969 |
| ÖLFLEX CLASSIC 130 H 3 G 4 | Lapp 1123159 | 3 G 4 | 9,8 | 115.2 | 213 |
| ÖLFLEX CLASSIC 130 H 4 G 4 | Lapp 1123160 | 4 G 4 | 10,8 | 153.6 | 267 |
| ÖLFLEX CLASSIC 130 H 5 G 4 | Lapp 1123161 | 5 G 4 | 12,1 | 192.0 | 331 |
| ÖLFLEX CLASSIC 130 H 7 G 4 | Lapp 1123162 | 7 G 4 | 13,4 | 268.8 | 432 |
| ÖLFLEX CLASSIC 130 H 3 G 6 | Lapp 1123166 | 3 G 6 | 11,7 | 172.8 | 303 |
| ÖLFLEX CLASSIC 130 H 4 G 6 | Lapp 1123167 | 4 G 6 | 13.0 | 230.4 | 388 |

ÖLFLEX CLASSIC 130 H 3 G 1,0_

Lapp 1123067



| Product Name | Lapp Nr. | Number of cores and mm ² per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-----------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX CLASSIC 130 H 5 G 6 | Lapp 1123168 | 5 G 6 | 14,5 | 288.0 | 480 |
| ÖLFLEX CLASSIC 130 H 7 G 6 | Lapp 1123169 | 7 G 6 | 16.0 | 403.2 | 626 |
| ÖLFLEX CLASSIC 130 H 4 G 10 | Lapp 1123172 | 4 G 10 | 16,2 | 384.0 | 601 |
| ÖLFLEX CLASSIC 130 H 5 G 10 | Lapp 1123173 | 5 G 10 | 18,1 | 480.0 | 735 |
| ÖLFLEX CLASSIC 130 H 4 G 16 | Lapp 1123177 | 4 G 16 | 18,8 | 614.4 | 917 |
| ÖLFLEX CLASSIC 130 H 5 G 16 | Lapp 1123178 | 5 G 16 | 21,2 | 768.0 | 1148 |
| ÖLFLEX CLASSIC 130 H 4 G 25 | Lapp 1123181 | 4 G 25 | 23,5 | 960.0 | 1418 |
| ÖLFLEX CLASSIC 130 H 5 G 25 | Lapp 1123182 | 5 G 25 | 26,4 | 1200.0 | 1769 |
| ÖLFLEX CLASSIC 130 H 4 G 35 | Lapp 1123185 | 4 G 35 | 26,6 | 1344.0 | 1905 |