



Description: ÖLFLEX HEAT 180 SiZ 2 x 0,5_

Lapp code: Lapp 0065201

The **Test voltage** of the cable Lapp 0065201 is Version SiF/GL / SiZ: 2000 V Version FZLSi: 20 kV.

Application range

- Areas with high ambient temperatures where conventional core insulation materials will embrittle after a short while
- Typical fields of application
 - Control cabinet manufacturing
 - Appliances and apparatus engineering
 - Electric motor industry
 - Sauna/solarium construction
 - Thermal and heating elements
 - Lighting technology
 - Ventilator engineering
 - Air-conditioning technology
 - Furnace construction
 - Polymer processing
 - Generator and transformer manufacturing

Product Make-up

- Fine-wire, tinned-copper conductor
- Silicone-based insulation
- Cores connected in parallel with a separating strip

In our Cable list on next page you can find all interesting information acc. article Lapp 0065201 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Conductor cross-section (mm ²)	Outer diameter (mm)	Copper index (kg/km)	Weight (kg/km)
ÖLFLEX® HEAT 180 SiZ twin conductor					
ÖLFLEX HEAT 180 SiZ 2 x 0,5	Lapp 0065201	2 x 0,5	2,1 x 4,2	9.6	17.0
ÖLFLEX HEAT 180 SiZ 2 x 0,75	Lapp 0065202	2 x 0,75	2,3 x 4,6	14.4	24.0