



**Description:** ÖLFLEX ROBUST 215 C 4 G 0,75\_

**Lapp code:** Lapp 0022720

The **Test voltage** of the cable Lapp 0022720 is Core/core: 4000 V Core/screen: 2000 V.

## Application range

- Machine tool building, medical technology, laundries, car washing equipment, chemical industry, composting plants, sewage works
- Food and beverage industry, especially for production and processing equipment of milk and meat products
- Agricultural equipment
- For indoor and outdoor use
- In EMC-sensitive environments (electromagnetic compatibility)

## Product Make-up

- Fine-wire strand made of bare copper wires
- Core insulation made of modified PP
- Cores twisted in layers
- Halogen-free plastic foil wrapping
- Tinned copper screen braiding
- Outer sheath made of special TPE
- Sheath colour: black

In our Cable list on next page you can find all interesting information acc. article Lapp 0022720 and much more.

CABLE LIST - all informations you need you can find here

| Product Name                  | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX® ROBUST 215 C          |              |   |                     |                      |                |
| ÖLFLEX ROBUST 215 C 2 X 0,5   | Lapp 0022700 | 2 X 0,5   | 5,9                 | 36.0                 | 42             |
| ÖLFLEX ROBUST 215 C 3 G 0,5   | Lapp 0022701 | 3 G 0,5   | 6,2                 | 43.0                 | 52             |
| ÖLFLEX ROBUST 215 C 3 X 0,5   | Lapp 0022702 | 3 X 0,5   | 6,2                 | 43.0                 | 52             |
| ÖLFLEX ROBUST 215 C 4 G 0,5   | Lapp 0022703 | 4 G 0,5   | 6,6                 | 49.0                 | 59             |
| ÖLFLEX ROBUST 215 C 4 X 0,5   | Lapp 0022704 | 4 X 0,5   | 6,6                 | 49.0                 | 59             |
| ÖLFLEX ROBUST 215 C 5 G 0,5   | Lapp 0022705 | 5 G 0,5   | 7,1                 | 57.0                 | 68             |
| ÖLFLEX ROBUST 215 C 5 X 0,5   | Lapp 0022706 | 5 X 0,5   | 7,1                 | 57.0                 | 68             |
| ÖLFLEX ROBUST 215 C 7 G 0,5   | Lapp 0022708 | 7 G 0,5   | 7,7                 | 69.0                 | 85             |
| ÖLFLEX ROBUST 215 C 7 X 0,5   | Lapp 0022709 | 7 X 0,5   | 7,7                 | 69.0                 | 85             |
| ÖLFLEX ROBUST 215 C 12 G 0,5  | Lapp 0022711 | 12 G 0,5  | 10,1                | 104.0                | 136            |
| ÖLFLEX ROBUST 215 C 18 G 0,5  | Lapp 0022712 | 18 G 0,5  | 11,8                | 141.0                | 189            |
| ÖLFLEX ROBUST 215 C 25 G 0,5  | Lapp 0022713 | 25 G 0,5  | 13,7                | 211.0                | 265            |
| ÖLFLEX ROBUST 215 C 2 X 0,75  | Lapp 0022717 | 2 X 0,75  | 6,3                 | 43.0                 | 50             |
| ÖLFLEX ROBUST 215 C 3 G 0,75  | Lapp 0022718 | 3 G 0,75  | 6,6                 | 52.0                 | 60             |
| ÖLFLEX ROBUST 215 C 3 X 0,75  | Lapp 0022719 | 3 X 0,75  | 6,6                 | 52.0                 | 60             |
| ÖLFLEX ROBUST 215 C 4 G 0,75  | Lapp 0022720 | 4 G 0,75  | 7,1                 | 61.0                 | 72             |
| ÖLFLEX ROBUST 215 C 4 X 0,75  | Lapp 0022721 | 4 X 0,75  | 7,1                 | 61.0                 | 72             |
| ÖLFLEX ROBUST 215 C 5 G 0,75  | Lapp 0022722 | 5 G 0,75  | 7,9                 | 72.0                 | 88             |
| ÖLFLEX ROBUST 215 C 5 X 0,75  | Lapp 0022723 | 5 X 0,75  | 7,9                 | 72.0                 | 88             |
| ÖLFLEX ROBUST 215 C 7 G 0,75  | Lapp 0022724 | 7 G 0,75  | 8,5                 | 89.0                 | 110            |
| ÖLFLEX ROBUST 215 C 7 X 0,75  | Lapp 0022725 | 7 X 0,75  | 8,5                 | 89.0                 | 110            |
| ÖLFLEX ROBUST 215 C 12 G 0,75 | Lapp 0022727 | 12 G 0,75   | 11,1                | 138.0                | 177            |
| ÖLFLEX ROBUST 215 C 18 G 0,75 | Lapp 0022728 | 18 G 0,75   | 13.0                | 211.0                | 247            |
| ÖLFLEX ROBUST 215 C 25 G 0,75 | Lapp 0022729 | 25 G 0,75   | 15,1                | 280.0                | 347            |

# ÖLFLEX ROBUST 215 C 4 G 0,75\_

Lapp 0022720



| Product Name                  | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-------------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX ROBUST 215 C 34 G 0,75 | Lapp 0022730 | 34 G 0,75   | 17,5                | 380.0                | 460            |
| ÖLFLEX ROBUST 215 C 2 X 1,0   | Lapp 0022733 | 2 X 1,0   | 6,6                 | 51.0                 | 60             |
| ÖLFLEX ROBUST 215 C 3 G 1,0   | Lapp 0022734 | 3 G 1,0   | 6,9                 | 62.0                 | 70             |
| ÖLFLEX ROBUST 215 C 3 X 1,0   | Lapp 0022735 | 3 X 1,0   | 6,9                 | 62.0                 | 70             |
| ÖLFLEX ROBUST 215 C 4 G 1,0   | Lapp 0022736 | 4 G 1,0   | 7,4                 | 74.0                 | 85             |
| ÖLFLEX ROBUST 215 C 4 X 1,0   | Lapp 0022737 | 4 X 1,0   | 7,4                 | 74.0                 | 85             |
| ÖLFLEX ROBUST 215 C 5 G 1,0   | Lapp 0022738 | 5 G 1,0   | 8,3                 | 88.0                 | 103            |
| ÖLFLEX ROBUST 215 C 5 X 1,0   | Lapp 0022739 | 5 X 1,0   | 8,3                 | 88.0                 | 103            |
| ÖLFLEX ROBUST 215 C 7 G 1,0   | Lapp 0022740 | 7 G 1,0   | 8,9                 | 112.0                | 131            |
| ÖLFLEX ROBUST 215 C 12 G 1,0  | Lapp 0022742 | 12 G 1,0  | 11,7                | 185.0                | 213            |
| ÖLFLEX ROBUST 215 C 18 G 1,0  | Lapp 0022743 | 18 G 1,0  | 14,1                | 268.0                | 321            |
| ÖLFLEX ROBUST 215 C 25 G 1,0  | Lapp 0022744 | 25 G 1,0  | 16,2                | 354.0                | 425            |
| ÖLFLEX ROBUST 215 C 2 X 1,5   | Lapp 0022748 | 2 X 1,5   | 7,2                 | 65.0                 | 71             |
| ÖLFLEX ROBUST 215 C 3 G 1,5   | Lapp 0022749 | 3 G 1,5   | 7,6                 | 82.0                 | 90             |
| ÖLFLEX ROBUST 215 C 3 X 1,5   | Lapp 0022750 | 3 X 1,5   | 7,6                 | 82.0                 | 90             |
| ÖLFLEX ROBUST 215 C 4 G 1,5   | Lapp 0022751 | 4 G 1,5   | 8,4                 | 100.0                | 114            |
| ÖLFLEX ROBUST 215 C 4 X 1,5   | Lapp 0022752 | 4 X 1,5   | 8,4                 | 100.0                | 114            |
| ÖLFLEX ROBUST 215 C 5 G 1,5   | Lapp 0022753 | 5 G 1,5   | 9,1                 | 119.0                | 136            |
| ÖLFLEX ROBUST 215 C 5 X 1,5   | Lapp 0022754 | 5 X 1,5   | 9,1                 | 119.0                | 136            |
| ÖLFLEX ROBUST 215 C 7 G 1,5   | Lapp 0022756 | 7 G 1,5   | 10,0                | 154.0                | 177            |
| ÖLFLEX ROBUST 215 C 7 X 1,5   | Lapp 0022757 | 7 X 1,5   | 10,0                | 154.0                | 177            |
| ÖLFLEX ROBUST 215 C 12 G 1,5  | Lapp 0022760 | 12 G 1,5  | 13,4                | 268.0                | 290            |
| ÖLFLEX ROBUST 215 C 18 G 1,5  | Lapp 0022761 | 18 G 1,5  | 15,8                | 373.0                | 435            |
| ÖLFLEX ROBUST 215 C 25 G 1,5  | Lapp 0022762 | 25 G 1,5  | 18,2                | 530.0                | 579            |
| ÖLFLEX ROBUST 215 C 34 G 1,5  | Lapp 0022763 | 34 G 1,5  | 21,2                | 683.0                | 797            |
| ÖLFLEX ROBUST 215 C 3 G 2,5   | Lapp 0022767 | 3 G 2,5   | 9,1                 | 118.0                | 134            |

# ÖLFLEX ROBUST 215 C 4 G 0,75\_

Lapp 0022720



| Product Name                | Lapp Nr.     | Number of cores and mm <sup>2</sup> per conductor | Outer diameter (mm) | Copper index (kg/km) | Weight (kg/km) |
|-----------------------------|--------------|---|---------------------|----------------------|----------------|
| ÖLFLEX ROBUST 215 C 4 G 2,5 | Lapp 0022768 | 4 G 2,5   | 10,0                | 147,0                | 169            |
| ÖLFLEX ROBUST 215 C 5 G 2,5 | Lapp 0022769 | 5 G 2,5   | 11,1                | 176,0                | 207            |
| ÖLFLEX ROBUST 215 C 7 G 2,5 | Lapp 0022770 | 7 G 2,5   | 12,0                | 253,0                | 270            |
| ÖLFLEX ROBUST 215 C 4 G 4   | Lapp 0022774 | 4 G 4   | 11,9                | 190,0                | 258            |
| ÖLFLEX ROBUST 215 C 4 G 6   | Lapp 0022776 | 4 G 6   | 14,5                | 290,0                | 392            |
| ÖLFLEX ROBUST 215 C 4 G 10  | Lapp 0022777 | 4 G 10  | 17,5                | 458,0                | 602            |
| ÖLFLEX ROBUST 215 C 4 G 16  | Lapp 0022778 | 4 G 16  | 20,2                | 736,6                | 928            |
| ÖLFLEX ROBUST 215 C 4 G 25  | Lapp 0022771 | 4 G 25  | 25,1                | 1126,7               | 1411           |
| ÖLFLEX ROBUST 215 C 4 G 35  | Lapp 0022780 | 4 G 35  | 28,0                | 1540,0               | 1883           |