



**Description:** ÖLFLEX TRUCK 470 P FLRY11Y 10x1,5+3x2,5+1x(2x1,5)\_

**Lapp code:** Lapp 7027090

The **Test voltage** of the cable Lapp 7027090 is 5 kV rms for at least 5 min..

## Application range

- Commercial vehicles
- Wiring of electrical equipments in all trailers and semi-trailers

## Product Make-up

- Strands of bare copper wires
- Core insulation: Based on PVC
- Special PVC-based inner sheath
- Outer sheath made of special polyurethane

In our Cable list on next page you can find all interesting information acc. article Lapp 7027090 and much more.

CABLE LIST - all informations you need you can find here

Product Name	Lapp Nr.	Number of cores and mm <sup>2</sup> per conductor	Outer diameter (mm)	Colour	Copper index (kg/km)	Weight (kg/km)
ÖLFLEX® TRUCK 470 P FLRYY11Y						
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 1,0	Lapp 7027080	2 x 1,0	6,0	white-black	19.2	55
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 1,0	Lapp 7027081	2 x 1,0	6,0	white-brown	19.2	55
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 1,5	Lapp 7027020	2 x 1,5	6,6	white-black	28.8	68
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 1,5	Lapp 7027021	2 x 1,5	6,6	white-brown	28.8	68
ÖLFLEX TRUCK 470 P FLRYY11Y 3 x 1,0	Lapp 7027082	3 x 1,0	6,3	black-brown-blue	28.8	67
ÖLFLEX TRUCK 470 P FLRYY11Y 3 x 1,0	Lapp 7027022	3 x 1,0	6,3	white/brown/blue, newest ISO design	28.8	67
ÖLFLEX TRUCK 470 P FLRYY11Y 4 x 1,0	Lapp 7027083	4 x 1,0	6,8	white/black/red/brown	38.4	81
ÖLFLEX TRUCK 470 P FLRYY11Y 4 x 1,5	Lapp 7027038	4 x 1,5	7,5	white/black/red/brown	57.6	106
ÖLFLEX TRUCK 470 P FLRYY11Y 5 x 1,0	Lapp 7027084	5 x 1,0	7,5	white/brown/green/red/grey	48.0	97
ÖLFLEX TRUCK 470 P FLRYY11Y 5 x 1,0 + 1 x 2,5	Lapp 7027085	5 x 1,0 + 1 x 2,5	9,0	1.0 = green/brown/red/blue/violet; 2.5 = white	72.0	133
ÖLFLEX TRUCK 470 P FLRYY11Y 5 x 1,0 + 1 x 2,5	Lapp 7027086	5 x 1,0 + 1 x 2,5	9,0	1.0 = yellow/black/red/blue/violet; 2.5 = white	72.0	133
ÖLFLEX TRUCK 470 P FLRYY11Y 5 x 1,0 + 1 x 2,5	Lapp 7027025	5 x 1,0 + 1 x 2,5	9,0	1.0 = brown/green/red/grey/violet; 2.5 = white, newest ISO design	72.0	133
ÖLFLEX TRUCK 470 P FLRYY11Y 6 x 1,5 + 1 x 2,5	Lapp 7027087	6 x 1,5 + 1 x 2,5	10,3	ISO 4141 1.5 = black/yellow/red/green/brown/blue; 2.5 = white	110.4	187
ÖLFLEX TRUCK 470 P FLRYY11Y 7 x 0,75	Lapp 7027130	7 x 0,75	7,3	white/black/yellow/red/green/brown/blue	50.4	101
ÖLFLEX TRUCK 470 P FLRYY11Y 7 x 1,5	Lapp 7027088	7 x 1,5	8,9	white/black/yellow/red/green/brown/blue	100.8	166
ÖLFLEX TRUCK 470 P FLRYY11Y 8 x 1,5 + 1 x 2,5	Lapp 7027089	8 x 1,5 + 1 x 2,5	11,7	ISO 4141 + grey/violet	139.2	239

# ÖLFLEX TRUCK 470 P FLRYY11Y 10x1,5+3x2,5+1x(2x1,5)\_

Lapp 7027090



Product Name	Lapp Nr.	Number of cores and mm <sup>2</sup> per conductor	Outer diameter (mm)	Colour	Copper index (kg/km)	Weight (kg/km)
ÖLFLEX TRUCK 470 P FLRYY11Y 10x1,5+3x2,5+1x(2x1,5)	Lapp 7027090	10x1,5+3x2,5+1x(2x1,5)	14,4	white with black numbers; 1.5 = no. 1 - 3, 5 - 8, 10 - 12; 2.5 = no. 4, 9, 13; 1.5 = no. 14, 15	244.8	391
ÖLFLEX TRUCK 470 P FLRYY11Y 10x1,5+3x2,5+1x(2x1,5)	Lapp 7027030	10x1,5+3x2,5+1x(2x1,5)	14,4	ISO 12098	244.8	395
ÖLFLEX TRUCK 470 P FLRYY11Y 10x1,5+3x2,5	Lapp 7027091	10x1,5+3x2,5	14,4	white with black numbers; 1.5 = no. 1 - 3, 5 - 8, 10 - 12; 2.5 = no. 4, 9, 13	216.0	367
ÖLFLEX TRUCK 470 P FLRYY11Y 10x1,5+3x2,5	Lapp 7027031	10x1,5+3x2,5	14,4	1.5 = yellow/green/blue/black/brown/red/pink/grey/white-black/white-blue; 2.5 = white/orange/white-red	216.0	367
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 0,75 + 2 x 1,5	Lapp 7027046	2 x 0,75 + 2 x 1,5	7,2	0.75 = white-brown; 1.5 = yellow-green	43.2	85
ÖLFLEX TRUCK 470 P FLRYY11Y 2 x 6 + 3 x 1,5 ABS	Lapp 7027092	2 x 6 + 3 x 1,5 ABS	12,1	DIN 72570 6.0 = red/brown; 1.5 = black/yellow/white	158.4	267
ÖLFLEX TRUCK 470 P FLRYY11Y 2x6+3x1,5+1x(2x1,5) EBS	Lapp 7027093	2x6+3x1,5+1x(2x1,5) EBS	12,1	DIN 72570 6.0 = red/brown; 1.5 = black/yellow/white; 1.5 = white-grey/white-brown	187.2	321
ÖLFLEX TRUCK 470 P FLRYY11Y 2x4+3x1,5+1x(2x1,5) EBS	Lapp 7027094	2x4+3x1,5+1x(2x1,5) EBS	11,9	4.0=red/brown; 1.5=black/yellow/white; 1.5=white-grey/white-brown	148.8	257
ÖLFLEX TRUCK 470 P FLRYY11Y 18 x 1,5	Lapp 7027024	18 x 1,5	13,7	white with black numbers	259.2	407
ÖLFLEX TRUCK 470 P FLRYY11Y 25 x 1,5	Lapp 7027032	25 x 1,5	16,1	white with black numbers	360.0	560
ÖLFLEX TRUCK 470 P FLRYY11Y	Lapp 7027079				672.0	